

Law Lib

Rev

GHANA



GAZETTE

Published by Authority

No. 35

FRIDAY, 18TH JULY

1997

CONTENTS



| | Page |
|-------------------------------------------------------------------------------|------|
| Notice of Publication of Official Bulletins | 178 |
| The National Weekly Lotto Results | 178 |
| Award of Honours, Honours Warrant | 178 |
| List of Finalised Ghana Standards—Ghana Standards Board | 179 |
| ISO 9000 Quality Systems and Related Standards—Ghana Standards Board | 179 |
| List of Adopted International/Foreign Standards—Ghana Standards Board | 180 |

**NOTICE OF PUBLICATION OF OFFICIAL BULLETINS
COMMERCIAL AND INDUSTRIAL NO. 12**

is published today, price: ₵600

**Summary of Contents
General**

| | Page |
|--------------------------------|------|
| Sale of Overtime Goods | 87 |

LOCAL GOVERNMENT NO. 18

is published today, price: ₵1,200

**Summary of Contents
General**

| | Page |
|-------------------------------------------------------------------------------------------------------------------------------------------|------|
| Imposition of Rates and Fee Fixing Resolution for the Financial Year 1st January to 31st December, 1997—Jasikan District Assembly | 235 |

THE NATIONAL WEEKLY LOTTO RESULTS

It is hereby certified that a National Weekly Lotto Draw was held on Saturday, 00th July, 1997 in accordance with the provisions of the National Weekly Lotto Act, 1961 and the Regulations published thereunder and that the following numbers were drawn in successive order:

51 - 61 - 35 - 17 - 2

COL. MARTIN GBIKPI
Director of National Lotteries

AWARD OF HONOURS

**ON THE OCCASION OF THE COMMISSION OF THE RECONSTRUCTIVE PLASTIC SURGERY
AND BURNS UNIT AT THE KORLE-BU TEACHING HOSPITAL
FRIDAY, 20TH MAY, 1997**

I, JERRY JOHN RAWLINGS, President of the Republic of Ghana, do hereby confer the honours slated herein on the persons named herein—

Officer of the Order of the Volta (OV) (Honorary Division)

| <i>Name</i> | <i>Area of Activity</i> |
|--------------------------------------|----------------------------|
| 1. Prof. John Clark Mustarde | Medicine (Plastic Surgery) |

Grand Medal (GM) (Honorary Division)

| <i>Name</i> | <i>Area of Activity</i> |
|---------------------------------------|----------------------------------|
| 1. Mrs. Evelyn Low Tay | Social Service (Plastic Surgery) |
| 2. Dr. Vincent M. "Tia" Waite | Medical/Missionary Surgery |
| 3. Dr. Juan Casals Fuster | Medicine (Orthopaedic Surgery) |

Grand Medal (GM) (Civil Division)

| <i>Name</i> | <i>Area of Activity</i> |
|-------------------------------------------|-------------------------|
| 1. Dr. John Koku Awoonor-Williams | Medicine (Rural Health) |

Made this 30th day of May, 1997.

SIGNED:.
FLT.-LT. JERRY JOHN RAWLINGS
President of the Republic of Ghana

**Honours Warrant
Medal for Gallantry (Civil Division)**

| <i>Name</i> | <i>Area of Activity</i> |
|-----------------------------------------|------------------------------------|
| 1. Late Addison, Samuel Godwill Gilbert | .. Saved a Girl from Electrocution |

Dated this 21st day of November, 1996.

SIGNED:

FLT.-LT. JERRY JOHN RAWLINGS

President of the Republic of Ghana

LIST OF FINALISED GHANA STANDARDS

| <i>NUMBER</i> | <i>TITLE</i> |
|---------------|-----------------------------------------------------------------------|
| GS 22: 1995 | Specification for portland cement (1st Revision) |
| GS 157: 1995 | Methods of test for cement |
| GS 158: 1995 | Specification for fibre and micro-concrete roofing tiles |
| GS 159: 1995 | Textiles—Specification for cotton dress material |
| GS 160: 1995 | Textiles—Specification for cotton tie-and-dye fabric |
| GS 161: 1995 | Textiles—Specification for cotton drill |
| GS 162: 1995 | Textiles—Specification for cotton shirting for school uniform |
| GS 163: 1995 | Textiles—Specification for grey cotton fabric (Grey baft) |
| GS 164: 1995 | Textiles—Specification for cotton flannelette fabric for dusters |
| GS 165: 1995 | Documentation—Preparation and presentation of abstracts |
| GS 166: 1995 | Documentation—Guide for designing books for adults |
| GS 167: 1995 | Soaps and detergents—Specification for hard laundry soap |
| GS 168: 1995 | Non-alcoholic beverages—Specification for fruit squashes and cordials |
| GS 169: 1996 | Alcoholic beverages—Specification for beer |
| GS 170: 1996 | Specification for corrugated fibre board boxes |
| GS 171: 1996 | Specification for correspondence envelopes |
| GS 172: 1996 | Specification for facial tissue paper |
| GS 177: 1996 | Specification for lobster and lobster products |
| GS 178: 1996 | Specification for shrimps (prawns) |
| GS 183: 1996 | Polishes—Specification for liquid wax floor polish |
| GS 184: 1996 | Polishes—Specification for paste wax floor polish |
| GS 185: 1996 | Specification for candles for domestic use |
| GS 186: 1996 | Bleaching agent—Specification for sodium hypochlorite solution |
| GS 198: 1996 | Specification for plywood for general purpose |
| GS 199: 1996 | Specification for capacity measures for dispensing draught beer |

ISO 9000 QUALITY SYSTEMS AND RELATED STANDARDS

| | | |
|----------------|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GS/ISO 9000-1: | 1994 | Quality management and quality assurance standards Part 1: Guidelines for selection and use. |
| GS/ISO 9000-2: | 1993 | Quality management and quality assurance standards Part 2: Generic guidelines for the application of ISO 9001, ISO 9002 and ISO 9003. |
| GS/ISO 9000-3: | 1991 | Quality management and quality assurance standards Part 3: Guidelines for the applicaiton of ISO 9001 to the development, supply and maintenance of software. |

| | | |
|--------------------|------|---------------------------------------------------------------------------------------------------------------------------------|
| GS/ISO 9000-4: | 1993 | Quality management and quality assurance standards Part 4: Guide to dependability programme management. |
| GS/ISO 8402 : | 1994 | Quality Management/Quality Assurance—Vocabulary. |
| GS/ISO 9001 : | 1994 | Quality systems—Model for quality assurance in design, development, production, installation and servicing. |
| GS/ISO 9002 : | 1994 | Quality systems—Mode for quality assurance in production, installation and servicing. |
| GS/ISO 9003 : | 1994 | Quality systems—Mode for quality assurance in final inspection and test. |
| GS/ISO 9004-1 : | 1994 | Quality management and quality system elements Part 1: Guidelines |
| GS/ISO 9004-2 : | 1991 | Quality management and quality system elements Part 2 : Guidelines for services. |
| GS/ISO 9004-3 : | 1993 | Quality management and quality system elements Part 3 : Guidelines for processed materials. |
| GS/ISO 9004-4 : | 1993 | Quality management and quality system elements Part 4 : Guidelines for quality improvement. |
| GS/ISO 10005 : | 1995 | Quality management. |
| GS/ISO 10006 : | 1995 | Guidelines for quality plans—Quality Management— Guidelines for project management. |
| GS/ISO 10007 : | 1995 | Quality management—Guidelines for configuration management. |
| GS/ISO 10011-1 : | 1990 | Guidelines for auditing quality systems Part 1 : Auditing. |
| GS/ISO 10011-2 : | 1991 | Guidelines for auditing quality systems Part 2 : Qualification, criteria for quality systems auditors. |
| GS/ISO 10011-3 : | 1991 | Guidelines for auditing quality systems Part 3 : Management of audit programmes. |
| GS/ISO 10012-1 : | 1992 | Quality assurance requirements for measuring equipment — Part 1 : Metrological confirmation systems for measuring equipment. |
| GS/ISO/DIS 10012-2 | | Quality assurance requirements for measuring equipment—Part 2 : Control of measurement process. |
| GS/ISO 10013 : | 1995 | Guidelines for developing quality manuals. |

LIST OF ADOPTED INTERNATIONAL/FOREIGN STANDARDS

| <i>ORIGINAL NO.</i> | <i>FGS NO.</i> | <i>TITLE</i> |
|-----------------------------------|----------------|-------------------------------------------------------------------------------------------------------|
| SIS. 355:1991 | 289 | Specification for disposal polystyrene food containers. |
| BS. 7501:1989 (EN.45001-1989) | 290 | General criteria for the operation of Testing Laboratories. |
| BS. 7502:1989 (EN. 45002:1989) | 291 | General criteria for the assessment of Testing Laboratories |
| BS.7503:1989 (EN. 45003:1989) | 292 | General criteria for Laboratory Accreditation Bodies |
| ISO.2049-1992 | 293 | Petroleum products—Determination of colour |
| ISO.2160-1985 | 294 | Petroleum products—Corrosiveness to copper-Copper strip test |
| ISO.2192-1984 | 295 | Petroleum products—Determination of total sulphur content-Lamp method |
| ISO.2719-1988 | 296 | Petroleum products and lubricants—Determination of flash point- Pernsky Marten's closed-cup method |

| | | |
|------------------------|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ISO.3007-1989 | 297 | Petroleum products—Determination of vapour pressure-Reid method |
| ISO.3016-1974 | 298 | Petroleum oils—Determination of pour point |
| ISO.3104-1976 | 299 | Petroleum products—Transparent and opaque liquids—Determination of kinematic viscosity and calculation of dynamic viscosity |
| ISO.3107-1988 | 300 | Petroleum liquids—Manual sampling |
| ISO.3405-1988 | 301 | Petroleum products—Determination of distillation characteristics |
| ISO.3733-1976 | 302 | Petroleum products and bituminous material—Determination of water-Distillation method |
| ISO.3830-1981 | 303 | Petroleum products—Gasoline—Determination of lead content—Iodine monochloride method |
| ISO. 3838-1983 | 304 | Crude petroleum and liquid or solid petroleum products—Determination of density; relative density-capillary stoppered pycnometer and graduated bicapillary pycnometer method |
| ISO. 5164 -1990 | 305 | Motor fuels—Determination of knock characteristics—Research method |
| ISO. 5165-1977 | 306 | Diesel fuels—Determination of ignition quality—Cetane method |
| ISO. 6245-1992 | 307 | Petroleum products—Determination of ash |
| ISO. 6246-1989 | 308 | Petroleum products-motor gasoline and aviation fuels |
| ISO. 6249-1989 | 309 | Petroleum products—Gas fuels—Determination of thermal oxidation stability—Jet evaporation method |
| ISO. 3014-1981 | 310 | Aviation turbine fuels —Determination of smoke point |
| ISO. 3012-1974 | 311 | Mercaptan sulphur—Amperometric and pteritometric method |
| IP. 21/69 | 312 | Diesel index |
| ASTM-D976-1980 | 313 | Petroleum products— Calculated cetaine index of distillate fuels |
| ASTM-D156-1987 | 314 | Test method for saybolt colour of petroleum products—Saybolt chronometer method |
| ASTM-D187-1982 | 315 | Standard test method for burning quality of kerosine |
| ISO. 6615-1983 | 316 | Petroleum products—Determination of carbon residue—Conradon method |
| ISO. 5555-1983 | 317 | Animal and vegetable fats and oils—Sampling |
| BS. 7318 -1990 | 318 | Specification for industrial sewing thread made from linen or cotton |
| IS. 171-1985 | 319 | Specification for cotton and regenerated cellulosic fibre blended grey yarn |
| ISO. 2-1973 | 320 | Designation of the direction of twist in yarns and related products |
| ISO. 7211-2-1984 | 321 | Textiles—Woven fabrics—Construction Method of analysis—Determination of number of threads per unit length |
| ISO. 1389-1984 | 322 | Testing cotton fabrics for resistance to attack by micro-organisms |
| ISO. 2233-1994 | 323 | Packaging—complete, filled transport, packaging—conditioning for testing |
| ISO. 2247-1985 | 324 | Packaging—complete, filled transport, packaging vibration test at fixed low frequency |
| ISO. 2248-1985 | 325 | Packaging—complete, filled transport packages—Vertical impact test by dropping |
| NZS. 5423-1986 | 326 | Specification for retreading car, truck and bus tyres |
| BS. 3962-2-1983 (1990) | 327 | Finishes for wood surfaces—Assessment of surface resistance to wet heat |
| BS. 4875: 1985 | 328 | Strength and stability of furniture—Method for determination of stability of chairs and stools |
| BS. 3031: 1977 | 329 | Specification for sulphuric acid for use in lead acid batteries |
| ISO. 527-1966 | 330 | Plastics—Determination of tensile properties |
| ISO. 8243-1988 | 331 | Cigarette—Sampling |
| BS. 5942 | 332 | High fidelity audio equipment and systems—Minimum performance requirements |
| Part 1: 1989 | 332 Pt. 1 | General requirements |
| Part 2: 1987 | 332 Pt. 2 | Specification for F.M. radio tuners |
| Part 3: 1989 | 332 Pt. 3 | Specification for record playing equipment and cartridges |
| Part 4: 1992 | 332 Pt. 4 | Specification for magnetic recording and reproducing equipment |
| Part 5: 1989 | 332 Pt. 5 | Specification for microphones |

| | | |
|-----------------------|------------|-----------------------------------------------------------------------------------------------------------------|
| Part 6: 1992 | 332 Pt. 6 | Specification for amplifiers |
| Part 7: 1987 | 332 Pt. 7 | Specification for loud speakers |
| Part 8: 1987 | 332 Pt. 8 | Specification for combination equipment |
| Part 11: 1989 | 332 Pt. 11 | Specification for high fidelity system for use in vehicles |
| Part 12: 1989 | 332 Pt. 12 | Specification for sound out put of TV tuners |
| Part 13: 1989 | 332 Pt. 13 | Specification for high fidelity systems for use in vehicles—FM radio tuner systems |
| BS. 7065-1989 | 333 | Specification for helical scan video type system using 8mm magnetic video tapes |
| BS. 7064-1989 | 334 | Specification for compact disc digital audio system |
| BS. 3549 | 335 | Method of measuring and expressing the performance of TV sets |
| Part 1 : 1979 | 335 Pt. 1 | General considerations and electrical measurements other than those at audio frequencies |
| Part 2 : 1981 | 335 Pt. 2 | Electrical and acoustic measurement at audio frequencies |
| BS. 5876 : 1980 | 336 | Guide for subjective viewing test for TV receivers |
| BS. 6840-Pt. 5 : 1995 | 337 Pt. 5 | Methods for specifying and measuring the characteristics of loud speakers |
| BS. 6317-1992 | 338 | Telephone hand sets |
| BS. 3999 | 339 | Methods of measuring the performance of household electrical appliances |
| Part 1 : 1985 | 339 Pt. 1 | Electric kettle |
| Part 2 : 1991 | 339 Pt. 2 | Thermal storage electric water-heater |
| Part 3 : 1985 | 339 Pt. 3 | Food preparation machines |
| Part 5 : 1990 | 339 Pt. 5 | Electric cookers |
| Part 5C : 1983 | 339 Pt. 5C | Shade chart |
| Part 5G : 1983 | 339 Pt. 5G | Shade gauge |
| Part 8 : 1990 | 339 Pt. 8 | Coffee makers |
| Part 9 : 1995 | 339 Pt. 9 | Electric toasters |
| Part 12 : 1982 | 339 Pt. 12 | Vacuum cleaners |
| Part 15 : 1994 | 339 Pt. 15 | Microwave cooking appliances |
| ISO 7371-1985 | 340 | Performance of household refrigerating appliances—Refrigerators with or without low temperature compartment |
| AS 3104-1982 | 341 | Electric portable immersion heaters |
| BS 161-1990 | 342 | Specification for tungsten filament lamps for domestic and similar general lighting purposes |
| SABS 154-1981 | 343 | Electric cooking plates and surface unit heaters |
| BS 1853 | 344 | Tubular fluorescent lamps for general lighting service |
| Part 1 : 1990 | 344 Pt. 1 | Specification for internationally specified lamps |
| BS 5148 : 1995 | 345 | Method for specifying the performance of stabilised power supply apparatus |
| BS 4737 | 346 | Intruder alarm system |
| Part 1 : 1986 | 346 Pt. 1 | Specification for installed system with local audible and/or remote signalling |
| BS 5042-1987 | 347 | Specification for bayonet lamp holder |
| BS 4662-1970 | 348 | Specification for boxes for the enclosure of electrical accessories |
| BS 3676 Pt. 1-1989 | 349 | Switches for household and similar fixed electrical installations —General requirements |
| BS 67-1987 | 350 | Specification for ceiling rose |
| IS 1445 : 1977 | 351 | Porcelain insulators for overhead power lines with nominal voltage up to and including 1000 volts |
| BS 7069-1989 | 352 | Specification for cook ware |
| BS 5577-1984 | 353 | Specification for table cutlery |
| BS 1722 Pt. 1-1986 | 354 | Specification for chain link fences |
| BS 1202 Pt. 1-1974 | 355 | Specification for nails —Steel nails |
| BS 1470-1987 | 356 | Specification for wrought aluminium and aluminium alloys for general engineering purpose-plate, sheet and strip |
| BS 639 - 1986 | 357 | Specification for covered carbon and carbon manganese steel electrodes for |

| | | |
|----------------------|-----------|-----------------------------------------------------------------------------------------------------------------------------------------|
| BS 1210 - 1963 | 358 | manual metal-arc welding |
| BS 4102 - 1990 | 359 | Specification for wood screw |
| BS 405 - 1987 | 360 | Specification for steel wire and wire products for fences |
| BS 7114 Pt. 1 - 1988 | 361 Pt. 1 | Specification for uncoated expanded metal carbon steel sheet for general purposes |
| BS 7114 Pt. 2 - 1988 | 361 Pt. 2 | Classification of fire works |
| BS 7114 Pt. 3 - 1988 | 361 Pt. 3 | Specification for fire works |
| BS 2718-1990 | 362 | Methods of test for fire works |
| BS 1262-1989 | 362 | Specification for gas cylinder trolleys |
| BS 5286-1978 | 363 | Specification for round lever lid tinplate cans—Paint range |
| BS 5459 Pt 1-1977 | 364 | Specification for aluminium framed sliding glass doors |
| BS 952 Pt 2-1978 | 365 | Desks and tables |
| BS 6206-1981 | 366 | Glass for glazing -classification |
| BS 3173-1971 | 367 | Specification for impact performance requirements for flat safety glass and safety plastic for use in building |
| BS AU 142-1968 | 368 | Specification for non-pocketed or open type spring centre units for domestic mattresses |
| SABS 1215-1972 | 369 | Methods of test for brake lining materials |
| SABS 22-1975 | 370 | Concrete masonry units |
| SABS 887-1972 | 371 | Glazed ceramic wall tiles and fittings |
| NIS 29-1984 | 372 | Varnishes for interior use |
| IS 3149-1968 | 373 | Specification for galvanised steel buckets for general use |
| IS 4246-1984 | 374 | Enamel ware for home use |
| IS 4760-1979 | 375 | Domestic gas stoves for use with liquified petroleum gases |
| IS 3150-1982 | 376 | Domestic cooking ranges including grillers for use with liquified petroleum gases |
| IS 5695-1970 | 377 | Specification for hexagonal wire netting for general purposes |
| IS 1116-1957 | 378 | Spectacle lenses |
| IS 2431-1963 | 379 | Glass globes for hurricane lanterns |
| IS 2091-1983 | 380 | Steel wheel barrows (single wheel type) |
| IS 5683-1970 | 381 | Multi-trip glass beer bottles |
| IS 2222-1979 | 382 | Brushes, push sweeping (without handles) |
| IS 1404-1970 | 383 | Specification for burnt clay perforated building blocks |
| IS 1419-1981 | 384 | Anti-corrosive paint brushing for ships bottom and hulls—Red or chocolate |
| AS 2080-1983 | 385 | Anti-fouling paint, brushing for ships bottom and hull |
| AS 1846-1985 | 386 | Safety glass for land—vehicles |
| AS 2908-1987 | 387 | Portable fire extinguishers—power type |
| BS 4875-1985 | 388 | Cellulose cement products—corrugated sheet for roofing and cladding |
| BS 7352-1990 | 389 | Strength and stability for furniture |
| IS 10613-1991 | 390 | Specification for strength and durability performance of metal hinges |
| BS 3212-1991 | 391 | Specification for bicycles |
| BS 4018-1966 | 392 | Specification for flexible rubber tubing, rubber hose and rubber hose assemblies for use in LPG vapour phase and LPG/Air installations. |
| BS 1290-1983 | 393 | Specification for pulley blocks for use with wire rope |
| BS 4536-1970 | 394 | Specification for wire rope slings and sling legs for general lifting purposes |
| IS 5116-1985 | 395 | Specification for heavy duty pulley blocks for use with wire rope |
| SABS 1150-1984 | 396 | General requirements for domestic and commercial equipment for use with LPG |
| BS 7357-1990 | 397 | Glass—reinforced polyester (GRP) laminated sheets (profiled or flat) |
| BS 5386 Pt. 3.3-1980 | 398 | Specification for 7.5 L WC flushing cisterns |
| IS 2556 | 399 | Specification for gas burning appliances |
| "Part 1-1974 | 400 | Specification for vitreous sanitary appliances |
| Part 2 -1973 | 400 Pt. 1 | General requirements |
| | 400 Pt. 2 | Specific requirements of wash down water-close |

| | | |
|-------------------------|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| Part 4 -1972 | 400 Pt. 3 | Specific requirements of wash basins |
| BS 1125-1987 | 401 | Specification for WC flushing cisterns |
| BS 1133/10.1-1990 | 402 | Packing Code—tins and cans |
| ISO 409-1-1982 | 403 | Metallic materials—Hardness test —Tables of vickers hardness values for use in tests made on flat surfaces |
| ISO 565-1990 | 404 | Test sieves—Metal wire cloth, perforated metal plate and electroformed sheet—Normal sizes of openings. |
| ISO 1101-1983 | 405 | Technical drawings—Geometric tolerancing-Tolerancing form, orientation, location and run-out-Generalities, definitions symbols, indications on drawings |
| ISO 1302-1978 | 406 | Technical drawings—Method of indicating surface texture on drawings |
| ISO 2591-1988 | 407 | Test sieving-Part 1: Methods using test sieves of woven wire cloth and perforated metal plate |
| ISO 3310-1990 Parts 1-3 | 408 | Test sieves —Technical requirements |
| | 408 Pt. 1 | Test sieves of metal wire cloth |
| | 408 Pt. 2 | Test sieves of perforated metal plate |
| | 408 Pt. 3 | Test sieves of electroformed sheet |
| ISO 4200- 1991 | 409 | Plain end steel, welded and seamless—General tables of dimensions and masses per unit length |
| ISO 3534- 1977 (B) | 410 | Statistics—Vocabulary and symbols |
| ISO 383- 1976 | 411 | Laboratory glassware—Interchangeable conical ground joints |
| ISO 4803- 1978 | 412 | Laboratory glassware—Borosilicate glass tubing |
| ISO 269- 1985 | 413 | Correspondence envelopes—Designation and size |
| ISO 5667- 1980 | 414 Pt. 1 | Water quality—Guidance on design of sampling programmes |
| ISO 5667- 2-1982 | 414 Pt. 2 | Water quality—Guidance on sampling techniques |
| ISO 5667- 3- 1985 | 414 Pt. 3 | Water quality—Guidance on the preservation and handling of samples |
| ISO 8199- 1988 | 415 | Water quality— General guide to the enumeration of micro-organisms by culture |
| ISO 7704- 1985 | 416 | Water quality-evaluation of membrane filters for microbiological analyses |
| ISO 6887- 1983 | 417 | Microbiology— General guidance for the preparation of dilutions for microbiological examination |
| ISO 7000- 1989 | 418 | Graphic symbols for use on equipment—Index and synopsis |
| ISO/R 527-1966 | 419 | Plastic—Determination of tensile properties |
| ISO 6451- 1992 | 420 | Plastic coated fabrics—PVC coating—Rapid method |
| IS 1639- 1969 | 421 | Sizes and fittings of footwear |
| IS 2051- 1976 | 422 | Methods for the sampling of leather footwear |
| ISO 1512- 1991 | 423 | Paints and varnishes—Sampling of produce in liquid and paste form |
| ISO 1513- 1992 | 424 | Paints and varnishes—Examination and preparation of samples for testing |
| ISO 297- 1977 | 425 | Plastics— Standard atmosphere for conditioning and testing |
| ISO 4592- 1979 | 426 | Plastics—Film and sheeting—Determination of length and width |
| ISO 4593- 1979 | 427 | Plastics—Film and sheeting—Determination of thickness by mechanical scanning |
| ISO 1183- 1987 | 428 | Plastics—Methods for determining the density of non-cellular plastics |
| ISO 4832- 1978 | 429 | General guidance for Enumeration of coliforms—Colony count techniques at 30 ° C |
| ISO 4833- 1978 | 430 | General guidance for Enumeration of micro organisms—Colony Count Techniques at 30 ° C |
| ISO 6785- 1985 | 431 | Milk and milk products—Detection of salmonella |
| ISO 7218- 1985 | 432 | General instructions for microbiological examination |
| CAC/RCP 1- 1961 Rev. 1 | 433 | Code of practice of food hygiene |
| CAC/RCP 9- 1976 | 434 | Code of practice for fresh fish |
| CAC/RCP 10- 1979 | 435 | Code of practice for canned fish |
| CAC/RCP 16- 1978 | 436 | Code of practice for frozen fish |
| CAC/RCP 25- 1979 | 437 | Code of practice for smoked fish |
| DIN 38407- Pt. 5-1991 | 438 | Determination of readily volatile halogenated hydro carbons by gas chromatographic head space analysis |

| | | |
|--------------------------------------|-------|-----------------------------------------------------------------------------------------------------------------|
| DIN 38407- Pt. 9-1991 | 439 | Determination of benzene and some of its derivatives by chromatography (F. 9) |
| DIN 3841 Pt. 5- 1990 | 440 | Determination of ethylene diamine tetra acetic acid (EDTA) and nitrilotriacetic acid (NTA) by polarography (P5) |
| DIN 38405- Pt. 26- 1989 | 441 | Determination of dissolved sulphide by spectrometry (D 26) |
| ISO 5813- 1983 | 442 | Water quality— Determination of dissolved oxygen —Iodometric method |
| ISO 5813- 1983 | 443 | Determination of dissolved oxygen—Electrochemical probe method |
| ISO 6591- 1-1994 | 444 | Packaging —sacks—Description and method of measurement—Pt. 1—Empty sacks |
| ISO 7965-1 -1984 | 445 | Packaging—sacks—Drop test —Pt. 1—Paper sacks |
| ISO 6590- 1-1983 | 446 | Packaging—sacks—Vocabulary and types—Part 1—Paper sacks |
| DIN EN 26599/1-1993 | 447 | Sacks—Conditioning for testing paper sacks |
| DIN EN 27023- 1993 | 448 | Sacks—Method for sampling empty sacks for testing |
| SABS Method 221 | 449 | Bacteriological quality of water by membrane filter method |
| BFP Publication No. 45/3 : Oct. 1996 | 450 | Code of practice for safety in food packaging |
| BS 3505 : 1986 | 451 | Specification for UPVC pressure pipes for cold portable water |
| BS 2782: Pt. 11 | 452 | Method of testing plastics — Measurement of dimensions of pipes |
| Method 1101A : 1981 | | |
| BS/EN 743 : 1993 | 453 | Thermoplastic pipes — Determination of longitudinal reversion |
| SABS 791 : 1986 | 454 | UPVC sewer and drain pipes |
| BS 3744 : 1990 | 455 | Specification for PVC garden hose |
| SLS 408 : 1976 | 456 | Code of practice for laying of insitu terrazzo finish |
| IS 6946 : 1974 | 457 | Flexible, non-metallic conduit pipes for electric installations |
| IS 309 : 1974 | 458 | Compressed oxygen gas for industrial use |
| IS 308 : 1988 | 459 | Dissolved acetylene (gas) |
| BS 4346: Pt. 1-1969 | 460 | Injection-moulded UPVC fittings for solvent welding for use with pressure pipes, including potable water supply |
| IS 5322-1988 | 461 | High density PE wash basins |
| IS 3730:1988 | 462 | High density polyethylene bucket |
| BS 1679: Pt. 8: 1992 | 463 | Specification for glass and plastic containers for solid dosage forms, semi-solids and powders |
| BS 1133:1990 | 464 | Fibre Board cases and fitments |
| IS 2508: 1984 | 465 | Low density polyethylene firms |
| ISO 7173: 1989 | 466 | Furniture—chairs and stools—Determination of strength and durability |
| BS 5421: Pt. 2: 1979 | 467 | PV thread (elastane yarn) |
| BS 5464 | 468 | Character set ocra |
| Part 1: 1990 | Pt. 1 | OCRA—A. Shapes and dimensions of printed image |
| Part 2: 1990 | Pt. 2 | OCRA—B. Shapes and dimensions of printed image |
| | Pt. 3 | Method of coding machine readable characters (MICR and OCR) for information processing |
| BS 6616 : 1993 | 469 | Specification for paper and print for optical character recognition (OCR) |
| BS 4277 : 1991 | 470 | Glossary of terms used in offset lithographic printing |
| JIS Z1706 : 1976 | 471 | Specification for blow-moulded PE container (22.5 L capacity) |
| BS 3031 : 1978 | 472 | Sulphuric acid for lead-acid battery |
| BS 4623 : 1989 | 473 | Folded continuous stationery for impact pointers |
| BS 4415 : 1986-Pt. 1 | 474 | Determination of tensile properties of paper and brand constant rate of loading method |
| IS 1551 : 1991 | 475 | Specification for carbon paper for typewriter |
| SABS 717 : 1982 | 476 | Inked fabric- ribbons for teleprinters, typewriters and other office machines |
| BS 4174 : 1986 | 477 | Typewriter ribbon - cotton |
| IS 4686 : 1980 | 478 | Typewriter ribbon - fabric |



| | | |
|-----------------------------------------|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| IS 5086 | 479 | Stencil paper |
| SLS 189 : 1983 | 480 | Illuminating paraffin wax candles |
| BS 507 : 1985 (1992) | 481 | Specification for ethanol for industrial use |
| SABS 1257 : 1985 | 482 | Specification for liquid acid cleaner |
| BS 144 : Pt. 1 - 1990 | 483 Pt. 1 | Specification for preservatives (Coaltar creosotes) |
| SABS 296 : 1993 | 484 | Sodium hypochlorite solutions |
| IS 6721 : 1972 (1983) | 485 | PVC scandal |
| BS 6672 : Pt. 2 - 1986 | 486 | Specification for insulated bags and boxes |
| SS 355 : 1991 | 487 | Disposable expanded polystyrene food container |
| BS 3837 : Pt. 1 - 1986 | 488 | Specification for boards manufactured from expandable beads |
| BS 921 : 1976 | 489 | Specification for rubber mats for electrical purposes |
| BS 903 : Pt. A2 - 1995 | 490 | Physical testing of rubber - Method for determination of tensile stress - strain properties |
| BS 4998 : 1983 | 491 | Specification for moulded thermoplastic dust bins (excluding lids) |
| AS 1441 : 1973 | 492 | Methods of test for coated fabrics |
| AS 1032 : 1985 | 493 | Specification for toothbrushes |
| BS 6159 : Pt. 1 - 1987 | 494 | PVC boots - Specification for general and industrial lined or unlined boots |
| IS 6721 : 1972 | 495 | Specification for plastic slippers - moulded |
| IS 1097 : 1979 | 496 | Handloom mosquito netting |
| IS 3565 : 1966 | 497 | Rubber teat for feeding bottles |
| JIS.T 9112 : 1975 | 498 | Feeding bottles |
| BS 4213 : 1991 | 499 | Specification for cold water storage and combined feed and expansion cisterns (polyolefin or olefin copolymer) up to 500 L capacity used for domestic purposes |
| BS/EN. 22286 : 1994 | 500 | Methods for the determination of length and width of a roll net mass and mean mass per unit area of a piece, cut, roll or sample and the determination of thick-ness of coated fabrics |
| BS/EN/ISO 2231 : 1995 | 501 | Testing of coated fabrics - Preconditioning and conditioning of coated fabrics for testing purposes |
| BS 3424: Pt. 4-1982 (Method) | 502 | Testing of coated fabrics—Method for determination of breaking strength and elongation at break |
| BS 2424: Pt. 9-1990 | 503 | Testing of coated fabrics—Method for determination of resistance to damage of flexing |
| SI 818: 1976 | 504 | Cotton diapers (baby napkins) |
| SI 629: 1974 | 505 | Cotton terry towels |
| ISO 6508: 1986 | 506 | Metallic materials—Hardness test—Rockwell test (A-B-C-D-E-F-G-H-K) |
| CODEX 106-1983 | | |
| CAC/VOL. XV, Ed. 1 | 507 | General Standards for irradiated foods |
| CAC/RCP 19-1979 (CAC/VOL, XV, Ed. 1) | 508 | Code of practice for the operation of radiation facilities used for the treatment of foods. |