

LIMPOPO PROVINCE
LIMPOPO PROVINSIE
XIFUNDZANKULU XA LIMPOPO
PROFENSE YA LIMPOPO
VUNDU LA LIMPOPO
IPHROVINSI YELIMPOPO

Provincial Gazette • Provinsiale Koerant • Gazete ya Xifundzankulu Kuranta ya Profense • Gazethe ya Vundu

(Registered as a newspaper) • (As 'n nuusblad geregistreer)
(Yi rhijistariwile tanihi Nyuziphepha)
(E ngwadisitšwe bjalo ka Kuranta)
(Yo redzhistariwa sa Nyusiphepha)

Vol. 19 Extraordinary


Ku katsa na Tigazete to Hlawuleka hinkwato

POLOKWANE,

29 AUGUST 2012 29 AUGUSTUS 2012 29 MHAWURI 2012 29 AGOSTOSE 2012 29 THANGULE 2012 No. 2116

Buitengewoon Hu tshi katelwa na Gazethe dza *Nyingo*

We all have the power to prevent AIDS



Prevention is the cure

AIDS HELPUNE

0800 012 322

DEPARTMENT OF HEALTH

N.B. The Government Printing Works will not be held responsible for the quality of "Hard Copies" or "Electronic Files" submitted for publication purposes





9771682456003

IMPORTANT NOTICE

The Government Printing Works will not be held responsible for faxed documents not received due to errors on the fax machine or faxes received which are unclear or incomplete. Please be advised that an "OK" slip, received from a fax machine, will not be accepted as proof that documents were received by the GPW for printing. If documents are faxed to the GPW it will be the sender's responsibility to phone and confirm that the documents were received in good order.

Furthermore the Government Printing Works will also not be held responsible for cancellations and amendments which have not been done on original documents received from clients.


CONTENTS · INHOUD

No. Page Gazette
No. No. No.

LOCAL AUTHORITY NOTICE

LOCAL AUTHORITY NOTICE

NOTICE 165 OF 2012



WATERBERG DISTRICT MUNICIPALITY

AMENDMENT OF LIMPOPO PROVINCIAL GAZETTE NUMBER 2054 DATED 15 MARCH 2012

The Municipal Manager of Waterberg District Municipality hereby amend Limpopo Provincial Extraordinary Gazette number 2054 by inserting annexure "iv" in the by-law **ANNEXURE IV**

1. Material Safety Data Sheet Box and Emergency Evacuation Plan Box [MSDS Box]

- i. A container no smaller than 300 x 400 mm shall be provided to contain all MSDS's;
- Material safety data must be provided for every individual chemical substance when such substance is to be found on the said premises and falls outside exempt quantities as described in SABS 0228;
- iii. Such MSDS shall contain no less information than shown on NOSA Form 2.17.05.01 "Hazardous Substances Record";
- iv. Such container shall be affixed to the outside of the building next to or near the main entrance and shall be placed 1,5 m above ground level; and
- v. Such container shall have a locking device which will be to the satisfaction of the Chief Fire Officer.

2. Emergency Evacuation Plan Box [EEP Box]

- i. A container no smaller than 300 x 400 mm shall be provided to contain al EEP's;
- ii. Such container shall have a locking device which will be to the satisfaction of the Chief Fire Officer:
- iii. Such container shall be painted dayglow orange and be marked in black capital letters no smaller than 150 x 15 mm and shall read 'EEP' EMM Emergency Services By-laws

Printed by and obtainable from the Government Printer, Bosman Street, Private Bag X85, Pretoria, 0001. Tel: (012) 334-4507, 334-4511, 334-4509, 334-4515

Also available at **The Provincial Administration: Limpopo Province,** Private Bag X9483, Office of the Premier, 26 Bodenstein Street, Pietersburg, 0699. Tel. (015) 291-3910

Gedruk deur en verkrygbaar by die Staatsdrukker, Bosmanstraat, Privaat Sak X85, Pretoria, 0001. Tel: (012) 334-4507, 334-4511, 334-4509, 334-4515

Ook verkrygbaar by **Die Provinsiale Administrasie: Limpopo Provinsie,** Privaat Sak X9483, Kantoor van die Premier, Bodensteinstraat 26, Pietersburg, 0699. Tel. (015) 291-3910