

REPUBLIC
OF
SOUTH AFRICA



REPUBLIEK
VAN
SUID-AFRIKA

Government Gazette Staatskoerant

Regulation Gazette

No. 5659

Regulasiekoerant

Vol. 369

PRETORIA, 29

MARCH
MAART 1996

No. 17060

GOVERNMENT NOTICES GOEWERMENSKENNISGEWINGS

DEPARTMENT OF AGRICULTURE

No. R. 494

29 March 1996

PLANT IMPROVEMENT ACT, 1976
(ACT No. 53 OF 1976)

SOUTH AFRICAN PLANT CERTIFICATION
SCHEME FOR WINE GRAPES: AMENDMENT*

I, Angela Thokozile Didiza, acting under section 23 of the Plant Improvement Act, 1976 (Act No. 53 of 1976), on behalf of the Minister of Agriculture, hereby amend the South African Plant Certification Scheme for Wine Grapes published by Government Notice No. R. 2437 of 28 August 1992, to the extent set out in the Schedule.

A. T. DIDIZA
Deputy Minister of Agriculture

* Amendment of the physical requirements for plant material and of the scientific name for Bacterial blight.

SCHEDULE

Definition

1. In this Schedule "the Scheme" means the South African Plant Certification Scheme for Wine Grapes published by Government Notice No. R. 2437 of 28 August 1992, as amended by Government Notices Nos. R. 3460 of 31 December 1992 and R. 1084 of 25 June 1993.

Amendment of Schedule 2 of the Scheme

2. Schedule 2 of the Scheme is hereby amended by the substitution for the expression "Xanthomonas ampelina" where it occurs in paragraphs 1.1.2, 1.2.3, 2.1.3 and 2.2.4 of the expression "Xylophilus ampelinus".

DEPARTEMENT VAN LANDBOU

No. R. 494

29 March 1996

PLANTVERBETERINGSWET, 1976
(WET NO. 53 VAN 1976)

SUID-AFRIKAANSE PLANTSERTIFISERINGSKEMA
VIR WYNDRUIWE: WYSIGING*

Ek, Angela Thokozile Didiza, handelende kragtens artikel 23 van die Plantverbeteringswet, 1976 (Wet No. 53 van 1976), namens die Minister van Landbou, wysig hierby die Suid-Afrikaanse Plantsertifiseringskema vir Wyndruwe gepubliseer by Goewermenskennisgewing No. R. 2437 van 28 Augustus 1992, tot die mate in die Bylae uiteengesit.

A. T. DIDIZA
Adjunkminister van Landbou

* Wysiging van die fisiese vereistes van plantmateriaal en van die wetenskaplike naam vir Vlamsiekte.

BYLAE

Woordomskrywing

1. In hierdie Bylae beteken "die Skema" die Suid-Afrikaanse Plantsertifiseringskema vir Wyndruwe gepubliseer by Goewermenskennisgewing No. R. 2437 van 28 Augustus 1992, soos gewysig deur Goewermenskennisgewings Nos. R. 3460 van 31 Desember 1992 en R. 1084 van 25 Junie 1993.

Wysiging van Bylae 2 van die Skema

2. Bylae 2 van die Skema word hierby gewysig deur die uitdrukking "Xanthomonas ampelina" waar dit in paragrawe 1.1.2, 1.2.3, 2.1.3 en 2.2.4 voorkom, deur die uitdrukking "Xylophilus ampelinus" te vervang.

Amendment of Schedule 3 of the Scheme

3. Schedule 3 of the Scheme is hereby amended—

- (a) by the substitution for paragraph 7.5 of the following paragraph:

“The roots of such plant shall not be cut back to shorter than 100 mm.”; and

- (b) by the substitution for paragraph 9.9 of the following paragraph:

“The roots of such plant shall not be cut back to shorter than 100 mm.”.

Wysiging van Bylae 3 van die Skema

3. Bylae 3 van die Skema word hierby gewysig—

- (a) deur paragraaf 7.5 deur die volgende paragraaf te vervang:

“Die wortels van so ’n plant mag nie korter as 100 mm teruggesny wees nie.”; en

- (b) deur paragraaf 9.9 deur die volgende paragraaf te vervang:

“Die wortels van so ’n plant mag nie korter as 100 mm teruggesny wees nie.”.

No. R. 501**29 March 1996**

LIQUOR PRODUCTS ACT, 1989 (ACT NO. 60 OF 1989)

REGULATIONS: AMENDMENT*

The Minister of Agriculture has under section 27 of the Liquor Products Act, 1989 (Act No. 60 of 1989), made the regulations in the Schedule.

* Amendment of the fees as prescribed in Table 11.

SCHEDULE***Definition***

1. In this Schedule “the Regulations” means the regulations published by Government Notice No. R. 1433 of 29 June 1990, as amended by Government Notices Nos. R. 838 of 19 April 1991, R. 2841 of 29 November 1991, R. 2079 of 24 July 1992, R. 2593 of 11 September 1992, R. 2791 of 2 October 1992, R. 3152 of 20 November 1992, R. 1376 of 30 July 1993, R. 2350 of 10 December 1993, R. 356 of 25 February 1994, R. 636 of 8 April 1994, R. 1022 of 27 May 1994, R. 2242 of 23 December 1994, R. 394 of 17 March 1995, R. 1695 of 3 November 1995 and R. 1876 of 8 December 1995.

Amendment of Table 11 of the Regulations

2. Table 11 of the Regulations is hereby amended by—

- (a) the substitution in column 2 opposite paragraph (b) of item 3 for the expression “R25 per application.” of the expression “R37,50 per application.”;
- (b) the substitution in column 2 opposite paragraph (b) of item 5 for the expression “R40 per application plus R1 per ℥ or portion thereof.” of the expression “R30 per application plus R2 per ℥ or portion thereof.”;
- (c) the substitution in column 2 opposite item 6 for the expression “R275 per application.” of the expression “R290 per application.”;
- (d) the substitution in column 2 opposite paragraph (a) of item 7 for the expression “R4 per ℥” where it occurs, of the expression “R2,50 per ℥”;
- (e) the substitution in column 2 opposite paragraph (b) of item 7 for the expression “R4 per ℥” where it occurs, of the expression “R2,50 per ℥”;
- (f) the substitution in column 2 opposite paragraph (c) of item 7 for the expression “R25 per application.” of the expression “R27,50 per application.”;
- (g) the substitution in column 2 opposite paragraph (d) of item 7 for the expression “R10 per certificate of analysis in addition to an amount payable in terms of paragraph (a), (b) or (c).” of the expression “R12 per certificate of analysis in addition to an amount payable in terms of paragraph (a), (b) or (c).”; and
- (h) the substitution in column 2 opposite item 9 for the expression “R100 per authorization.” of the expression “R130 per authorization.”.

No. R. 501**29 Maart 1996****WET OP DRANKPRODUKTE, 1989 (WET No. 60 VAN 1989)****REGULASIES: WYSIGING***

Die Minister van Landbou het kragtens artikel 27 van die Wet op Drankprodukte, 1989 (Wet No. 60 van 1989), die regulasies in die Bylae uitgevaardig.

* Wysiging van die gelde soos in Tabel 11 voorgeskryf.

BYLAE**Woordomskrywing**

1. In hierdie Bylae beteken "die Regulasies" die regulasies gepubliseer by Goewermentskennisgewing No. R. 1433 van 29 Junie 1990, soos gewysig deur Goewermentskennisgewings Nos. R. 838 van 19 April 1991, R. 2841 van 29 November 1991, R. 2079 van 24 Julie 1992, R. 2593 van 11 September 1992, R. 2791 van 2 Oktober 1992, R. 3152 van 20 November 1992, R. 1376 van 30 Julie 1993, R. 2350 van 10 Desember 1993, R. 356 van 25 Februarie 1994, R. 636 van 8 April 1994, R. 1022 van 27 Mei 1994, R. 2242 van 23 Desember 1994, R. 394 van 17 Maart 1995, R. 1695 van 3 November 1995 en R. 1876 van 8 Desember 1995.

Wysiging van Tabel 11 van die Regulasies

2. Tabel 11 van die Regulasies word hierby gewysig deur—

- (a) in kolom 2 teenoor paragraaf (b) van item 3 die uitdrukking "R25 per aansoek." deur die uitdrukking "R37,50 per aansoek." te vervang;
- (b) in kolom 2 teenoor paragraaf (b) van item 5 die uitdrukking "R40 per aansoek plus R1 per hℓ of gedeelte daarvan." deur die uitdrukking "R30 per aansoek plus R2 per hℓ of gedeelte daarvan." te vervang;
- (c) in kolom 2 teenoor item 6 die uitdrukking "R275 per aansoek." deur die uitdrukking "R290 per aansoek." te vervang;
- (d) in kolom 2 teenoor paragraaf (a) van item 7 die uitdrukking "R4 per hℓ" waar dit voorkom, deur die uitdrukking "R2,50 per hℓ" te vervang;
- (e) in kolom 2 teenoor paragraaf (b) van item 7 die uitdrukking "R4 per hℓ" waar dit voorkom, deur die uitdrukking "R2,50 per hℓ" te vervang;
- (f) in kolom 2 teenoor paragraaf (c) van item 7 die uitdrukking "R25 per aansoek." deur die uitdrukking "R27,50 per aansoek." te vervang;
- (g) in kolom 2 teenoor paragraaf (d) van item 7 die uitdrukking "R10 per ontledingsertifikaat bykomend tot 'n bedrag ingevolge paragraaf (a), (b) of (c) betaalbaar." deur die uitdrukking "R12 per ontledingsertifikaat bykomend tot 'n bedrag ingevolge paragraaf (a), (b) of (c) betaalbaar." te vervang; en
- (h) in kolom 2 teenoor item 9 die uitdrukking "R100 per magtiging." deur die uitdrukking "R130 per magtiging." te vervang.

No. R. 502**29 March 1996****MARKETING ACT, 1968 (ACT No. 59 OF 1968)****GRAIN SORGHUM SCHEME: LEVY AND SPECIAL LEVY: AMENDMENT***

I, André Isak van Niekerk, Minister of Agriculture, hereby make known in terms of section 79 of the Marketing Act, 1968 (Act No. 59 of 1968), that—

- (a) the Sorghum Board referred to in section 6 of the Grain Sorghum Scheme published by Government Notice No. R. 190 of 31 January 1986, as amended, has under section 34 of the said Scheme amended the Schedule to Government Notice No. R. 595 of 20 March 1987 to the extent set out in the Schedule; and
- (b) the said amendment has been approved by me and shall come into operation on 1 April 1996.

A. I. VAN NIEKERK
Minister of Agriculture

* To provide for the reduction of levies and special levies payable.

SCHEDULE

The Schedule to Government Notice No. R. 595 of 20 March 1987, as amended by Government Notices Nos. R. 122 of 27 January 1989, R. 3025 of 28 December 1990, R. 3403 of 24 December 1992 and R. 594 of 28 April 1995, is hereby further amended by the substitution for clause 3 of the following clause:

"Amount of levy and special levy"

3. The amount of the levy and special levy referred to in clause 2 shall—
 - (a) in the case of grain sorghum, respectively be R7,98 (VAT included) and R3,97 (VAT included) per metric ton; and
 - (b) in the case of a grain sorghum product, respectively be R7,98 (VAT included) and R3,97 (VAT included) per metric ton of grain sorghum in that grain sorghum product.".
-

No. R. 502**29 Maart 1996****BEMARKINGSWET, 1968 (WET NO. 59 VAN 1968)****GRAANSORGHUMSKEMA: HEFFING EN SPESIALE HEFFING: WYSIGING***

Ek, André Isak van Niekerk, Minister van Landbou, maak hierby ingevolge artikel 79 van die Bemarkingswet, 1968 (Wet No. 59 van 1968), bekend dat—

- (a) die Sorghumraad bedoel in artikel 6 van die Graansorghumskema gepubliseer by Goewermentskennisgewing No. R. 190 van 31 Januarie 1986, soos gewysig, kragtens artikel 34 van genoemde Skema die Bylae by Goewermentskennisgewing No. R. 595 van 20 Maart 1987 gewysig het in die mate in die Bylae uiteengesit; en
- (b) genoemde wysiging deur my goedgekeur is en op 1 April 1996 in werking tree.

A. I. VAN NIEKERK**Minister van Landbou**

* Om voorsiening te maak vir die verlaging van heffings en spesiale heffings betrekbaar.

BYLAE

Die Bylae by Goewermentskennisgewing No. R. 595 van 20 Maart 1987, soos gewysig deur Goewermentskennisgewings Nos. R. 122 van 27 Januarie 1989, R. 3025 van 28 Desember 1990, R. 3403 van 24 Desember 1992 en R. 594 van 28 April 1995, word hierby verder gewysig deur klousule 3 deur die volgende klousule te vervang:

"Bedrag van heffing en spesiale heffing"

3. Die bedrag van heffing en spesiale heffing in klousule 2 bedoel, is—
 - (a) in die geval van graansorghum, onderskeidelik R7,98 (BTW ingesluit) en R3,97 (BTW ingesluit) per metrieke ton; en
 - (b) in die geval van 'n graansorghumproduk, onderskeidelik R7,98 (BTW ingesluit) en R3,97 (BTW ingesluit) per metrieke ton graansorghum in daardie graansorghumproduk.".
-

No. R. 503**29 March 1996****MARKETING ACT, 1968 (ACT NO. 59 OF 1968)****GRAIN SORGHUM SCHEME: GENERAL LEVY: AMENDMENT***

I, André Isak van Niekerk, Minister of Agriculture, acting under section 46A of the Marketing Act, 1968 (Act No. 59 of 1968), hereby—

- (a) impose, on the basis set out in the Schedule, a general levy on grain sorghum; and
- (b) declare that the said amendment has been approved by me and shall come into operation on 1 April 1996.

A. I. VAN NIEKERK**Minister of Agriculture**

* To provide for the reduction of general levies payable.

SCHEDULE

The Schedule to Government Notice No. R. 2547 of 5 December 1986, as amended by Government Notice No. R. 595 of 28 April 1995, is hereby amended by the substitution for clause 3 of the following clause:

"Amount of general levy"

3. The amount of the general levy referred to in clause 2 shall be two cents per ton in respect of each such sale of grain sorghum.".

No. R. 503**29 Maart 1996****BEMARKINGSWET, 1968 (WET No. 59 VAN 1968)****GRAANSORGHUMSKEMA: ALGEMENE HEFFING: WYSIGING***

Ek, André Isak van Niekerk, Minister van Landbou, handelende kragtens artikel 46A van die Bemarkingswet, 1968 (Wet No. 59 van 1968)—

- (a) lê hierby, op die grondslag in die Bylae uiteengesit, 'n algemene heffing op graansorghum; en
- (b) verklar hierby dat genoemde wysiging deur my goedgekeur is en op 1 April 1996 in werking tree.

A. I. VAN NIEKERK**Minister van Landbou**

* Om voorsiening te maak vir die verlaging van algemene heffings betaalbaar.

BYLAE

Die Bylae by Goewermentskennisgewing No. R. 2547 van 5 Desember 1986, soos gewysig deur Goewermentskennisgewing No. R. 595 van 28 April 1995, word hierby gewysig deur klousule 3 deur die volgende klousule te vervang:

"Bedrag van algemene heffing"

3. Die bedrag van die algemene heffing in klousule 2 bedoel, is twee sent per ton ten opsigte van elke sodanige verkoop van graansorghum.”.

**DEPARTMENT OF HEALTH
DEPARTEMENT VAN GESONDHEID**

No. R. 496**29 March 1996****RECTIFICATION**

REGULATIONS UNDER THE MEDICINES AND RELATED SUBSTANCES CONTROL ACT, 1965
(ACT NO. 101 OF 1965): AMENDMENT

In Government Gazette No. 16980 of 16 February 1996, Government Notice No. R. 270, the following rectification must be made:

Commencement

This regulation shall come into operation on 1 April 1996.

No. R. 496**29 Maart 1996****REGSTELLING**

REGULASIE KAGTENS DIE WET OP DIE BEHEER VAN MEDISYNE EN VERWANTE STOWWE, 1965
(WET NO. 101 VAN 1965): WYSIGING

In Staatskoerant No. 16980 van 16 Februarie 1996, Goewermentskennisgewing No. R. 270, moet die volgende regstelling aangebring word:

Inwerkingtreding

Hierdie regulasie tree op 1 April 1996 in werking.

**DEPARTMENT OF LABOUR
DEPARTEMENT VAN ARBEID**

No. R. 495**29 March 1996****LABOUR RELATIONS ACT, 1956****ENTERTAINMENT INDUSTRY OF SOUTH AFRICA: EXTENSION OF AGREEMENT**

I, Dennis van der Walt, Director: Collective Bargaining, duly authorised thereto by the Minister of Labour, hereby, in terms of section 48 (4) (a) (i) of the Labour Relations Act, 1956, extend the periods fixed in Government Notices Nos. R. 98 of 22 January 1993, R. 1012 of 11 June 1993, R. 363 and R. 364 of 25 February 1994 and R. 209 of 17 February 1995 by a further period ending 31 August 1996.

D. VAN DER WALT**Director: Collective Bargaining**

No. R. 495**29 Maart 1996****WET OP ARBEIDSVERHOUDINGE, 1956****VERMAAKLIKHEIDSBEDRYF VAN SUID-AFRIKA: VERLENGING VAN OOREENKOMS**

Ek, Dennis van der Walt, Direkteur: Kollektiewe Bedinging, behoorlik daartoe gemagtig deur die Minister van Arbeid, verleng hierby kragtens artikel 48 (4) (a) (i) van die Wet op Arbeidsverhoudinge, 1956, die tydperke vasgestel in Goewermentskennisgewings Nos. R. 98 van 22 Januarie 1993, R. 1012 van 11 Junie 1993, R. 363 en R. 364 van 25 Februarie 1994 en R. 209 van 17 Februarie 1995 met 'n verdere tydperk wat op 31 Augustus 1995 eindig.

D. VAN DER WALT**Direkteur: Kollektiewe Bedinging**

No. R. 506**29 March 1996****LABOUR RELATIONS ACT, 1956****CLOTHING INDUSTRY, EASTERN PROVINCE: RENEWAL OF MAIN AGREEMENT**

I, Dennis van der Walt, Director: Collective Bargaining, duly authorised thereto by the Minister of Labour, hereby, in terms of section 48 (4) (a) (ii) of the Labour Relations Act, 1956, declare the provisions of Government Notices Nos. R. 705 of 5 April 1991, R. 2461 of 11 October 1991, R. 1326 of 23 July 1993, R. 2361 of 10 December 1993 and R. 1813 of 21 October 1994, to be effective from the date of publication of this notice and for the period ending 30 June 1996.

D. VAN DER WALT**Director: Collective Bargaining**

No. R. 506**29 Maart 1996****WET OP ARBEIDSVERHOUDINGE, 1956****KLERASIENYWERHEID, OOSTELIKE PROVINSIE: HERNUWING VAN HOOFOOREENKOMS**

Ek, Dennis van der Walt, Direkteur: Kollektiewe Bedinging, behoorlik daartoe gemagtig deur die Minister van Arbeid, verklaar hierby, kragtens artikel 48 (4) (a) (ii) van die Wet op Arbeidsverhoudinge, 1956, dat die bepalings van Goewermentskennisgewings Nos. R. 705 van 5 April 1991, R. 2461 van 11 Oktober 1991, R. 1326 van 23 Julie 1993, R. 2361 van 10 Desember 1993 en R. 1813 van 21 Oktober 1994, van krag is vanaf die datum van publikasie van hierdie kennisgewing en vir die tydperk wat op 30 Junie 1996 eindig.

D. VAN DER WALT**Direkteur: Kollektiewe Bedinging**

No. R. 507**29 March 1996****LABOUR RELATIONS ACT, 1956****CLOTHING INDUSTRY, EASTERN PROVINCE: RENEWAL OF THE PROVIDENT FUND AGREEMENT**

I, Dennis van der Walt, Director: Collective Bargaining, duly authorised thereto by the Minister of Labour, hereby, in terms of section 48 (4) (a) (ii) of the Labour Relations Act, 1956, declare the provisions of Government Notices Nos. R. 706 of 5 April 1991, R. 2281 of 20 September 1991 and R. 206 of 12 February 1993, to be effective from the date of publication of this notice and for the period ending 30 June 1996.

D. VAN DER WALT**Director: Collective Bargaining**

No. R. 507**29 Maart 1996****WET OP ARBEIDSVERHOUDINGE, 1956****KLERASIENYWERHEID, OOSTELIKE PROVINSIE: HERNUWING VAN VOORSORGFONDVOOREENKOMS**

Ek, Dennis van der Walt, Direkteur: Kollektiewe Bedinging, behoorlik daartoe gemagtig deur die Minister van Arbeid, verklaar hierby, kragtens artikel 48 (4) (a) (ii) van die Wet op Arbeidsverhoudinge, 1956, dat die bepalings van Goewermentskennisgewings Nos. R. 706 van 5 April 1991, R. 2281 van 20 September 1991 en R. 206 van 12 Februarie 1993, van krag is vanaf die datum van hierdie kennisgewing en vir die tydperk wat op 30 Junie 1996 eindig.

D. VAN DER WALT**Direkteur: Kollektiewe Bedinging**

**DEPARTMENT OF FINANCE
DEPARTEMENT VAN FINANSIES**

No. R. 497

29 March 1996

CUSTOMS AND EXCISE ACT, 1964

AMENDMENT OF SCHEDULE No. 1 (No. 1/1/771)

Under section 48 of the Customs and Excise Act, 1964, Part 1 of Schedule No. 1 to the said Act is hereby amended to the extent set out in the Schedule hereto.

A. ERWIN
Deputy Minister of Finance

SCHEDULE

| Heading | Sub=heading | C D | Article Description | Statistical Unit | Rate of Duty | Anno=tations |
|-----------------------|-------------|--------|---|------------------|--------------|--------------|
| 25.01 | | | By the substitution for heading No. 25.01 of the following: | | | |
| "25.01 | 2501.00 | 4 | Salt (including table salt and denatured salt) and pure sodium chloride, whether or not in aqueous solution or containing added anti-caking or free-flowing agents; sea water | kg | 22%" | |
| 25.19 | | | By the substitution for subheading No. 2519.90 of the following: | | | |
| "2519.90 | | 2 | - Other | kg | 8%" | |
| 25.23 | | | By the substitution for subheading No. 2523.30 of the following: | | | |
| "2523.30 | | 6 | - Aluminous cement | kg | 6%" | |
| 25.25 and 25.26 | | | By the substitution for headings Nos. 25.25 and 25.26 of the following: | | | |
| "25.25 | | | Mica, including splittings; mica waste: | | | |
| 2525.10 | | 4 | - Crude mica and mica rifted into sheets or splittings | kg | 16% | |
| 2525.20 | | 9 | - Mica powder | kg | 16% | |
| 2525.30 | | 3 | - Mica waste | kg | 16% | |
| 25.26 | | | Natural steatite, whether or not roughly trimmed or merely cut, by sawing or otherwise, into blocks or slabs of a rectangular (including square) shape; talc: | | | |
| 2526.10 | | 8 | - Not crushed, not powdered | kg | 8% | |
| 2526.20 | | 2 | - Crushed or powdered | kg | 8%" | |
| 25.30 | | | By the substitution for subheading No. 2530.20 of the following: | | | |
| "2530.20 | | 3 | - Kieserite, epsomite (natural magnesium sulphates) | kg | 6%" | |
| | | | By the substitution for subheading No. 2530.90.90 of the following: | | | |
| ".90 | 0 | 0 | - - Other | kg | 6%" | |

| Heading | Sub=heading | C D | Article Description | Statistical Unit | Rate of Duty | Anno=tations |
|-----------------|-------------|--------|--|------------------|--------------|--------------|
| 26.01 | "2601.1 | | By the substitution for subheading No. 2601.1 of the following: - Iron ores and concentrates (excluding roasted pyrites): | | | |
| | 2601.11 | 2 | - - Non-agglomerated | kg | 6% | |
| | 2601.12 | 9 | - - Agglomerated | kg | 6%" | |
| 26.02 | | | By the substitution for heading No. 26.02 of the following: | | | |
| "26.02 | 2602.00 | 5 | Manganese ores and concentrates, including ferruginous manganese ores and concentrates with a manganese content of 20 per cent or more, calculated on the dry mass | kg | 6%" | |
| 26.04 and 26.05 | | | By the substitution for headings Nos. 26.04 and 26.05 of the following: | | | |
| "26.04 | 2604.00 | 2 | Nickel ores and concentrates | kg | 6% | |
| 26.05 | 2605.00 | 6 | Cobalt ores and concentrates | kg | 6%" | |
| 26.10 | | | By the substitution for heading No. 26.10 of the following: | | | |
| "26.10 | 2610.00 | 0 | Chromium ores and concentrates | kg | 6%" | |
| 26.12 | | | By the substitution for heading No. 26.12 of the following: | | | |
| "26.12 | | | Uranium or thorium ores and concentrates: | | | |
| | 2612.10 | 2 | - Uranium ores and concentrates | kg | 6% | |
| | 2612.20 | 7 | - Thorium ores and concentrates | kg | 6%" | |
| 26.17 | | | By the substitution for heading No. 26.17 of the following: | | | |
| "26.17 | | | Other ores and concentrates: | | | |
| | 2617.10 | 0 | - Antimony ores and concentrates | kg | 6% | |
| | 2617.90 | 7 | - Other | kg | 6%" | |
| 29.21 | | | By the substitution for subheadings Nos. 2921.11 and 2921.12 of the following: | | | |
| "2921.11 | | 3 | - - Methylamine, di- or trimethylamine and their salts | kg | free | |
| 2921.12 | | 8 | - - Diethylamine and its salts | kg | free" | |
| | | | By the substitution for subheadings Nos. 2921.19.10 and 2921.19.20 of the following: | | | |
| | ".15 | 2 | - - - Ethylamine; monoisopropylamine | kg | free" | |
| 30.05 | | | By the substitution for subheading No. 3005.90.10 of the following: | | | |
| | ".10 | 1 | - - Absorbent gauze or muslin; bandages (including crepe bandages); boric and other absorbent lint; gauze or muslin swabs (including those containing X-ray detectable thread or tape) | kg | 23%" | |
| 36.01 | | | By the substitution for heading No. 36.01 of the following: | | | |
| "36.01 | 3601.00 | 3 | Propellant powders | kg | 13%" | |
| 38.17 | | | By the substitution for subheading No. 3817.10 of the following: | | | |
| | "3817.10 | 2 | - Mixed alkylbenzenes | kg | 21,25%" | |

| Heading | Sub=heading | C D | Article Description | Statistical Unit | Rate of Duty | Anno=tations |
|-----------------|-------------|--------|---|------------------|---|--------------|
| 39.01 and 39.02 | | | By the substitution for headings Nos. 39.01 and 39.02 of the following: | | | |
| "39.01 | | | Polymers of ethylene, in primary forms: | | | |
| | 3901.10 | 0 | - Polyethylene having a specific gravity of less than 0,94 | kg | 10% or 255c/kg less 90% with a maximum of 36% | |
| | 3901.20 | | - Polyethylene having a specific gravity of 0,94 or more: | | | |
| | .05 | 5 | - - Chlorinated | kg | free | |
| | .90 | 7 | - - Other | kg | 10% or 255c/kg less 90% with a maximum of 36% | |
| | 3901.30 | | - Ethylene-vinyl acetate copolymers: | | | |
| | .10 | 6 | - - Of a value for duty purposes not exceeding 220c/kg | kg | 10% or 170c/kg less 90% with a maximum of 36% | |
| | .20 | 3 | - - Of a value for duty purposes exceeding 220c/kg | kg | free | |
| | 3901.90 | | - Other: | | | |
| | .10 | 3 | - - Copolymers of ethylene and acrylic or methacrylic acid in which the carboxyl groups are partially linked or partially neutralised by metal ions, in blocks, lumps, powders, granules, flakes and similar bulk forms | kg | free | |
| | .20 | 0 | - - Other ethylene methacrylate, in blocks, lumps, powders, granules, flakes and similar bulk forms | kg | free | |
| | .30 | 8 | - - Other, chlorinated | kg | free | |
| | .90 | 1 | - - Other | kg | 10% or 255c/kg less 90% with a maximum of 36% | |
| 39.02 | | | Polymers of propylene or of other olefins, in primary forms: | | | |
| | 3902.10 | 3 | - Polypropylene | kg | 10% or 230c/kg less 90% with a maximum of 36% | |
| | 3902.20 | 8 | - Polyisobutylene | kg | free | |
| | 3902.30 | 2 | - Propylene copolymers | kg | 10% or 230c/kg less 90% with a maximum of 36% | |
| | 3902.90 | 5 | - Other | kg | free" | |
| 39.04 | | | By the substitution for subheadings Nos. 3904.10, 3904.2, 3904.30 and 3904.40 of the following: | | | |
| "3904.10 | 0 | | - Polyvinyl chloride, not mixed with any other substances | kg | 10% or 230c/kg less 90% with a maximum of 16% | |
| | 3904.2 | | - Other polyvinyl chloride: | | | |
| | 3904.21 | | - - Non-plasticised: | | | |
| | .10 | 9 | - - - Liquids or pastes | kg | 10% or 200c/kg less 90% with a maximum of 16% | |
| | .90 | 7 | - - - Other | kg | 10% or 225c/kg less 90% with a maximum of 16% | |

| Heading | Sub=heading | C D | Article Description | Statistical Unit | Rate of Duty | Anno=tations |
|---------|-------------|--------|---|------------------|--|--------------|
| | 3904.22 | | - - Plasticised: | | | |
| | .10 | 5 | - - - Liquids or pastes | kg | 10% or 200c/kg less 90% with a maximum of 16% | |
| | .90 | 3 | - - - Other | kg | 10% or 225c/kg less 90% with a maximum of 16% | |
| | 3904.30 | 7 | - Vinyl chloride-vinyl acetate copolymers | kg | 10% or 230c/kg less 90% with a maximum of 16% | |
| | 3904.40 | | - Other vinyl chloride copolymers: | | | |
| | .10 | 1 | - - Liquids or pastes | kg | 10% or 230c/kg less 90% with a maximum of 16% | |
| | .20 | 9 | - - Powders, not mixed with any other substances | kg | 10% or 230c/kg less 90% with a maximum of 16% | |
| | .90 | 4 | - - Other | kg | 10% or 225c/kg less 90% with a maximum of 16%" | |
| 39.07 | | | By the substitution for subheading No. 3907.20.10 of the following: | | | |
| | ".10 | 3 | - - Polyether-polyols, containing 2 or more hydroxyl groups, liquids or pastes, with a hydroxyl number of 20 mg KOH/g or more but not exceeding 800 mg KOH/g (excluding those produced with ethylene oxide or with ethylene oxide and having a primary hydroxyl content of 20 per cent or more) | kg | 16%" | |
| 39.15 | | | By the substitution for subheadings Nos. 3915.10, 3915.20 and 3915.30 of the following: | | | |
| | "3915.10 | 7 | - Of polymers of ethylene | kg | 18% | |
| | 3915.20 | 1 | - Of polymers of styrene | kg | 18% | |
| | 3915.30 | 6 | - Of polymers of vinyl chloride | kg | 18%" | |
| 39.16 | | | By the substitution for heading No. 39.16 of the following: | | | |
| "39.16 | | | Monofilament of which any cross-sectional dimension exceeds 1 mm, rods, sticks and profile shapes, whether or not surface-worked but not otherwise worked, of plastics: | | | |
| | 3916.10 | | - Of polymers of ethylene: | | | |
| | .10 | 8 | - - Monofilament | kg | 18% | |
| | .90 | 6 | - - Other | kg | 24% | |
| | 3916.20 | | - Of polymers of vinyl chloride: | | | |
| | .20 | 5 | - - Plaiting material with a rattan core | kg | free | |
| | .90 | 0 | - - Other | kg | 18% | |
| | 3916.90 | | - Of other plastics: | | | |
| | .05 | 8 | - - - Of acrylic polymers | kg | 15% | |
| | .10 | 4 | - - - Of phenolic resins compounded with fibre, fabric or paper | kg | free | |
| | .20 | 1 | - - - Of silicones | kg | free | |
| | .30 | 9 | - - - Rods, sticks and profile shapes, of polymers of styrene | kg | 24% | |
| | .40 | 6 | - - - Rods, sticks and profile shapes, of polymers of propylene | kg | 24% | |

| Heading | Sub=heading | C D | Article Description | Statistical Unit | Rate of Duty | Anno=tations |
|-----------------------|-------------|--------|---|------------------|--------------|--------------|
| | .50 3 | | - - Rods, sticks and profile shapes, of polymerisation or copolymerisation products not elsewhere specified or included | kg | 24% | |
| | .60 0 | | - - Of cellulose nitrates | kg | free | |
| | .70 8 | | - - Of artificial resins | kg | free | |
| | .90 2 | | - - Other | kg | 18%" | |
| 39.17 | | | By the substitution for subheading No. 39.17.32.85 of the following: | | | |
| | ".85 5 | | - - - Other, seamless | kg | 10%" | |
| 40.02 | | | By the substitution for subheading No. 4002.19.90 of the following: | | | |
| | ".90 8 | | - - - Other | kg | 19%" | |
| | | | By the substitution for subheading No. 4002.20.90 of the following: | | | |
| | ".90 5 | | - - - Other | kg | 19%" | |
| 40.05 | | | By the substitution for subheading No. 4005.10.90 of the following: | | | |
| | ".90 1 | | - - Other | kg | 16%" | |
| | | | By the substitution for subheading No. 4005.20 of the following: | | | |
| "4005.20 | 0 | | - Solutions; dispersions (excluding those of subheading No. 4005.10) | kg | 16%" | |
| 40.06 | | | By the substitution for heading No. 40.06 of the following: | | | |
| "40.06 | | | Other forms (for example, rods, tubes and profile shapes) and articles (for example discs and rings), of unvulcanised rubber: | | | |
| | 4006.10 | 4 | - "Camel-back" strips for retreading rubber tyres | kg | 16% | |
| | 4006.90 | 6 | - Other | kg | 16%" | |
| 40.07 | | | By the substitution for heading No. 40.07 of the following: | | | |
| "40.07 | | | Vulcanised rubber thread and cord: | | | |
| | "4007.00.20 | 3 | - Textile thread covered or impregnated with vulcanised rubber | kg | 14% | |
| | .90 | 4 | - Other | kg | 16%" | |
| 40.08 | | | By the substitution for subheading No. 4008.21.90 of the following: | | | |
| | ".90 | 3 | - - - Other | kg | 21%" | |
| | | | By the substitution for subheading No. 4008.29.90 of the following: | | | |
| | ".90 | 4 | - - - Other | kg | 21%" | |
| 40.09 and 40.10 | | | By the substitution for headings Nos. 40.09 and 40.10 of the following: | | | |
| "40.09 | | | Tubes, pipes and hoses, of vulcanised rubber (excluding hard rubber), with or without their fittings (for example, joints, elbows, flanges): | | | |
| | 4009.10 | 0 | - Not reinforced or otherwise combined with other materials, without fittings | kg | 19% | |
| | 4009.20 | 5 | - Reinforced or otherwise combined only with metal, without fittings | kg | 19% | |
| | 4009.30 | 1 | - Reinforced or otherwise combined only with textile materials, without fittings | kg | 19% | |

| Heading | Sub=heading | C D | Article Description | Statistical Unit | Rate of Duty | Anno=tations |
|-----------------------|-------------|--------|--|------------------|--------------|--------------|
| | 4009.40 | 4 | - Reinforced or otherwise combined with other materials, without fittings | kg | 19% | |
| | 4009.50 | 9 | - With fittings | kg | 19% | |
| 40.10 | | | Conveyor or transmission belts or belting, of vulcanised rubber: | | | |
| | 4010.1 | | - Conveyor belts or belting: | | | |
| | 4010.11 | 7 | - - Reinforced only with metal | kg | 21% | |
| | 4010.12 | 3 | - - Reinforced only with textile materials | kg | 21% | |
| | 4010.13 | 6 | - - Reinforced only with plastics | kg | 21% | |
| | 4010.19 | 8 | - - Other | kg | 21% | |
| | 4010.2 | | - Transmission belts or belting: | | | |
| | 4010.21 | | - - Endless transmission belts of trapezoidal cross-section (V-belts), whether or not grooved, of a circumference exceeding 60 cm but not exceeding 180 cm: | | | |
| | .10 | 9 | - - - Identifiable for use solely or principally with motor vehicles | kg | 21% | |
| | .90 | 5 | - - - Other | kg | 18% | |
| | 4010.22 | | - - Endless transmission belts of trapezoidal cross-section (V-belts), whether or not grooved, of a circumference exceeding 180 cm but not exceeding 240 cm: | | | |
| | .10 | 5 | - - - Identifiable for use solely or principally with motor vehicles | kg | 21% | |
| | .90 | 3 | - - - Other | kg | 18% | |
| | 4010.23 | 4 | - - Endless synchronous belts, of a circumference exceeding 60 cm but not exceeding 150 cm | kg | 18% | |
| | 4010.24 | 0 | - - Endless synchronous belts, of a circumference exceeding 150 cm but not exceeding 198 cm | kg | 18% | |
| | 4010.29 | | - - Other: | | | |
| | .10 | 3 | - - - Identifiable for use solely or principally with motor vehicles | kg | 21% | |
| | .90 | 8 | - - - Other | kg | 18%" | |
| 40.12 | | | By the substitution for subheading No. 4012.90 of the following: | | | |
| | "4012.90 | 4 | - Other | kg | 12%" | |
| 41.04 and 41.05 | | | By the substitution for headings Nos. 41.04 and 41.05 of the following: | | | |
| "41.04 | | | Leather of bovine or equine animals, without hair on (excluding leather of heading No. 41.08 or 41.09): | | | |
| | 4104.10 | | - Whole bovine skin leather, of a unit surface area not exceeding 2,6 m ² : | | | |
| | .20 | 9 | - - Less than 2,15 m ² (excluding flesh splits) | kg | free | |
| | .90 | 2 | - - Other | kg | 16% | |
| | 4104.2 | | - Other bovine leather and equine leather, tanned or retanned but not further prepared, whether or not split: | | | |
| | 4104.21 | 5 | - - Bovine leather, vegetable pre-tanned | kg | 16% | |
| | 4104.22 | 1 | - - Bovine leather, otherwise pre-tanned | kg | 16% | |
| | 4104.29 | 6 | - - Other | kg | 16% | |

| Heading | Sub=heading | C D | Article Description | Statistical Unit | Rate of Duty | Anno=tations |
|---|-------------|--------|---|------------------|--------------|--------------|
| | 4104.3 | | - Other bovine leather and equine leather, parchment-dressed or prepared after tanning: | | | |
| | 4104.31 | 3 | - - Full grains and full grain splits | kg | 16% | |
| | 4104.39 | 0 | - - Other | kg | 16% | |
| 41.05 | | | Sheep or lamb skin leather, without wool on (excluding leather of heading No. 41.08 or 41.09): | | | |
| | 4105.1 | | - Tanned or retanned but not further prepared, whether or not split: | | | |
| | 4105.11 | 4 | - - Vegetable pre-tanned | kg | 13% | |
| | 4105.12 | 0 | - - Otherwise pre-tanned | kg | 13% | |
| | 4105.19 | 5 | - - Other | kg | 13% | |
| | 4105.20 | 2 | - Parchment-dressed or prepared after tanning | kg | 13%" | |
| 42.03 | | | By the substitution for subheading No. 4203.10 of the following: | | | |
| | "4203.10 | 2 | - Articles of apparel | kg | 33%" | |
| | | | By the substitution for subheading No. 4203.29 of the following: | | | |
| | "4203.29 | 4 | - - Other | kg | 23%" | |
| 44.10, 44.11, 44.12, 44.13, 44.14 and 44.15 | | | By the substitution for headings Nos. 44.10, 44.11, 44.12, 44.13, 44.14 and 44.15 of the following: | | | |
| "44.10 | | | Particle board and similar board of wood or other ligneous materials, whether or not agglomerated with resins or other organic binding substances: | | | |
| | 4410.1 | | - Of wood: | | | |
| | 4410.11 | 4 | - - Waferboard, including oriented strand board | kg | 18% | |
| | 4410.19 | 5 | - - Other | kg | 18% | |
| | 4410.90 | 4 | - Of other ligneous materials | kg | 18% | |
| 44.11 | | | Fibreboard of wood or other ligneous materials, whether or not bonded with resins or other organic substances: | | | |
| | 4411.1 | | - Fibreboard of a density exceeding 0,8 g/cm ³ : | | | |
| | 4411.11 | | - - Not mechanically worked or surface covered: | | | |
| | .10 | 5 | - - - Moulded | kg | 16% | |
| | .90 | 3 | - - - Other | kg | 10% | |
| | 4411.19 | | - - Other: | | | |
| | .10 | 6 | - - - Moulded | kg | 16% | |
| | .90 | 4 | - - - Other | kg | 10% | |
| | 4411.2 | | - Fibreboard of a density exceeding 0,5 g/cm ³ but not exceeding 0,8 g/cm ³ : | | | |
| | 4411.21 | | - - Not mechanically worked or surface covered: | | | |
| | .10 | 2 | - - - Moulded | kg | 16% | |
| | .90 | 8 | - - - Other | kg | 10% | |
| | 4411.29 | | - - Other: | | | |
| | .10 | 0 | - - - Moulded | kg | 16% | |
| | .90 | 9 | - - - Other | kg | 10% | |

| Heading | Sub=heading | C D | Article Description | Statistical Unit | Rate of Duty | Anno=tations |
|---------|-------------|--------|---|------------------|--------------|--------------|
| | 4411.3 | | - Fibreboard of a density exceeding 0,35 g/cm ³ but not exceeding 0,5 g/cm ³ : | | | |
| | 4411.31 | | - - Not mechanically worked or surface covered: | | | |
| | .10 4 | | - - - Moulded | kg | 16% | |
| | .90 2 | | - - - Other | kg | 10% | |
| | 4411.39 | | - - Other: | | | |
| | .10 5 | | - - - Moulded | kg | 16% | |
| | .90 3 | | - - - Other | kg | 10% | |
| | 4411.9 | | - Other: | | | |
| | 4411.91 | | - - Not mechanically worked or surface covered: | | | |
| | .10 1 | | - - - Moulded | kg | 16% | |
| | .90 6 | | - - - Other | kg | 10% | |
| | 4411.99 | | - - Other: | | | |
| | .10 2 | | - - - Moulded | kg | 16% | |
| | .90 0 | | - - - Other | kg | 10% | |
| 44.12 | | | Plywood, veneered panels and similar laminated wood: | | | |
| | 4412.1 | | - Plywood consisting solely of sheets of wood, each ply not exceeding 6 mm thickness: | | | |
| | 4412.13 | 4 | - - With at least one outer ply of tropical wood specified in Subheading Note 1 to this Chapter | m ³ | 13% | |
| | .2.14 | 0 | - - Other, with at least one outer ply of non-coniferous wood | m ³ | 13% | |
| | 4412.19 | 2 | - - Other | m ³ | 13% | |
| | 4412.2 | | - Other, with at least one outer ply of non-coniferous wood: | | | |
| | 4412.22 | 2 | - - With at least one ply of tropical wood specified in Subheading Note 1 to this Chapter | m ³ | 13% | |
| | 4412.23 | 9 | - - Other, containing at least one layer of particle board | m ³ | 13% | |
| | 4412.29 | 7 | - - Other | m ³ | 13% | |
| | 4412.9 | | - Other: | | | |
| | 4412.92 | 4 | - - With at least one outer ply of tropical wood specified in Subheading Note 1 to this Chapter | kg | 13% | |
| | 4412.93 | 0 | - - Other, containing at least one layer of particle board | kg | 13% | |
| | 4412.99 | 9 | - - Other | kg | 13% | |
| 44.13 | 4413.00 | 4 | Densified wood, in blocks, plates, strips or profile shapes | kg | 16% | |
| 44.14 | 4414.00 | 8 | Wooden frames for paintings, photographs, mirrors or similar objects | kg | 16% | |
| 44.15 | | | Packing cases, boxes, crates, drums and similar packings, of wood; cable-drums of wood; pallets, box pallets and other load boards, of wood; pallet collars of wood: | | | |
| | 4415.10 | 6 | - Cases, boxes, crates, drums and similar packings; cable-drums | u | 13% | |
| | 4415.20 | | - Pallets, box pallets and other load boards; pallet collars: | | | |
| | .10 8 | | - - Pallet, box pallets and other load boards | u | 16% | |
| | .20 5 | | - - Pallet collars | u | 20%" | |
| 44.17 | | | By the substitution for subheadings Nos. 4417.00.40 and 4417.00.50 of the following: | | | |
| | "4417.00.40 | 8 | - Tool handles | kg | 19% | |

| Heading | Sub=heading | C D | Article Description | Statistical Unit | Rate of Duty | Anno=tations |
|---------------------------------|-------------|--------|--|------------------|--------------|--------------|
| | .50 | 5 | - Broom or brush bodies and handles (excluding paint brush handles) | kg | 19%" | |
| 44.18 | | | By the substitution for heading No. 44.18 of the following: | | | |
| "44.18 | | | Builders' joinery and carpentry of wood, including cellular wood panels, assembled parquet panels, shingles and shakes: | | | |
| | 4418.10 | 7 | - Windows, French-windows and their frames | kg | 21% | |
| | 4418.20 | 1 | - Doors and their frames and thresholds | kg | 21% | |
| | 4418.30 | 6 | - Parquet panels | kg | free | |
| | 4418.40 | 0 | - Shuttering for concrete constructional work | kg | 21% | |
| | 4418.50 | 5 | - Shingles and shakes | kg | 21% | |
| | 4418.90 | 3 | - Other | kg | 18%" | |
| 48.09 | | | By the substitution for subheading No. 4809.20 of the following: | | | |
| "4809.20 | | 5 | - Self-copy paper | kg | 13%" | |
| 48.11 | | | By the substitution for subheading No. 4811.10 of the following: | | | |
| "4811.10 | | 9 | - Tarred, bituminised or asphalted paper and paperboard | kg | 8%" | |
| | | | By the substitution for subheading No. 4811.29 of the following: | | | |
| "4811.29 | | 0 | - - Other | kg | 8%" | |
| | | | By the substitution for headings Nos. 4811.40 and 8411.90 of the following: | | | |
| "4811.40 | | 2 | - Paper and paperboard, coated, impregnated or covered with wax, paraffin wax, stearin, oil or glycerol | kg | 8% | |
| 4811.90 | | 5 | - Other paper, paperboard, cellulose wadding and webs of cellulose fibres | kg | 8%" | |
| 48.16 | | | By the substitution for subheading No. 4816.20 of the following: | | | |
| "4816.20 | | 1 | - Self-copy paper | kg | 13%" | |
| 48.19, 48.20 and 48.21 | | | By the substitution for headings Nos. 48.19, 48.20 and 48.21 of the following: | | | |
| "48.19 | | | Cartons, boxes, cases, bags and other packing containers, of paper, paperboard, cellulose wadding or webs of cellulose fibres; box files, letter trays and similar articles, of paper or paperboard, of a kind used in offices, shops or the like: | | | |
| | 4819.10 | 8 | - Cartons, boxes and cases, of corrugated paper or paperboard | kg | 16% | |
| | 4819.20 | 2 | - Folding cartons, boxes and cases, of non-corrugated paper or paperboard | kg | 16% | |
| | 4819.30 | 7 | - Sacks and bags, having a base of a width of 40 cm or more | kg | 13% | |
| | 4819.40 | 1 | - Other sacks and bags, including cones | kg | 13% | |
| | 4819.50 | 6 | - Other packing containers, including record sleeves | kg | 16% | |
| | 4819.60 | 0 | - Box files, letter trays, storage boxes and similar articles, of a kind used in offices, shops or the like | kg | 18% | |

| Heading | Sub=heading | C D | Article Description | Statistical Unit | Rate of Duty | Anno=tations |
|---------|-------------|--------|---|------------------|--------------|--------------|
| 48.20 | | | Registers, account books, note books, order books, receipt books, letter pads, memorandum pads, diaries and similar articles, exercise books, blotting-pads, binders (loose-leaf or other), folders, file covers, manifold business forms, interleaved carbon sets and other articles of stationery, of paper or paperboard; albums for samples or for collections and book covers, of paper or paperboard: | | | |
| | 4820.10 | 8 | - Registers, account books, note books, order books, receipt books, letter pads, memorandum pads, diaries and similar articles | kg | 18% | |
| | 4820.20 | 2 | - Exercise books | kg | 18% | |
| | 4820.30 | 7 | - Binders (excluding book covers), folders and file covers | kg | 18% | |
| | 4820.40 | 1 | - Manifold business forms and interleaved carbon sets | kg | 18% | |
| | 4820.50 | 6 | - Albums for samples or for collections | kg | 18% | |
| | 4820.90 | 4 | - Other | kg | 18% | |
| 48.21 | | | Paper or paperboard labels of all kinds, whether or not printed: | | | |
| | 4821.10 | 1 | - Printed | kg | 18% | |
| | 4821.90 | 8 | - Other | kg | 18%" | |
| 48.23 | | | By the substitution for subheading No. 4823.11 of the following: | | | |
| | "4823.11 | 5 | - - Self-adhesive | kg | 23%" | |
| | | | By the substitution for subheading No. 4823.30.90 of the following: | | | |
| | ".90 | 3 | - - Other | kg | 18%" | |
| | | | By the substitution for subheadings Nos. 4823.40, 4823.5 and 4823.60 of the following: | | | |
| | "4823.40 | 2 | - Rolls, sheets and dials, printed for self-recording apparatus | kg | 18% | |
| | 4823.5 | | - Other paper and paperboard, of a kind used for writing, printing or other graphic purposes: | | | |
| | 4823.51 | 3 | - - Printed, embossed or perforated | kg | 18% | |
| | 4823.59 | 4 | - - Other | kg | 18% | |
| | 4823.60 | 1 | - Trays, dishes, plates, cups and the like, of paper or paperboard | kg | 18%" | |
| | | | By the substitution for subheading No. 4823.90.90 of the following: | | | |
| | ".90 | 0 | - - Other | kg | 18%" | |
| 49.01 | | | By the substitution for subheading No. 4901.99.40 of the following: | | | |
| | ".40 | 0 | - - - Directories, guide books, yearbooks, christmas annuals and yearbooks relating to the Republic | kg | 12%" | |
| 49.02 | | | By the substitution for subheading No. 4902.10.10 of the following: | | | |
| | ".10 | 9 | - - Newspapers or supplement editions, or parts thereof (excluding religious publications or parts thereof and those in Braille), intended to be completed and published in the Republic | kg | 12%" | |
| | | | By the substitution for subheadings Nos. 4902.90.10 and 4902.90.20 of the following: | | | |
| | ".10 | 5 | - - Holiday or special editions, or parts thereof (excluding those in Braille), imported for issue with newspapers, journals or periodicals published in the Republic | kg | 12% | |

| Heading | Sub=heading | C D | Article Description | Statistical Unit | Rate of Duty | Anno=tations |
|-----------------------|-------------|--------|---|------------------|--------------|--------------|
| | .20 | 2 | - - Newspapers or supplement editions or parts thereof (excluding religious publications or parts thereof and those in Braille), intended to be completed and published in the Republic | kg | 12%" | |
| 49.07 | | | By the substitution for subheading No. 4907.00.90 of the following: | | | |
| | ".90 | 0 | - Other | kg | 18%" | |
| 49.08 | | | By the substitution for subheading No. 4908.10.90 of the following: | | | |
| | ".90 | 9 | - - Other | kg | 18%" | |
| | ".90 | 5 | By the substitution for subheading No. 4908.90.90 of the following: | | | |
| | | | - - Other | kg | 18%" | |
| 49.09 and 49.10 | | | By the substitution for headings Nos. 49.09 and 49.10 of the following: | | | |
| "49.09 | 4909.00 | 2 | Printed or illustrated postcards; printed cards bearing personal greetings, messages or announcements, whether or not illustrated, with or without envelopes or trimmings | kg | 18% | |
| 49.10 | 4910.00 | 2 | Calendars or any kind, printed, including calendar blocks | kg | 18%" | |
| 49.11 | | | By the substitution for subheading No. 4911.10.90 of the following: | | | |
| | ".90 | 6 | - - Other | kg | 18%" | |
| | | | By the substitution for subheading No. 4911.99.90 of the following: | | | |
| | ".90 | 9 | - - - Other | kg | 18%" | |
| 64.02 | | | By the substitution for heading No. 64.02 of the following: | | | |
| "64.02 | | | Other footwear with outer soles and uppers of rubber or plastics: | | | |
| 6402.1 | | | - Sports footwear: | | | |
| 6402.12 | | | - - Ski-boots, cross-country ski footwear and snowboard boots: | | | |
| | .10 | 9 | - - - Ski-boot and cross-country ski footwear | 2u | 30% | |
| | .20 | 6 | - - - Snowboard boots | 2u | 50% | |
| 6402.19 | | 6 | - - Other | 2u | 50% | |
| 6402.20 | | 3 | - Footwear with upper straps or thongs assembled to the sole by means of plugs | 2u | 50% | |
| 6402.30 | | 8 | - Other footwear, incorporating a protective metal toe-cap | 2u | 50% | |
| 6402.9 | | | - Other footwear: | | | |
| 6402.91 | | 1 | - - Covering the ankle | 2u | 50% | |
| 6402.99 | | 2 | - - Other | 2u | 50%" | |
| 64.03 | | | By the substitution for subheadings No. 6403.12 of the following: | | | |
| "6403.12 | | | - - Ski-boots, cross-country ski footwear and snowboard boots: | | | |
| | .20 | 1 | - - - Snowboard boots which incorporate textile material in the external surface area of the upper (excluding the tongue) | 2u | 50% | |
| | .90 | 0 | - - - Other | 2u | 30%" | |

| Heading | Sub=heading | C D | Article Description | Statistical Unit | Rate of Duty | Anno=tations |
|---------|-------------|--------|--|------------------|--------------|--------------|
| | | | By the substitution for subheadings Nos. 6403.5 and 6403.9 of the following: | | | |
| | "6403.5 | | - Other footwear with outer soles of leather: | | | |
| | 6403.51 | | - - Covering the ankle: | | | |
| | .15 5 | | - - - Footwear (excluding bedroom slippers), which incorporate textile material in the external surface area of the upper (excluding the tongue) | 2u | 50% | |
| | .90 2 | | - - - Other | 2u | 30% | |
| | 6403.59 | | - - Other: | | | |
| | .15 6 | | - - - Footwear (excluding bedroom slippers), which incorporate textile material in the external surface area of the upper (excluding the tongue) | 2u | 50% | |
| | .90 3 | | - - - Other | 2u | 30% | |
| | 6403.9 | | - Other footwear: | | | |
| | 6403.91 | | - - Covering the ankle: | | | |
| | .15 3 | | - - - Footwear (excluding bedroom slippers), which incorporate textile material in the external surface area of the upper (excluding the tongue) | 2u | 50% | |
| | .90 0 | | - - - Other | 2u | 30% | |
| | 6403.99 | | - - Other: | | | |
| | .15 4 | | - - - Footwear (excluding bedroom slippers), which incorporate textile material in the external surface area of the upper (excluding the tongue) | 2u | 50% | |
| | .90 1 | | - - - Other | 2- | 30%" | |
| 64.04 | | | By the substitution for subheading No. 6404.11.90 of the following: | | | |
| | ".90 8 | | - - - Other | 2u | 50%" | |
| | | | By the substitution for subheading No. 6404.19.90 of the following: | | | |
| | ".90 9 | | - - - Other | 2u | 50%" | |
| 64.05 | | | By the substitution for subheading No. 6405.20.90 of the following: | | | |
| | ".90 8 | | - - Other | 2u | 50%" | |
| | | | By the substitution for subheading No. 6405.90.90 of the following: | | | |
| | ".90 1 | | - - Other | 2u | 50%" | |
| 64.06 | | | By the substitution for heading No. 64.06 of the following: | | | |
| "64.06 | | | Parts of footwear (including uppers whether or not attached to soles (excluding outer soles)); removable in-soles, heel cushions and similar articles; gaiters, leggings and similar articles, and parts thereof: | | | |
| | 6406.10 | | - Uppers and parts thereof (excluding stiffeners): | | | |
| | .10 0 | | - - Half-pairs, mounted on dummy lasts of wood or unmounted, suitable for use as manufacturing models | kg | free | |
| | .15 1 | | - - Protective metal toe caps | kg | free | |
| | .25 9 | | - - Other parts, of iron or steel | kg | 20% | |
| | .35 6 | | - - Other, of textile materials, rubber or plastics | kg | 50% | |
| | .90 9 | | - - Other | kg | 26% | |
| | 6406.20 | | - Outer soles and heels, of rubber or plastics | kg | 26% | |

| Heading | Sub=heading | C D | Article Description | Statistical Unit | Rate of Duty | Anno=tations |
|---|-------------|--------|--|------------------|--------------|--------------|
| | 6406.9 | | - Other: | | | |
| | 6406.91 | | - - Of wood: | | | |
| | .05 | 7 | - - - Soles, heel and sole units, tips, heels, stiffeners, arch supports and heel socks | kg | free | |
| | .40 | 5 | - - - Removable fittings | kg | 20% | |
| | .90 | 1 | - - - Other | kg | 26% | |
| | 6406.99 | | - - Of other materials: | | | |
| | .10 | 4 | - - - Gaiters, leggings and similar articles, and parts thereof, wholly or principally of leather or composition leather | kg | 23% | |
| | .15 | 5 | - - - Gaiters, leggings and similar articles, and parts thereof (excluding those wholly or principally of leather or composition leather) | kg | 20% | |
| | .25 | 2 | - - - Clog soles, heel and sole units, tips and heels, of cork | kg | free | |
| | .40 | 6 | - - - Parts of iron, steel, copper or aluminium, for footwear | kg | 20% | |
| | .50 | 3 | - - - Other stiffeners, arch supports and heel socks, for footwear | kg | free | |
| | .60 | 0 | - - - Other removable fittings, for footwear | kg | 20% | |
| | .90 | 2 | - - - Other | kg | 26%" | |
| 65.07 | | | By the substitution for heading No. 65.07 of the following: | | | |
| "65.07 | 6507.00 | 4 | Head-bands, linings, covers, hat foundations, hat frames, peaks and chinstraps, for headgear | kg | 18%" | |
| 68.05, 68.06 and 68.07 | | | By the substitution for heading Nos. 68.05, 68.06 and 68.07 of the following: | | | |
| "68.05 | | | Natural or artificial abrasive powder or grain, on a basis of textile material, of paper, of paperboard or of other materials, whether or not cut to shape or sewn or otherwise made up: | | | |
| | 6805.10 | 7 | - On a base of woven textile fabric only | kg | 18% | |
| | 6805.20 | 1 | - On a base of paper or paperboard only | kg | 18% | |
| | 6805.30 | 6 | - On a base of other materials | kg | 18% | |
| 68.06 | | | Slag wool, rock wool and similar mineral wools; exfoliated vermiculite, expanded clays, foamed slag and similar expanded mineral materials; mixtures and articles of heat-insulating, sound-insulating or sound-absorbing mineral materials (excluding those of heading No. 68.11 or 68.12 or of Chapter 69): | | | |
| | 6806.10 | 0 | - Slag wool, rock wool and similar mineral wools (including intermixtures thereof), in bulk, sheets or rolls | kg | 18% | |
| | 6806.20 | 5 | - Exfoliated vermiculite, expanded clays, foamed slag and similar expanded mineral materials (including intermixtures thereof) | kg | 15% | |
| | 6806.90 | | - Other: | | | |
| | .30 | 9 | - - Articles of slag wool, rock wool or similar wools | kg | 18% | |
| | .90 | 2 | - - Other | kg | free | |
| 68.07 | | | Articles of asphalt or of similar material (for example, petroleum bitumen or coal tar pitch): | | | |
| | 6807.10 | 4 | - In rolls | kg | 18% | |
| | 6807.90 | 0 | - Other | kg | 18%" | |

| Heading | Sub=heading | C D | Article Description | Statistical Unit | Rate of Duty | Anno=tations |
|--------------------------------------|-------------|--------|---|------------------|--------------|--------------|
| 68.09 | | | By the substitution for heading No. 68.09 of the following: | | | |
| "68.09 | | | Articles of plaster or of compositions based on plaster: | | | |
| | 6809.1 | | - Boards, sheets, panels, tiles and similar articles, not ornamented: | | | |
| | 6809.11 | 8 | - - Faced or reinforced with paper or paperboard only | kg | 18% | |
| | 6809.19 | 9 | - - Other | kg | 18% | |
| | 6809.90 | 8 | - Other articles | kg | 18%" | |
| 68.12 | | | By the substitution for subheading No. 6812.50 of the following: | | | |
| | "6812.50 | 7 | - Clothing, clothing accessories, footwear and headgear | kg | 18%" | |
| 68.14 | | | By the substitution for heading No. 68.14 of the following: | | | |
| "68.14 | | | Worked mica and articles of mica, including agglomerated or reconstituted mica, whether or not on a support of paper, paperboard or other materials: | | | |
| | 6814.10 | 6 | - Plates, sheets and strips of agglomerated or reconstituted mica, whether or not on a support | kg | 18% | |
| | 6814.90 | 2 | - Other | kg | 18%" | |
| 69.07 and 69.08 | | | By the substitution for headings Nos. 69.07 and 69.08 of the following: | | | |
| "69.07 | | | Unglazed ceramic flags and paving, hearth or wall tiles; unglazed ceramic mosaic cubes and the like, whether or not on a backing: | | | |
| | 6907.10 | 6 | - Tiles, cubes and similar articles, whether or not rectangular, the largest surface area of which is capable of being enclosed in a square the side of which is less than 7 cm | m ² | 24,5% | |
| | 6907.90 | 2 | - Other | m ² | 24,5% | |
| 69.08 | | | Glazed ceramic flags and paving, hearth or wall tiles; glazed ceramic mosaic cubes and the like, whether or not on a backing: | | | |
| | 6908.10 | 5 | - Tiles, cubes and similar articles, whether or not rectangular, the largest surface area of which is capable of being enclosed in a square the side of which is less than 7 cm | m ² | 24,5% | |
| | 6908.90 | 6 | - Other | m ² | 24,5%" | |
| 70.06, 70.07, 70.08, 70.09 and 70.10 | | | By the substitution for headings Nos. 70.06, 70.07, 70.08, 70.09 and 70.10 of the following: | | | |
| "70.06 | 7006.00 | | Glass of heading No. 70.03, 70.04 or 70.05, bent, edge-worked, engraved, drilled, enamelled or otherwise worked, but not framed or fitted with other materials: | | | |
| | 7006.00.30 | 1 | - Optical glass; stained glass windows | kg | free | |
| | .90 | 5 | - Other | kg | 16% | |
| 70.07 | | | Safety glass, consisting of toughened (tempered) or laminated glass: | | | |
| | 7007.1 | | - Toughened (tempered) safety glass: | | | |
| | 7007.11 | 4 | - - Of size and shape suitable for incorporation in vehicles, aircraft, spacecraft or vessels | kg | 18% | |
| | 7007.19 | 5 | - - Other | m ² | 18% | |

| Heading | Sub=heading | C D | Article Description | Statistical Unit | Rate of Duty | Anno=tations |
|---------|-------------|--------|--|------------------|--------------|--------------|
| | 7007.2 | | - Laminated safety glass: | | | |
| | 7007.21 | 9 | - - Of size and shape suitable for incorporation in vehicles, aircraft, spacecraft or vessels | kg | 18% | |
| | 7007.29 | 9 | - - Other | m ² | 18% | |
| 70.08 | 7008.00 | 7 | Multiple-walled insulating units of glass | kg | 18% | |
| 70.09 | | | Glass mirrors, whether or not framed, including rear-view mirrors: | | | |
| | 7009.10 | 5 | - Rear-view mirrors for vehicles | kg | 18% | |
| | 7009.9 | | - Other: | | | |
| | 7009.91 | 8 | - - Unframed | kg | 18% | |
| | 7009.92 | 4. | - - Framed | kg | 18% | |
| 70.10 | | | Carboys, bottles, flasks, jars, pots, phials, ampoules and other containers, of glass, of a kind used for the conveyance or packing of goods; preserving jars of glass; stoppers, lids and other closures, of glass: | | | |
| | 7010.10 | | - Ampoules: | | | |
| | .10 | 2 | - - Tubular, of a capacity not exceeding 35 ml | kg | 19% | |
| | .90 | 0 | - - Other | kg | 13% | |
| | 7010.20 | 6 | - Stoppers, lids and other closures | kg | 5% | |
| | 7010.9 | | - Other, of a capacity: | | | |
| | 7010.91 | | - - Exceeding 1 ℥ : | | | |
| | .10 | 5 | - - - Syphon vases | kg | 5% | |
| | .20 | 2 | - - - Beer and mineral water type bottles | kg | 19% | |
| | .30 | 1 | - - - Preserving jars | kg | 5% | |
| | .90 | 3 | - - - Other | kg | 13% | |
| | 7010.92 | | - - Exceeding 0,33 ℥ but not exceeding 1 ℥ : | | | |
| | .10 | 1 | - - - Syphon vases | kg | 5% | |
| | .20 | 9 | - - - Beer and mineral water type bottles, of a capacity not exceeding 800 ml | kg | 10% | |
| | .30 | 6 | - - - Beer and mineral water type bottles, of a capacity exceeding 800 ml | kg | 19% | |
| | .40 | 3 | - - - Preserving jars | kg | 5% | |
| | .90 | 9 | - - - Other | kg | 13% | |
| | 7010.93 | | - - Exceeding 0,15 ℥ but not exceeding 0,33 ℥ : | | | |
| | .10 | 8 | - - - Syphon vases | kg | 5% | |
| | .15 | 9 | - - - Beer and mineral water type bottles | kg | 10% | |
| | .20 | 5 | - - - Preserving jars | kg | 5% | |
| | .90 | 6 | - - - Other | kg | 13% | |
| | 7010.94 | | - - Not exceeding 0,15 ℥ : | | | |
| | .10 | 4 | - - - Syphon vases | kg | 5% | |
| | .15 | 5 | - - - Beer and mineral water type bottles | kg | 10% | |
| | .20 | 1 | - - - Preserving jars | kg | 5% | |
| | .30 | 9 | - - - Other, tubular, of a capacity not exceeding 35 ml | kg | 19% | |
| | .90 | 2 | - - - Other | kg | 13%" | |

| Heading | Sub=heading | C D | Article Description | Statistical Unit | Rate of Duty | Anno=tations |
|----------|-------------|--------|--|------------------|--------------|--------------|
| 70.16 | "7016.10 | 7 | By the substitution for subheading No. 7016.10 of the following: - Glass cubes and other glass smallwares, whether or not on a backing, for mosaics or similar decorative purposes | kg | 18%" | |
| | ".90 9 | | By the substitution for subheading No. 7016.90.90 of the following: - - Other | kg | 18%" | |
| 70.19 | | | By the substitution for heading No. 70.19 of the following: | | | |
| "70.19 | | | Glass fibres (including glass wool) and articles thereof (for example, yarn, woven fabrics): | | | |
| 7019.1 | | | - Slivers, rovings, yarn and chopped strands: | | | |
| 7019.11 | 4 | | - - Chopped strands, of a length not exceeding 50 mm | kg | 18% | |
| 7019.12 | | | - - Rovings: .10 8 - - - Coloured throughout the mass | kg | free | |
| | .90 6 | | - - - Other | kg | 18% | |
| 7019.19 | | | - - Other: .10 2 - - - Yarn | kg | free | |
| | .90 0 | | - - - Other | kg | 18% | |
| 7019.3 | | | - Thin sheets (voiles), webs, mats, mattresses boards and similar non-woven products: | | | |
| 7019.31 | | | - - Mats | kg | 18% | |
| 7019.32 | 9 | | - - Thin sheets (voiles) | kg | 18% | |
| 7019.39 | 4 | | - - Other | kg | 18% | |
| 7019.40 | | | - Woven fabrics of rovings: .10 9 - - - Fabrics woven from multifilament rovings | kg | 18% | |
| | .20 6 | | - - - Other, coated with plastics | kg | 10% | |
| | .90 7 | | - - - Other | kg | 5% | |
| 7019.5 | | | - Other woven fabrics: | | | |
| 7019.51 | | | - - Of a width not exceeding 30 cm: .10 8 - - - Coated with plastics | kg | 10% | |
| | .90 8 | | - - - Other | kg | 5% | |
| 7019.52 | | | - - Of a width exceeding 30 cm, plain weave, weighing less than 250 g/m ² , of filaments measuring per single yarn not more than 136 tex: .10 6 - - - Coated with plastics | kg | 10% | |
| | .90 4 | | - - - Other | kg | 5% | |
| 7019.59 | | | - - Other: .10 0 - - - Coated with plastics | kg | 10% | |
| | .90 9 | | - - - Other | kg | 5% | |
| 7019.90 | | | - Other: .30 6 - - Filter bags; prepared electrical insulating tape, coated or impregnated | kg | free | |
| | .90 4 | | - - Other | kg | 18%" | |
| 72.17 | | | By the substitution for subheadings Nos. 7217.31 and 7217.32 of the following: | | | |
| "7217.31 | 9 | | - - Not plated or coated, whether or not polished | kg | 8% | |
| 7217.32 | 6 | | - - Plated or coated with zinc | kg | 8%" | |

| Heading | Sub=heading | C D | Article Description | Statistical Unit | Rate of Duty | Anno=tations |
|---------|-------------|--------|---|------------------|--------------|--------------|
| 73.04 | | | By the substitution for subheading No. 7304.10.90 of the following: ".90 8 - - Other By the substitution for subheading No. 7304.21.90 of the following: ".90 2 - - Other By the substitution for subheading No. 7304.29.90 of the following: ".90 6 - - - Other | kg | 13%" | |
| 73.07 | | | By the substitution for subheading No. 7307.1 of the following: "7307.1 - Cast fittings: 7307.11 . - - Of non-malleable cast iron: .10 7 - - - For use with down pipes and gutter pipes .90 5 - - - Other 7307.19 - - Other: .10 8 - - - For use with down pipes and gutter pipes .80 9 - - - Other, of cast iron .90 6 - - - Other By the substitution for subheadings Nos. 7307.21, 7307.22 and 7307.23 of the following: "7307.21 - - Flanges: .10 1 - - - For use with down pipes and gutter pipes .90 7 - - - Other 7307.22 - - Threaded elbows, bends and sleeves: .10 8 - - - For use with down pipes and gutter pipes .90 6 - - - Other 7307.23 - - Butt welding fittings: .10 4 - - - For use with down pipes and gutter pipes .90 2 - - - Other | kg | 13% | |
| 73.08 | | | By the substitution for heading No. 73.08 of the following: | | | |
| "73.08 | | | Structures (excluding prefabricated buildings of heading No. 94.06) and parts of structures (for example, bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns), of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel: | | | |
| | 7308.10 | 7 | - Bridges and bridge-sections | kg | 18% | |
| | 7308.20 | | - Towers and lattice masts: .10 9 - - Lattice masts for telegraph lines or electric power lines .90 7 - - Other | kg | 5% | |
| | 7308.30 | | - Doors, windows and their frames and thresholds for doors: .10 3 - - Doors or gates for lifts .90 1 - - Other | kg | free | |
| | | | | kg | 18% | |

| Heading | Sub=heading | C D | Article Description | Statistical Unit | Rate of Duty | Anno=tations |
|-------------|-------------|--------|--|------------------|--------------|--------------|
| | 7308.40 | | - Equipment for scaffolding, shuttering, propping or pitpropping: | | | |
| | .10 | 8 | - - Mining appliances | kg | 5% | |
| | .90 | 6 | - - Other | kg | 18% | |
| | 7308.90 | | - Other: | | | |
| | .30 | 5 | - - Spiral chutes; smoke stacks | kg | 15% | |
| | .90 | 9 | - - Other | kg | 18%" | |
| 73.12 | | | By the substitution for subheading No. 7312.10 of the following: | | | |
| "7312.10 | | | - Stranded wire, ropes and cables: | | | |
| | .05 | 9 | - - Stranded wire, of wire which is not plated, coated or clad | kg | 10% | |
| | .10 | 5 | - - Stranded wire, of wire which is plated, coated or clad with zinc | kg | 10% | |
| | .15 | 6 | - - Stranded wire, of wire which is plated, coated or clad with tin | kg | 15% | |
| | .20 | 2 | - - Other stranded wire | kg | 10% | |
| | .25 | 3 | - - Ropes and cables, with a cross-sectional dimension not exceeding 38 mm and of a construction of more than 7 stranded wires, of wire which is not plated, coated or clad | kg | 10% | |
| | .30 | 2 | - - Ropes and cables, with a cross-sectional dimension not exceeding 38 mm and of a construction not exceeding 7 stranded wires, of wire which is not plated, coated or clad | kg | 10% | |
| | .35 | 0 | - - Ropes and cables, with a cross-sectional dimension exceeding 38 mm, of wire which is not plated, coated or clad | kg | 10% | |
| | .40 | 7 | - - Ropes and cables, of wire which is plated, coated or clad with zinc | kg | 10% | |
| | .90 | 3 | - - Other | kg | 19%" | |
| 73.14 | | | By the insertion after 7314.19.20 of the following: | | | |
| "7314.19.20 | | | - - - With 4 or more but not exceeding 10 apertures per cm in the warp as well as in the weft (excluding insect screening) | kg | 15%" | |
| 74.09 | | | By the substitution for heading No. 74.09 of the following: | | | |
| "74.09 | | | Copper plates, sheets and strip, of a thickness exceeding 0,15 mm: | | | |
| | 7409.1 | | - Of refined copper: | | | |
| | 7409.11 | 9 | - - In coils | kg | 13% | |
| | 7409.19 | 5 | - - Other | kg | 13% | |
| | 7409.2 | | - Of copper-zinc base alloys (brass): | | | |
| | 7409.21 | 3 | - - In coils | kg | 13% | |
| | 7409.29 | 4 | - - Other | kg | 13% | |
| | 7409.3 | | - Of copper-tin base alloys (bronze): | | | |
| | 7409.31 | 8 | - - In coils | kg | 13% | |
| | 7409.39 | 9 | - - Other | kg | 13% | |
| | 7409.40 | 6 | - Of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver) | kg | 13% | |
| | 7409.90 | 9 | - Of other copper alloys | kg | 13%" | |

| Heading | Sub=heading | C D | Article Description | Statistical Unit | Rate of Duty | Anno=tations |
|---------|-------------|--------|--|------------------|--------------|--------------|
| 74.10 | "7410.1 | | By the substitution for subheading No. 7410.1 of the following: - Not backed: | | | |
| | 7410.11 | 9 | - - Of refined copper | kg | 13% | |
| | 7410.12 | 5 | - - Of copper alloys | kg | 13%" | |
| 84.15 | | | By the substitution for subheading No. 8415.10 of the following: "8415.10 | | | |
| | | | - Window or wall types, self-contained: .40 8 - - Compressor operated, having a rated cooling capacity not exceeding 8,8 kW | u | 21% | |
| | | | 80 7 - - Other, not containing a heating element | u | 2.5% | |
| | | | .90 4 - - Other | u | 5%" | |
| | | | · By the substitution for subheading No. 8415.90.10 of the following: .10 2 - - Identifiable for use solely or principally with the machines of subheading No. 8415.10.40 | kg | 21%" | |
| 84.18 | | | By the substitution for subheading No. 8418.91.10 of the following: .10 3 - - - For household refrigerators or freezers | kg | 23%" | |
| | | | By the substitution for subheadings Nos. 8418.99.30 and 8418.99.40 of the following: .30 5 - - - Other, for display counters, cabinets, show-cases or the like | kg | 16% | |
| | | | .40 2 - - - Other evaporators and condensers | kg | 16%" | |
| 84.21 | | | By the substitution for subheading No. 8421.12.20 of the following: .20 4 - - - Of a dry mass loading capacity not exceeding 7 kg (excluding coin-operated types) | u | 18%" | |
| | | | By the substitution for subheading No. 8421.23.30 of the following: .30 2 - - - Suitable for use with motor vehicle engines (including motorcycle engines) | u | 18%" | |
| | | | By the substitution for subheading No. 8421.31.50 of the following: .50 9 - - - Other, suitable for use with motor vehicle engines (including motorcycle engines) | u | 18%" | |
| | | | By the substitution for subheading No. 8421.91.20 of the following: .20 4 - - - For clothes dryers of a dry mass loading capacity not exceeding 7 kg | kg | 18%" | |
| | | | By the substitution for subheadings Nos. 8421.99.30 and 8421.99.66 of the following: .30 2 - - - Filter plates and frames, for sugar filter presses | kg | 18% | |
| | | | .66 3 - - - For filters suitable for use with motor vehicle (including motorcycle engines) | kg | 18%" | |
| 84.31 | | | By the substitution for subheading No. 8431.49.50 of the following: .50 7 - - - Picks, chisels, bits and the like and blanks thereof, suitable for coal cutting machinery | kg | 8%" | |

| Heading | Sub=heading | C D | Article Description | Statistical Unit | Rate of Duty | Anno=tations |
|---------|-------------|--------|---|------------------|--------------|--------------|
| 84.60 | | | By the substitution for subheading No. 8460.90.20 of the following: ".20.5 - - Double-wheel horizontal grinding machines, (excluding those in which the positioning in any one axis can be set up to an accuracy of at least 0,01 mm) incorporating an electric motor of an output not exceeding 600 W | u | 18%" | |
| 85.08 | | | By the substitution for subheading No. 8508.80.10 of the following: ".10.8 - - Cutters of the flail line type, suitable for cutting lawn edges | u | 18%" | |
| | | | By the substitution for subheading No. 8508.90.10 of the following: ".10.2 - - For the tools of subheading No. 8508.80.10 | kg | 18%" | |
| 85.11 | | | By the substitution for subheadings Nos. 8511.30, 8511.40 and 8511.50 of the following: "8511.30 - Distributors; ignition coils: ".30.7 - - Distributors and ignition coils, identifiable for use solely or principally with motor vehicle engines .90.0 - - Other | u | 18% | |
| | 8511.40 | | - Starter motors and dual purpose starter-generators: .15.8 - - Identifiable for use solely or principally with motor vehicle engines .90.5 - - Other | u | 18% | |
| | 8511.50 | | - Other generators: .20.9 - - Identifiable for use solely or principally with motor vehicle engines .90.7 - - Other | u | 18% | |
| 85.12 | | | By the substitution for subheadings Nos. 8512.20 and 8512.30 of the following: "8512.20 4 - Other lighting or visual signalling equipment 8512.30 9 - Sound signalling equipment | u | 18% | |
| 85.16 | | | By the substitution for subheading No. 8516.29.10 of the following: ".10.3 - - - Electric radiators | u | 26%" | |
| | "8516.33 | 2 | By the substitution for subheading No. 8516.33 of the following: - - Hand-drying apparatus | u | 26%" | |
| | | | By the substitution for subheading No. 8516.80.10 of the following: ".10.3 - - Identifiable for use solely or principally with domestic stoves, hot-plates and ovens | u | 26%" | |
| | | | By the substitution for subheading No. 8516.90.30 of the following: ".30.2 - - For other electro-thermic appliances of a kind used for domestic purposes | kg | 26%" | |
| 85.35 | | | By the substitution for subheading No. 8535.21.05 of the following: ".05.8 - - - With moulded casings of plastics, with a current rating not exceeding 1 250 A, for a voltage not exceeding 1,1 kV (AC) or 125 V per pole (DC) and a breaking capacity rating not exceeding 100 000 A | kg | 21%" | |

| Heading | Sub=heading | C D | Article Description | Statistical Unit | Rate of Duty | Anno=tations |
|---------|-------------|--------|---|------------------|---|--------------|
| | | | By the substitution for subheading No. 8535.30.05 of the following: ".05 6 - - Isolating switches, with moulded casings of plastics, with a current rating not exceeding 1 250 A, for a voltage not exceeding 1 100 V (AC) or 125 V per pole (DC) and a breaking capacity rating not exceeding 100 000 A | kg | 21%" | |
| 85.37 | ".10 3 | | By the substitution for subheading No. 8535.90.10 of the following: - - Switch cover plates; apparatus connectors | kg | 18%" | |
| | ".20 8 | | By the substitution for subheading No. 8537.10.20 of the following: - - - Identifiable for use solely or principally with motor vehicles | kg | 18%" | |
| 85.39 | ".20 6 | | By the substitution for subheading No. 8539.21.20 of the following: - - - Other, identifiable for use solely or principally with motor vehicles | u | 23% | |
| | .45 1 | | - - - Other, of a power of 15 W or more but not exceeding 1 000 W and for a voltage exceeding 100 V but not exceeding 260 V | u | 20% or 85c each less 80% with a maximum of 37%" | |
| | ".45 2 | | By the substitution for subheadings Nos. 8539.29.45, 8539.29.50 and 8539.29.57 of the following: - - - Lamps, identifiable for use solely or principally with motor vehicles | u | 23% | |
| | .50 9 | | - - - Other, vacuum type, of less than 15 W | u | 20% | |
| | .57 6 | | - - - Other, of a power exceeding 200 W but not exceeding 1 000 W and for a voltage exceeding 100 V but not exceeding 260 V | u | 20% or 85c each less 80% with a maximum of 37%" | |
| 85.44 | | | By the substitution for subheading No. 8544.1 of the following: "8544.1 - Winding wire: | | | |
| | 8544.11 1 | | - - Of copper | kg | 18% | |
| | 8544.19 2 | | - - Other | kg | 18%" | |
| 87.08 | | | By the substitution for subheading No. 8708.50.50 of the following: ".50 7 - - Other, of the rigid integral housing type, with a crown wheel or ring gear of a diameter not exceeding 205 mm | kg | 23%" | |
| | | | By the substitution for subheadings Nos. 8708.93.25 and 8708.93.55 of the following: .25 3 - - - Clutch cover assemblies (excluding parts thereof), incorporating pressure plates with an outside diameter not exceeding 300 mm | kg | 23% | |
| | .55 5 | | - - - Clutch driven plates (excluding parts thereof), with an outside diameter not exceeding 300 mm | kg | 23%" | |
| | ".20 9 | | By the substitution for subheading No. 8708.94.20 of the following: - - - Rack and pinion steering assemblies (excluding power-assisted types and those of subheading No. 8708.94.10) | kg | 23%" | |

| Heading | Sub=heading | C D | Article Description | Statistical Unit | Rate of Duty | Anno=tations |
|---------|-------------|--------|---|------------------|--------------|--------------|
| 87.16 | | | By the substitution for heading No. 87.16 of the following: | | | |
| "87.16 | | | Trailers and semi-trailers; other vehicles, not mechanically propelled; parts thereof: | | | |
| | 8716.10 | 8 | - Trailers and semi-trailers of the caravan type, for housing or camping | u | 21% | |
| | 8716.20 | 2 | - Self-loading or self-unloading trailers and semi-trailers for agricultural purposes | u | 18% | |
| | 8716.3 | | - Other trailers and semi-trailers for the transport of goods: | | | |
| | 8716.31 | 3 | - - Tanker trailers and tanker semi-trailers | u | 18% | |
| | 8716.39 | 4 | - - Other | u | 18% | |
| | 8716.40 | 1 | - Other trailers and semi-trailers | u | 18% | |
| | 8716.80 | 1 | - Other vehicles: | | | |
| | | .10 | 7 - - Carriages, carts, coaches and wagons | u | 21% | |
| | | .20 | 4 - - Wheelbarrows | u | 18% | |
| | | .90 | 5 - - Other | u | 15% | |
| | 8716.90 | | - Parts: | | | |
| | | .05 | 5 - - Parts for carriages, carts, coaches, trailers, semi-trailers and wheelbarrows | kg | 18% | |
| | | .90 | 0 - - Other | kg | 15%" | |
| 89.03 | | | By the substitution for heading No. 89.03 of the following: | | | |
| "89.03 | | | Yachts and other vessels for pleasure or sports; rowing boats and canoes: | | | |
| | 8903.10 | 8 | - Inflatable | u | 19% | |
| | 8903.9 | | - Other: | | | |
| | 8903.91 | 0 | - - Sailboats, with or without auxiliary motor | u | 19% | |
| | 8903.92 | 7 | - - Motorboats (excluding outboard motorboats) | u | 19% | |
| | 8903.99 | | - - Other: | | | |
| | | .10 | 9 - - - Rowing shells of a kind commonly used for boatracing | u | 13% | |
| | | .90 | 7 - - - Other | u | 19%" | |
| 90.02 | | | By the substitution for subheading No. 9002.20.20 of the following: | | | |
| | | .20 | 5 - - Identifiable for use with sound projectors for film of a width of 16 mm or more | kg | 3%" | |
| 90.04 | | | By the substitution for subheading No. 9004.10 of the following: | | | |
| | "9004.10 | 3 | - Sunglasses | u | 16%" | |
| 94.01 | | | By the substitution for heading No. 94.01 of the following: | | | |
| "94.01 | | | Seats (excluding those of heading No. 94.02), whether or not convertible into beds, and parts thereof: | | | |
| | 9401.10 | 3 | - Seats of a kind used for aircraft | u | free | |
| | 9401.20 | 4 | - Seats of a kind used for motor vehicles | u | 20% | |
| | 9401.30 | 9 | - Swivel seats with variable height adjustment | u | 23% | |
| | 9401.40 | 3 | - Seats (excluding garden seats or camping equipment), convertible into beds | u | 23% | |
| | 9401.50 | 8 | - Seats of cane, osier, bamboo or similar materials | u | 26% | |

| Heading | Sub=heading | C D | Article Description | Statistical Unit | Rate of Duty | Anno=tations |
|---------|-------------|--------|---|------------------|--------------|--------------|
| | 9401.6 | | - Other seats, with wooden frames: | | | |
| | 9401.61 | 9 | - - Upholstered | u | 23% | |
| | 9401.69 | 7 | - - Other | u | 23% | |
| | 9401.7 | | - Other seats, with metal frames: | | | |
| | 9401.71 | 3 | - - Upholstered | u | 23% | |
| | 9401.79 | 4 | - - Other | u | 23% | |
| | 9401.80 | | - Other seats: | | | |
| | .30 | 3 | - - Of asbestos-cement, of monumental or building stone, of cellulose fibre-cement or of ceramics | u | 20% | |
| | .90 | 7 | - - Other | u | 23% | |
| | 9401.90 | 6 | - Parts | kg | 20%" | |
| 94.03 | | | By the substitution for heading No. 94.03 of the following: | | | |
| "94.03 | | | Other furniture and parts thereof: | | | |
| | 9403.10 | | - Metal furniture of a kind use in offices: | | | |
| | .10 | 4 | - - Filing cabinets, of steel | kg | 20% | |
| | .90 | 2 | - - Other | kg | 23% | |
| | 9403.20 | | - Other metal furniture: | | | |
| | .10 | 9 | - - Metal bedsteads | kg | 20% | |
| | .30 | 3 | - - Ice chests | kg | 20% | |
| | .50 | 8 | - - Walking trainers for infants | kg | 26% | |
| | .60 | 5 | - - Hanging meat safes | kg | 20% | |
| | .90 | 7 | - - Other | kg | 23% | |
| | 9403.30 | 6 | - Wooden furniture of a kind used in offices | u | 23% | |
| | 9403.40 | 0 | - Wooden furniture of a kind used in the kitchen | u | 23% | |
| | 9403.50 | 5 | - Wooden furniture of a kind used in the bedroom | u | 23% | |
| | 9403.60 | | - Other wooden furniture: | | | |
| | .30 | 1 | - - Walking trainers for infants | u | 26% | |
| | .40 | 9 | - - Hanging meat safes | u | 20% | |
| | .90 | 5 | - - Other | u | 23% | |
| | 9403.70 | | - Furniture of plastics: | | | |
| | .30 | 6 | - - Walking trainers for infants | kg | 26% | |
| | .90 | 6 | - - Other | kg | 23% | |
| | 9403.80 | | - Furniture of other materials, including cane, osier, bamboo or similar materials: | | | |
| | .30 | 0 | - - Of monumental or building stone, of cellulose fibre-cement, of ceramics or of asbestos-cement | kg | 20% | |
| | .90 | 4 | - - Other | kg | 23% | |
| | 9403.90 | | - Parts: | | | |
| | .10 | 0 | - - For steel filing cabinets | kg | 20% | |
| | .20 | 8 | - - For metal bedsteads | kg | 20% | |
| | .30 | 5 | - - Metal parts for wooden bedsteads | kg | 20% | |
| | .40 | 2 | - - For metal ice chests | kg | 20% | |
| | .50 | 6 | - - Base metal frames for camp beds or folding tables | kg | 20% | |
| | .60 | 7 | - - For walking trainers for infants | kg | 26% | |
| | .90 | 9 | - - Other | kg | 23%" | |

| Heading | Sub=heading | C D | Article Description | Statistical Unit | Rate of Duty | Anno=tations |
|---------|-------------|--------|---|------------------|--------------|--------------|
| 94.04 | "9404.10 | 0 | By the substitution for subheading No. 9404.10 of the following: - Mattress supports | kg | 23%" | |
| | " 10 | 7 | By the substitution for subheading No. 9404.29.10 of the following: - - - Innerspring | u | 23%" | |
| 96.03 | "96.03 | | By the substitution for heading No. 96.03 of the following: Brooms, brushes (including brushes constituting parts of machines, appliances or vehicles), hand-operated mechanical floor sweepers, not motorised, mops and feather dusters; prepared knots and tufts for broom or brush making; paint pads and rollers; squeegees (excluding roller squeegees): | | | |
| | 9603.10 | 0 | - Brooms and brushes, consisting of twigs or other vegetable materials bound together, with or without handles | u | 24% | |
| | 9603.2 | | - Tooth brushes, shaving brushes, hair brushes, nail brushes, eyelash brushes and other toilet brushes for use on the person, including such brushes constituting parts of appliances: | | | |
| | 9603.21 | | - - Tooth brushes, including dental-plate brushes: | | | |
| | .10 | 9 | - - - Dental-plate brushes | u | 15% | |
| | .90 | 7 | - - - Other | u | 21% | |
| | 9603.29 | | - - Other: | | | |
| | .40 | 1 | - - - Hair brushes, beard brushes, hair dyeing brushes, bath brushes and nail brushes | u | 21% | |
| | .90 | 8 | - - - Other | u | 15% | |
| | 9603.30 | | - Artists' brushes, writing brushes and similar brushes for the application of cosmetics: | | | |
| | .10 | 7 | - - Artists' brushes and writing brushes | u | free | |
| | .90 | 5 | - - Other | u | 15% | |
| | 9603.40 | | - Paint, distemper, varnish or similar brushes (excluding brushes of subheading No. 9603.30); paint pads and rollers: | | | |
| | .30 | 6 | - - Paint and varnish brushes; paint rollers | u | 15% | |
| | .90 | 6 | - - Other | u | 24% | |
| | 9603.50 | | - Other brushes constituting parts of machines, appliances or vehicles: | | | |
| | .10 | 6 | - - Machine bottle brushes | u | 21% | |
| | .20 | 3 | - - Parts of portable machine-tools | u | free | |
| | .30 | 0 | - - Parts of agricultural machinery | u | free | |
| | .40 | 8 | - - Parts of other industrial or manufacturing machinery | u | free | |
| | .90 | 4 | - - Other | u | 24% | |
| | 9603.90 | | - Other: | | | |
| | .10 | 4 | - - Clothes brushes; brushes for footwear | u | 15% | |
| | .15 | 5 | - - Pipe stem cleaners; prepared knots and tufts for broom or brush making; squeegees, mechanical floor sweepers | u | 18% | |
| | .90 | 7 | - - Other | u | 24%" | |

| Heading | Sub=heading | C D | Article Description | Statistical Unit | Rate of Duty | Anno=tations |
|---------|-------------|--------|--|----------------------------|--|--------------|
| 96.06 | | | By the substitution for subheadings Nos. 9604.2 and 9604.30 of the following: "9606.2 9606.21 2 - - Of plastics, not covered with textile material 9606.22 9 - - Of base metal, not covered with textile material 9606.29 - - Other: .06 2 - - - Of metal, leather or composition leather .90 9 - - - Other 9606.30 - Button moulds and other parts of buttons; button blanks: .15 9 - - Button moulds and other parts of buttons .25 6 - - Button blanks | kg kg kg kg kg | 21% 15% 15% 21% free 21%" | |
| 96.12 | | | By the substitution for heading No. 96.12 of the following: "96.12 Typewriter or similar ribbons, inked or otherwise prepared for giving impressions, whether or not on spools or in cartridges; ink-pads, whether or not inked, with or without boxes: 9612.10 - Ribbons: .10 7 - - Of polyethylene terephthalate, of a width exceeding 5 mm but not exceeding 8 mm, not on spools or in cartridges .90 5 - - Other 9612.20 4 - Ink-pads | u u u | 15% 18% 18%" | |

DOEANE- EN AKSYNSWET, 1964

WYSIGING VAN BYLAE No. 1 (No. 1/1/771)

Kragtens artikel 48 van die Doeane- en Aksynswet, 1964, word Deel 1 van Bylae No. 1 by genoemde Wet hiermee gewysig, in die mate in die Bylae hiervan aangetoon.

A. ERWIN**Adjunkminister van Finansies**

BYLAE

| Pos | Subpos | T. S. | Artikel Beskrywing | Statistiese Eenheid | Skaal van Reg | Anno= tasies |
|-------------------------------|----------|----------|--|------------------------|---------------|-----------------|
| 25.01 | | | Deur pos No. 25.01 deur die volgende te vervang: | | | |
| "25.01 | 2501.00 | 4 | Sout (met ingegrif van tafelsout en gedenatureerde sout) en suwer natriumchloried, hetsy in wateroplossing of wat bygevoegde koekweer- of vryvloeimiddels bevat al dan nie; seewater | kg | 22%" | |
| 25.19 | "2519.90 | 2 | Deur subpos No. 2519.90 deur die volgende te vervang: - Ander | kg | 8%" | |
| 25.23 | "2523.30 | 6 | Deur subpos No. 2523.30 deur die volgende te vervang: - Aluinhouende sement | kg | 6%" | |
| 25.25 en 25.26 | | | Deur poste Nos. 25.25 en 25.26 deur die volgende te vervang: | | | |
| "25.25 | | | Mika, met Inbegrip van splitsings; mika-afval: | | | |
| | 2525.10 | 4 | - Ru-mika en mika wat in velle of splitsings gekloof is | kg | 16% | |
| | 2525.20 | 9 | - Mikapoeier | kg | 16% | |
| | 2525.30 | 3 | - Mika-afval | kg | 16% | |
| 25.26 | | | Natuurlike steatiet, hetsy al dan nie naastenby afgewerk of slegs gesny deur te saag of andersins, in blokke met 'n reghoekige (met inbegrip van vierkantige) vorm; talk: | | | |
| | 2526.10 | 8 | - Nie vergruis nie, nie verpoeier nie | kg | 8% | |
| | 2526.20 | 2 | - Vergruis of verpoeier | kg | 8%" | |
| 25.30 | "2530.20 | 3 | Deur subpos No. 2530.20 deur die volgende te vervang: - Kieseriet, epsomiet (natuurlike magnesiumsulfate) | kg | 6%" | |
| | ".90 | 0 | Deur subpos No. 2530.90.90 deur die volgende te vervang: - - Ander | kg | 6%" | |
| 26.01 | | | Deur subpos No. 2601.1 deur die volgende te vervang: | | | |
| "2601.1 | | | - Ysterertse en -konsentrate (uitgesonderd gebrande ysterpiriete): | | | |
| | 2601.11 | 2 | - - Nie saamgepers nie | kg | 6% | |
| | 2601.12 | 9 | - - Saamgepers | kg | 6%" | |

| Pos | Subpos | T. S. | Artikel Beskrywing | Statistiese Eenheid | Skaal van Reg | Anno= tasies |
|----------------------|---------|----------|--|------------------------|---|-----------------|
| 26.02 | | | Deur pos No. 26.02 deur die volgende te vervang: | | | |
| "26.02 | 2602.00 | 5 | Mangaanertse en -konsentrate, met inbegrip van ysterhoudende mangaanertse en -konsentrate met 'n mangaaninhoud van minstens 20 persent, bereken op die droë massa | kg | 6%" | |
| 26.04 en 26.05 | | | Deur poste Nos. 26.04 en 26.05 deur die volgende te vervang: | | | |
| "26.04 | 2604.00 | 2 | Nikkelertse en -konsentrate | kg | 6% | |
| 26.05 | 2605.00 | 6 | Kobaltertse en -konsentrate | kg | 6%" | |
| 26.10 | | | Deur pos No. 26.10 deur die volgende te vervang: | | | |
| "26.10 | 2610.00 | 0 | Chroomertse en -konsentrate | kg | 6%" | |
| 26.12 | | | Deur pos No. 26.12 deur die volgende te vervang: | | | |
| "26.12 | | | Uraan- of toriumertse en -konsentrate: | | | |
| | 2612.10 | 2 | - Uraanertse en -konsentrate | kg | 6% | |
| | 2612.20 | 7 | - Toriumertse en -konsentrate | kg | 6%" | |
| 26.17 | | | Deur pos No. 26.17 deur die volgende te vervang: | | | |
| "26.17 | | | Ander ertse en konsentrate: | | | |
| | 2617.10 | 0 | - Antimoonertse en -konsentrate | kg | 6% | |
| | 2617.90 | 7 | - Ander | kg | 6%" | |
| 29.21 | | | Deur subposte Nos. 2921.11 en 2921.12 deur die volgende te vervang: | | | |
| "2921.11 | 3 | | - - Metielamien, di- of trimetielamien en soute daarvan | kg | vry | |
| 2921.12 | 8 | | - - Dietielamien en soute daarvan | kg | vry" | |
| | | | Deur subposte Nos. 2921.19.10 en 2921.19.20 deur die volgende te vervang: | | | |
| ".15 | 2 | | - - - Etielamien; monoïsopropielamien | kg | vry" | |
| 30.05 | | | Deur subpos No. 3005.90.10 deur die volgende te vervang: | | | |
| ".10 | 1 | | - - Absorbeergas of -moeselien; verbande (met inbegrip van kripverbande); boor- en ander absorbeerlint; gaas- of moeselienpluisies (met inbegrip van dié wat opspoorbare X-straal draad of band bevat) | kg | 23%" | |
| 36.01 | | | Deur pos No. 36.01 deur die volgende te vervang: | | | |
| "36.01 | 3601.00 | 3 | Dryfmiddelpoelers | kg | 13%" | |
| 38.17 | | | Deur subpos No. 3817.10 deur die volgende te vervang: | | | |
| "3817.10 | 2 | | - Gemengde alkielbensene | kg | 21,25%" | |
| 39.01 en 39.02 | | | Deur poste Nos. 39.01 en 39.02 deur die volgende te vervang: | | | |
| 39.01 | | | Polimere van etileen, in primêre vorms: | | | |
| | 3901.10 | 0 | - Polietileen met 'n spesifieke digtheid van minder as 0,94 | kg | 10% of 255c/kg min 90% met 'n maksimum van 36% | |
| | 3901.20 | | - Polietileen met 'n spesifieke digtheid van 0,94 of meer: | | | |
| | .05 | 5 | - - Gechloreer | kg | vry | |
| | .90 | 7 | - - Ander | kg | 10% of 255c/kg min 90% met 'n maksimum van 36% | |

| Pos | Subpos | T. S. | Artikel Beskrywing | Statistiese Eenheid | Skaal van Reg | Anno = tasies |
|-------|----------|----------|--|------------------------|--|------------------|
| | 3901.30 | | - Etilenevinielasetaatkopolimere: | | | |
| | .10 | 6 | - - Met 'n waarde vir belastingdoeleindes van hoogstens 220c/kg | kg | 10% of 170c/kg min 90% met 'n maksimum van 36% | |
| | .20 | 3 | - - Met 'n waarde vir belastingdoeleindes van meer as 220c/kg | kg | vry | |
| | 3901.90 | | - Ander: | | | |
| | .10 | 3 | - - Kopolimere van etileen en akriel- of metakrielsuur waarin die karboksielgroepe gedeeltelik verbind of gedeeltelik geneutraliseer is deur metaalione, in blokke, stukke, poeiers, korrels, vlokke en dergelike massavorms | kg | vry | |
| | .20 | 0 | - - Ander polietileenmetakrialaat, in blokke, stukke, poeier, korrels, vlokke en dergelike massavorms | kg | vry | |
| | .30 | 8 | - - Ander, gechloreer | kg | vry | |
| | .90 | 1 | - - Ander | kg | 10% of 255c/kg min 90% met 'n maksimum van 36% | |
| 39.02 | | | Polimere van propileen of van ander oleiene, in primêre vorms: | | | |
| | 3902.10 | 3 | - Polipropileen | kg | 10% of 230c/kg min 90% met 'n maksimum van 36% | |
| | 3902.20 | 8 | - Poliisobutileen | kg | vry | |
| | 3902.30 | 2 | - Propieneenkopolimere | kg | 10% of 230c/kg min 90% met 'n maksimum van 36% | |
| | 3902.90 | 5 | - Ander | kg | vry" | |
| 39.04 | | | Deur subposte Nos. 3904.10, 3904.2, 3904.30 en 3904.40 deur die volgende te vervang: | | | |
| | "3904.10 | 0 | - Polivinielchloried, nie met enige ander stowwe gemeng nie | kg | 10% of 230c/kg min 90% met 'n maksimum van 16% | |
| | 3904.2 | | - Ander polivinielchloried: | | | |
| | 3904.21 | | - - Nie-geplastiseerd: | | | |
| | .10 | 9 | - - - Vloeistowwe en pastas | kg | 10% of 200c/kg min 90% met 'n maksimum van 16% | |
| | .90 | 7 | - - - Ander | kg | 10% of 225c/kg min 90% met 'n maksimum van 16% | |
| | 3904.22 | | - - Geplastiseerd: | | | |
| | .10 | 5 | - - - Vloeistowwe en pastas | kg | 10% of 200c/kg min 90% met 'n maksimum van 16% | |
| | .90 | 3 | - - - Ander | kg | 10% of 225c/kg min 90% met 'n maksimum van 16% | |

| Pos | Subpos | T. S. | Artikel Beskrywing | Statistiese Eenheid | Skaal van Reg | Anno= tasiës |
|--------|----------|----------|---|------------------------|--|-----------------|
| | 3904.30 | 7 | - Vinielchloried-vinielasetaatkopolimere | kg | 10% of 230c/kg min 90% met 'n maksimum van 16% | |
| | 3904.40 | | - Ander vinielchloriedkopolimere: | | | |
| | .10 | 1 | - - Vloeistowwe en pastas | kg | 10% of 230c/kg min 90% met 'n maksimum van 16% | |
| | .20 | 9 | - - Poeiers, nie met enige ander stowwe gemeng nie | kg | 10% of 230c/kg min 90% met 'n maksimum van 16% | |
| | .90 | 4 | - - Ander | kg | 10% of 225c/kg min 90% met 'n maksimum van 16%" | |
| 39.07 | | | Deur subpos No. 3907.20.10 deur die volgende te vervang: | | | |
| | ".10 | 3 | - - Poliëterpoliole, wat 2 of meer hidroksielgroepe bevat, vloeistowwe of pastas, met 'n hidroksielnommer van minstens 20 mg KOH/g of meer maar hoogstens 800 mg KOH/g (uitgesonderd dié geproduceer met etileenoksied of afgeskerm met etileenoksied en wat 'n primêre hidroksielinhoud van minstens 20 persent het) | kg | 16%" | |
| 39.15 | | | Deur subposte Nos. 3915.10, 3915.20 en 3915.30 deur die volgende te vervang: | | | |
| | "3915.10 | 7 | - Van polimere van etileen | kg | 18% | |
| | 3915.20 | 1 | - Van polimere van stireen | kg | 18% | |
| | 3915.30 | 6 | - Van polimere van vinielchloried | kg | 18%" | |
| 39.16 | | | Deur pos No. 39.16 deur die volgende te vervang: | | | |
| "39.16 | | | Monofilament waarvan enige dwarsdeursnee-afmeting 1 mm oorskry, stawe, stokke en profielvorms, hetsy op die oppervlak bewerk, maar nie andersins nie, van plastieke: | | | |
| | 3916.10 | | - Van polimere van etileen: | | | |
| | .10 | 8 | - - Monofilament | kg | 18% | |
| | .90 | 6 | - - Ander | kg | 24% | |
| | 3916.20 | | - Van polimere van vinielchloried: | | | |
| | .20 | 5 | - - Vlegmateriaal met 'n rottangkern | kg | vry | |
| | .90 | 0 | - - Ander | kg | 18% | |
| | 3916.90 | | - Van ander plastieke: | | | |
| | .05 | 8 | - - Van akrielpolimere | kg | 15% | |
| | .10 | 4 | - - Van fenoliese harse met vesel, tekstielstof of papier saamgestel | kg | vry | |
| | .20 | 1 | - - Van silikone | kg | vry | |
| | .30 | 9 | - - Stawe, stokke en profielvorms van polimere van stireen | kg | 24% | |
| | .40 | 6 | - - Stawe, stokke en profielvorms, van polirhêre van propyleen | kg | 24% | |
| | .50 | 3 | - - Stawe, stokke en profielvorms, van polimerisasie- of kopolimerisasieprodukte nie elders vermeld of ingesluit nie | kg | 24% | |
| | .60 | 0 | - - Van cellulose-nitrate | kg | vry | |
| | .70 | 8 | - - Van kunsharse | kg | vry | |
| | .90 | 2 | - - Ander | kg | 18%" | |

| Pos | Subpos | T. S. | Artikel Beskrywing | Statistiese Eenheid | Skaal van Reg | Anno= tasiës |
|----------------------|------------|----------|--|------------------------|---------------|-----------------|
| 39.17 | | ".85 5 | Deur subpos No. 3917.32.85 deur die volgende te vervang: - - Ander | kg | 10%" | |
| 40.02 | | ".90 8 | Deur subpos No. 4002.19.90 deur die volgende te vervang: - - Ander | kg | 19%" | |
| | | ".90 5 | Deur subpos No. 4002.20.90 deur die volgende te vervang: - - Ander | kg | 19%" | |
| 40.05 | | ".90 1 | Deur subpos No. 4005.10.90 deur die volgende te vervang: - - Ander | kg | 16%" | |
| | "4005.20 | 0 | Deur subpos No. 4005.20 deur die volgende te vervang: - Oplossings; dispersies (uitgesonderd dié van subpos No. 4005.10) | kg | 16%" | |
| 40.05 | | | Deur pos No. 40.06 deur die volgende te vervang: | | | |
| "40.06 | | | Ander vorms (byvoorbeeld, stawe, buise en profielvorms) en artikels (byvoorbeeld, skywe en ringe), van ongevulkaniseerde rubber: | | | |
| | 4006.10 | 4 | - Loopvlakrepe vir die versoling van rubberbande | kg | 16% | |
| | 4006.90 | 6 | - Ander | kg | 16%" | |
| 40.07 | | | Deur pos No. 40.07 deur die volgende te vervang: | | | |
| "40.07 | | | Gevulkaniseerde rubberdraad en -koord: | | | |
| | 4007.00.20 | 3 | - Tekstielgaring met gevulkaniseerde rubber bedek of geïmpregneer | kg | 14% | |
| | | .90 4 | - Ander | kg | 16%" | |
| 40.08 | | ".90 3 | Deur subpos No. 4008.21.90 deur die volgende te vervang: - - - Ander | kg | 21%" | |
| | | ".90 4 | Deur subpos No. 4008.29.90 deur die volgende te vervang: - - - Ander | kg | 21%" | |
| 40.09 en 40.10 | | | Deur poste Nos. 40.09 en 40.10 deur die volgende te vervang: | | | |
| "40.09 | | | Buisse, pype en slange, van gevulkaniseerde rubber (uitgesonderd harde rubber), met of sonder toebehore daarvoor (byvoorbeeld, lasstukke, elmboë, flense): | | | |
| | 4009.10 | 0 | - Nie versterk of andersins met ander stowwe saamgevoeg nie, sonder toebehore | kg | 19% | |
| | 4009.20 | 5 | - Slegs met metaal versterk of andersins saamgestel, sonder toebehore | kg | 19% | |
| | 4009.30 | 1 | - Slegs met tekstielstowwe versterk of andersins saamgestel, sonder toebehore | kg | 19% | |
| | 4009.40 | 4 | - Met ander stowwe versterk of andersins saamgeestel, sonder toebehore | kg | 19% | |
| | 4009.50 | 9 | - Met toebehore | kg | 19% | |
| 40.10 | | | Vervoer- of dryfbande of -bandmateriaal, van gevulkaniseerde rubber: | | | |
| | 4010.1 | | - Vervoerbande of -bandmateriaal: | | | |
| | 4010.11 | 7 | - - Slegs met metaal versterk | kg | 21% | |
| | 4010.12 | 3 | - - Slegs met tekstielmateriale versterk | kg | 21% | |
| | 4010.13 | 6 | - - Slegs met plastieke versterk | kg | 21% | |
| | 4010.19 | 8 | - - Ander | kg | 21% | |

| Pos | Subpos | T. S. | Artikel Beskrywing | Statistiese Eenheid | Skaal van Reg | Anno = tasies |
|----------------------|----------|----------|---|------------------------|---------------|------------------|
| | 4010.2 | | - Dryfbande of -bandmateriaal: | | | |
| | 4010.21 | | - - Eindelose dryfbande met trapesoïdele deursnee (V-bande), hetsy met groewe al dan nie, met 'n omtrek van meer as 60 cm maar hoogstens 180 cm: | | | |
| | .10 | 9 | - - - Uitkenbaar vir gebruik slegs of hoofsaaklik met motorvoertuie | kg | 21% | |
| | .90 | 5 | - - - Ander | kg | 18% | |
| | 4010.22 | | - - Eindelose dryfbande met 'n trapesoïdele deursnee (V-bande), hetsy gegroef al dan nie, met 'n omtrek van meer as 180 cm maar hoogstens 240 cm: | | | |
| | .10 | 5 | - - - Uitkenbaar as vir gebruik slegs of hoofsaaklik met motorvoertuie | kg | 21% | |
| | .90 | 3 | - - - Ander | kg | 18% | |
| | 4010.23 | 4 | - - Eindelose sinchroon bande met 'n omtrek van meer as 60 cm maar hoogstens 150 cm | kg | 18% | |
| | 4010.24 | 0 | - - Eindelose sinchroon bande met 'n omtrek van meer as 150 cm maar hoogstens 198 cm | kg | 18% | |
| | 4010.29 | | - - Ander: | | | |
| | .10 | 3 | - - - Uitkenbaar as vir gebruik slegs of hoofsaaklik met motorvoertuie | kg | 21% | |
| | .90 | 8 | - - - Ander | kg | 18%" | |
| 40.12 | | | Deur subpos No. 4012.90 deur die volgende te vervang: | | | |
| | "4012.90 | 4 | - Ander | kg | 12%" | |
| 41.04 en 41.05 | | | Deur poste Nos. 41.04 en 41.05 deur die volgende te vervang: | | | |
| "41.04 | | | Leer van beesras- of perderasdiere, sonder die hare aan (uitgesonderd leer van pos No. 41.08 of 41.09): | | | |
| | 4104.10 | | - Heel beesrasvelleer, met 'n eenheidsoppervlakte van hoogstens 2,6 m ² : | | | |
| | .20 | 9 | - - Minder as 2,15 m ² (uitgesonderd vleiskantsplitse) | kg | vry | |
| | .90 | 2 | - - Ander | kg | 16% | |
| | 4104.2 | | - Ander beesrasleer en perderasleer, gelooi of herlooii maar nie verder voorberei nie, hetsy gesplits al dan nie: | | | |
| | 4104.21 | 5 | - - Beesrasleer, plantaardig vooraf gelooi | kg | 16% | |
| | 4104.22 | 1 | - - Beesrasleer, andersins vooraf gelooi | kg | 16% | |
| | 4104.29 | 6 | - - Ander | kg | 16% | |
| | 4104.3 | | - Ander beesrasleer en perderasleer perkamentbehandel of voorberei na die looiproses: | | | |
| | 4104.31 | 3 | - - Nerfleer en nerfsplitse | kg | 16% | |
| | 4104.39 | 0 | - - Ander | kg | 16% | |
| 41.05 | | | Skaap- of lamvelleer, sonder die wol aan (uitgesonderd leer van pos No. 41.08 of 41.09): | | | |
| | 4105.1 | | - Gelooi of herlooii maar nie verder voorberei nie, hetsy gesplits al dan nie: | | | |
| | 4105.11 | 4 | - - Plantaardig voorafgelooi | kg | 13% | |
| | 4105.12 | 0 | - - Andersins vooraf gelooi | kg | 13% | |
| | 4105.19 | 5 | - - Ander | kg | 13% | |
| | 4105.20 | 2 | - Perkamentbehandel of voorberei na die looiproses | kg | 13%" | |
| 42.03 | | | Deur subpos No. 4203.10 deur die volgende te vervang: | | | |
| | "4203.10 | 2 | - Kledingstukke | kg | 33%" | |

| Pos | Subpos | T. S. | Artikel Beskrywing | Statistiese Eenheid | Skaal van Reg | Anno= tasiës |
|--|----------|----------|---|------------------------|---------------|-----------------|
| | "4203.29 | 4 | Deur subpos No. 4203.29 deur die volgende te vervang: - - Ander | kg | 23%" | |
| 44.10, 44.11, 44.12, 44.13, 44.14 en 44.15 | | | Deur poste Nos. 44.10, 44.11, 44.12, 44.13, 44.14 en 44.15 deur die volgende te vervang: | | | |
| "44.10 | | | Spaanderbord en dergelike bord van hout of ander houtagtige stowwe, hetsy met harse of ander organiese bindmiddels saamgepers al dan nie: | | | |
| | 4410.1 | | - Van hout: | | | |
| | 4410.11 | 4 | - - Wafelbord met inbegrip van georiënteerde stringdraadborde | kg | 18% | |
| | 4410.19 | 5 | - - Ander | kg | 18% | |
| | 4410.90 | 4 | - Van ander houtagtige stowwe | kg | 18% | |
| 44.11 | | | Veselbord van hout of ander houtagtige stowwe, hetsy met harse of ander organiese stowwe verbind al dan nie: | | | |
| | 4411.1 | | - Veselbord met 'n digtheid van meer as 0,8 g/m ³ : | | | |
| | 4411.11 | | - - Nie meganies bewerk of op die oppervlak bedek nie: .10 5 - - - Gevorm | kg | 16% | |
| | | .90 3 | - - - Ander | kg | 10% | |
| | 4411.19 | | - - Ander: .10 5 - - - Gevorm | kg | 16% | |
| | | .90 4 | - - - Ander | kg | 10% | |
| | 4411.2 | | - Veselbord met 'n digtheid van meer as 0,5 g/m ³ maar hoogstens 0,8 g/m ³ : | | | |
| | 4411.21 | | - - Nie meganies bewerk of op die oppervlak bedek nie: .10 2 - - - Gevorm | kg | 16% | |
| | | .90 8 | - - - Ander | kg | 10% | |
| | 4411.29 | | - - Ander: .10 0 - - - Gevorm | kg | 16% | |
| | | .90 9 | - - - Ander | kg | 10% | |
| | 4411.3 | | - Veselbord met 'n digtheid van meer as 0,35 g/m ³ maar hoogstens 0,5 g/m ³ : | | | |
| | 4411.31 | | - - Nie meganies bewerk of op die oppervlak bedek nie: .10 4 - - - Gevorm | kg | 16% | |
| | | .90 2 | - - - Ander | kg | 10% | |
| | 4411.39 | | - - Ander: .10 5 - - - Gevorm | kg | 16% | |
| | | .90 3 | - - - Ander | kg | 10% | |
| | 4411.9 | | - Ander: | | | |
| | 4411.91 | | - - Nie meganies bewerk of op die oppervlak bedek nie: .10 1 - - - Gevorm | kg | 16% | |
| | | .90 6 | - - - Ander | kg | 10% | |
| | 4411.99 | | - - Ander: .10 2 - - - Gevorm | kg | 16% | |
| | | .90 0 | - - - Ander | kg | 10% | |

| Pos | Subpos | T. S. | Artikel Beskrywing | Statistiese Eenheid | Skaal van Reg | Anno= tasies |
|--------|-------------|----------|---|------------------------|---------------|-----------------|
| 44.12 | | | Laaghout, fineerpanele en dergelike gelamelleerde hout: | | | |
| | 4412.1 | | - Laaghout wat slegs uit velle van hout bestaan, waarvan elke laag hoogstens 6 mm dik is: | | | |
| | 4412.13 | 4 | - - Met ten minste een buitelaag van die tropiese houtsoorte in Subposopmerking 1 by hierdie Hoofstuk gespesifieer | m ³ | 13% | |
| | 4412.14 | 0 | - - Ander, met ten minste een buitelaag van nie-keeldraende houtsoorte: | m ³ | 13% | |
| | 4412.19 | 2 | - - Ander | m ³ | 13% | |
| | 4412.2 | | - Ander met ten minste een buitelaag van nie-keeldraende houtsoorte: | | | |
| | 4412.22 | 2 | - - Met ten minste een laag van die tropiese houtsoorte in Subposopmerking 1 by hierdie Hoofstuk gespesifieer: | m ³ | 13% | |
| | 4412.23 | 9 | - - Ander, wat ten minste een buitelaag van spaanderbord bevat | m ³ | 13% | |
| | 4412.29 | 7 | - - Ander | m ³ | 13% | |
| | 4412.9 | | - Ander: | | | |
| | 4412.92 | 4 | - - Met ten minste een laag van die tropiese houtsoorte in Subposopmerking 1 by hierdie Hoofstuk gespesifieer | kg | 13% | |
| | 4412.93 | 0 | - - Ander, wat ten minste een laag spaanderbord bevat | kg | 13% | |
| | 4412.99 | 9 | - - Ander | kg | 13% | |
| 44.13 | 4413.00 | 4 | Verdigte hout, in blokke, velle, repe of profielvorms | kg | 16% | |
| 44.14 | 4414.00 | 8 | Hourame vir skilderye, foto's, spieëls of dergelike voorwerpe | kg | 16% | |
| 44.15 | | | Pakkiste, kaste, kratte, dromme en dergelike verpaknings, van hout; kabeltolle van hout; palette, kaspalette en ander draplanke, van hout; palet halsbande van hout: | | | |
| | 4415.10 | 6 | - Kiste, kaste, kratte, dromme en dergelike verpaknings; kabeltolle | u | 13% | |
| | 4415.20 | | - Palette, kaspalette en ander draplanke; palet halsbanke: | | | |
| | .10 | 8 | - - Palette, kaspalette en ander draplanke | kg | 16% | |
| | .20 | 5 | - - Palet halsbande | kg | 20%" | |
| 44.17 | | | Deur subposte Nos. 4417.00.40 en 4417.00.50 deur die volgende te vervang: | | | |
| | "4417.00.40 | 8 | - Gereedskaphandvatsels | kg | 19% | |
| | .50 | 5 | - Besem- of borselblokke en -handvatsels (uitgesondert verfkwashandvatsels) | kg | 19%" | |
| 44.18 | | | Deur pos No. 44.18 deur die volgende te vervang: | | | |
| "44.18 | | | Bouersskrynwerk en -timmerwerk van hout, met inbegrip van selfpanele van hout, gemonteerde parketpanele, dakspane en barse: | | | |
| | 4418.10 | 7 | - Vensters, dubbele glasdeure en rame daarvan | kg | 21% | |
| | 4418.20 | 1 | - Deure en rame en drumpels daarvan | kg | 21% | |
| | 4418.30 | 6 | - Parketpanele | kg | vry | |
| | 4418.40 | 0 | - Bekisting vir konkreetbouwerk | kg | 21% | |
| | 4418.50 | 5 | - Dakspane en barse | kg | 21% | |
| | 4418.90 | 3 | - Ander | kg | 18%" | |
| 48.09 | | | Deur subpos No. 4809.20 deur die volgende te vervang: | | | |
| | "4809.20 | 5 | - Selfkopieerpapier | kg | 13%" | |

| Pos | Subpos | T. S. | Artikel Beskrywing | Statistiese Eenheid | Skaal van Reg | Anno= tasies |
|--------------------------------|----------|----------|---|------------------------|---------------|-----------------|
| 48.11 | "4811.10 | 9 | Deur subpos No. 4811.10 deur die volgende te vervang: - Papier en papierbord, met teer, bitumen of asfalt behandel | kg | 8%" | |
| | "4811.29 | 0 | Deur subpos No. 4811.29 deur die volgende te vervang: - - Ander | kg | 8%" | |
| | "4811.40 | 2 | Deur subposte Nos. 4811.40 en 4811.90 deur die volgende te vervang: - Papier en papierbord, met was, paraffienwas, stearien, olie of gliserol bestryk, geimpregneer of bedek | kg | 8% | |
| | 4811.90 | 5 | - Ander papier, papierbord, cellulose-watte en webbe van cellulose-vesels | kg | 8%" | |
| 48.16 | "4816.20 | 1 | Deur subposte Nos. 4816.20 deur die volgende te vervang: - Selfkopieerpapier | kg | 13%" | |
| 48.19, 48.20 en 48.21 | "48.19 | | Deur poste Nos. 48.19, 48.20 en 48.21 deur die volgende te vervang: Kartonne, dose, kiste, sakke en ander verpakkingshouers, van papier, papierbord, cellulose-watte of webbe van cellulose-vesels; lêerkissies, briewebakke en dergelike artikels, van papier of papierbord, van 'n soort in kantore, winkels of soortgelyke persele gebruik: | | | |
| | 4819.10 | 8 | - Kartonne, dose en kiste, van geriffelde papier of papierbord | kg | 16% | |
| | 4819.20 | 2 | - Opvoukartonne, -dose en -kiste, van nie-geriffelde papier of papierbord | kg | 16% | |
| | 4819.30 | 7 | - Sakke en kardoese, met 'n basis met 'n wydte van minstens 40 cm | kg | 13% | |
| | 4819.40 | 1 | - Ander sakke en kardoese, met inbegrip van keëls | kg | 13% | |
| | 4819.50 | 6 | - Ander verpakkingshouers, met inbegrip van plate-omslae | kg | 16% | |
| | 4819.60 | 0 | - Lêerkissies, briewebakke, opslagkissies en dergelike artikels, van 'n soort in kantore, winkels of soortgelyke persele gebruik | kg | 18% | |
| 48.20 | | | Registers, rekeningboeke, aantekenboeke, bestelboeke, kwitansieboeke, skryfblokke, memorandumblokke, dagboeke en dergelike artikels, oefeningboeke, kladblokke, binders (losblad of ander), vouers, lêeromslae, kopieerbewigheidsvorms, stelle met deurslagtussenblaale en ander skryfbehoeftes, van papier of papierbord: albums vir monsters of vir versamelings en boekomslae, van papier of papierbord: | | | |
| | 4820.10 | 8 | - Registers, rekeningboeke, aantekenboeke, bestelboeke, kwitansieboeke, skryfblokke, memorandumblokke, dagboeke en dergelike artikels | kg | 18% | |
| | 4820.20 | 2 | - Oefeningboeke | kg | 18% | |
| | 4820.30 | 7 | - Binders (uitgesonderd boekomslae), vouers en lêeromslae | kg | 18% | |
| | 4820.40 | 1 | - Kopieerbewigheidsvorms en stelle met deurslagtussenblaale | kg | 18% | |
| | 4820.50 | 6 | - Albums vir monsters of vir versamelings | kg | 18% | |
| | 4820.90 | 4 | - Ander | kg | 18% | |
| 48.21 | | | Papier- of papierbordetikette van alle soorte, hetsy bedruk al dan nie: | | | |
| | 4821.10 | 1 | - Bedruk | kg | 18% | |
| | 4821.90 | 8 | - Ander | kg | 18%" | |
| 48.23 | "4823.11 | 5 | Deur subpos No 4823.11 deur die volgende te vervang: - - Selfklewend | kg | 23%" | |

| Pos | Subpos | T. S. | Artikel Beskrywing | Statistiese Eenheid | Skaal van Reg | Anno= tasies |
|----------------------|----------|----------|--|------------------------|---------------|-----------------|
| | ".90 3 | | Deur subpos No 4823.30.90 deur die volgende te vervang: - - Ander | kg | 18%" | |
| | "4823.40 | 2 | Deur subposte Nos. 4823.40, 4823.5 en 4823.60 deur die volgende te vervang: - Rolle, velle en skywe, vir selfregistreerapparate bedruk | kg | 18% | |
| | 4823.5 | | - Ander papier en papierbord, van 'n soort vir skryfwerk, drukwerk of ander grafiese doeleinades gebruik: | | | |
| | 4823.51 | 3 | - - Bedruk, gebosseerde of geperforeerde | kg | 18% | |
| | 4823.59 | 4 | - - Ander | kg | 18% | |
| | 4823.60 | 1 | - Skinkborde, bakke, borde, koppies en soortgelyke goedere, van papier of papierbord | kg | 18%" | |
| 49.01 | | | Deur subpos No. 4901.99.40 deur die volgende te vervang: ".40 0 | kg | 12%" | |
| | | | - - - Adresgidse, reisgidse, jaarboeke, kersfeesjaarboeke en handboeke, wat op die Republiek betrekking het | | | |
| 49.02 | | | Deur subpos No. 4902.10.10 deur die volgende te vervang: ".10 9 | kg | 12%" | |
| | | | - - Koerante of aanvullende uitgawes, of dele daarvan (uitgesonderd godsdienslike publikasies of dele daarvan en dié in braille), bestem om in die Republiek voltooi en gepubliseer te word | | | |
| | ".10 5 | | Deur subposte Nos. 4902.90.10 en 4902.90.20 deur die volgende te vervang: - - Vakansie- of spesiale uitgawes, of dele daarvan, (uitgesonderd dié in braille) ingevoer vir uitgawe saam met koerante, joernale of tydskrifte in die Republiek gepubliseer | kg | 12% | |
| | .20 2 | | - - Koerante of aanvullende uitgawes, of dele daarvan (uitgesonderd godsdienslike publikasies of dele daarvan en dié in braille), bestem om in die Republiek voltooi en gepubliseer te word | kg | 12%" | |
| 49.07 | | | Deur subpos No. 4907.00.90 deur die volgende te vervang: ".90 0 | kg | 18%" | |
| 49.08 | | | - Ander | | | |
| | ".90 9 | | Deur subpos No. 4908.10.90 deur die volgende te vervang: - - Ander | kg | 18%" | |
| | ".90 5 | | Deur subpos No. 4908.90.90 deur die volgende te vervang: - - Ander | kg | 18%" | |
| 49.09 en 49.10 | | | Deur poste Nos. 49.09 en 49.10 deur die volgende te vervang: "49.09 | | | |
| | 4909.00 | 2 | Bedrukte of geïllustreerde poskaarte; bedrukte kaarte wat persoonlike groete, boodskappe of aankondigings bevat, hetsy geïllustreer al dan nie, met of sonder koeverte of tooiseels | kg | 18% | |
| 49.10 | 4910.00 | 2 | Almanakke van enige soort, bedruk, met inbegrip van kalenderblokke | kg | 18%" | |
| 49.11 | | | Deur subpos No. 4911.10.90 deur die volgende te vervang: ".90 6 | kg | 18%" | |
| | | | - - Ander | | | |
| | ".90 9 | | Deur subpos No. 4911.99.90 deur die volgende te vervang: - - - Ander | kg | 18%" | |

| Pos | Subpos | T. S. | Artikel Beskrywing | Statistiese Eenheid | Skaal van Reg | Anno= tasies |
|----------|---------|----------|---|------------------------|---------------|-----------------|
| 64.02 | | | Deur pos No. 64.02 deur die volgende te vervang: | | | |
| "64.02 | | | Ander skoeisel met buitesole en bodele van rubber of plastieke: | | | |
| | 6402.1 | | - Sportskoeisel: | | | |
| | 6402.12 | | - - Skistewels, veldloopskiskoeisel en sneebordstewels: | | | |
| | .10 9 | | - - - Skistewels en veldloopskiskoeisel | 2u | 30% | |
| | .20 6 | | - - - Sneebordstewels | 2u | 50% | |
| | 6402.19 | 6 | - - Ander | 2u | 50% | |
| | 6402.20 | 3 | - Skoeisel met gesperieme of riempies wat deur middel van proppe aan die sool geheg is | 2u | 50% | |
| | 6402.30 | 8 | - Ander skoeisel, wat 'n beskermende metaalneus inkorporeer | 2u | 50% | |
| | 6402.9 | | - Ander skoeisel: | | | |
| | 6402.91 | 1 | - - Wat die enkel bedek | 2u | 50% | |
| | 6402.99 | 2 | - - Ander | 2u | 50%" | |
| 64.03 | | | Deur subpos No. 6403.12 deur die volgende te vervang: | | | |
| "6403.12 | | | - - Skistewels, veldloopskiskoeisel en sneebordstewels: | | | |
| | .20 1 | | - - - Sneebordstewels wat tekstielstof aan die buitekant van die bodeel inkorporeer (uitgesondert die tong) | 2u | 50% | |
| | .90 0 | | - - - Ander | 2u | 30%" | |
| | | | Deur subposte Nos. 6403.5 en 6403.9 deur die volgende te vervang: | | | |
| "6403.5 | | | - Ander skoeisel met buitesole van leer: | | | |
| 6403.51 | | | - - Wat die enkel bedek: | | | |
| | .15 5 | | - - - Skoeisel (uitgesondert kamerpantoffels), wat 'n tekstielstof aan die buitekant van die bodeel inkorporeer (uitgesondert die tong) | 2u | 50% | |
| | .90 2 | | - - - Ander | 2u | 30% | |
| 6403.59 | | | - - Ander: | | | |
| | .15 6 | | - - - Skoeisel (uitgesondert kamerpantoffels), wat 'n tekstielstof aan die buitekant van die bodeel inkorporeer (uitgesondert die tong) | 2u | 50% | |
| | .90 3 | | - - - Ander | 2u | 30% | |
| 6403.9 | | | - Ander skoeisel: | | | |
| 6403.91 | | | - - Wat die enkel bedek: | | | |
| | .15 3 | | - - - Skoeisel (uitgesondert kamerpantoffels), wat 'n tekstielstof aan die buitekant van die bodeel inkorporeer (uitgesondert die tong) | 2u | 50% | |
| | .90 0 | | - - - Ander | 2u | 30% | |
| 6403.99 | | | - - Ander: | | | |
| | .15 4 | | - - - Skoeisel (uitgesondert kamerpantoffels), wat 'n tekstielstof aan die buitekant van die bodeel inkorporeer (uitgesondert die tong) | 2u | 50% | |
| | .90 1 | | - - - Ander | 2u | 30%" | |
| 64.04 | | | Deur subpos No. 6404.11.90 deur die volgende te vervang: | | | |
| ".90 8 | | | - - - Ander | 2u | 50%" | |
| | | | Deur subpos No. 6404.19.90 deur die volgende te vervang: | | | |
| ".90 9 | | | - - - Ander | 2u | 50%" | |
| 64.05 | | | Deur subpos No. 6405.20.90 deur die volgende te vervang: | | | |
| ".90 8 | | | - - Ander | 2u | 50%" | |

| Pos | Subpos | T. S. | Artikel Beskrywing | Statistiese Eenheid | Skaal van Reg | Anno= tasies |
|--------------------------------|---------|----------|--|------------------------|---------------|-----------------|
| | | | Deur subpos No. 6405.90.90 deur die volgende te vervang: - - Ander | 2u | 50%" | |
| 64.06 | ".90 | 1 | Deur pos No. 64.06 deur die volgende te vervang: | | | |
| "64.06 | | | Onderdele van skoeisel (met inbegrip van bodele, hetsy aan sole (uitgesonderd buitesole) geheg al dan nie); verwijderbare binnesole, hakkussinkies en dergelike artikels; oorkouse, kamaste en dergelike artikels: | | | |
| 6406.10 | | | - Bodele en onderdele daarvan (uitgesonderd verstywers): | | | |
| | .10 | 0 | - - Halfpare, op vals lese van hout gemonteer of ongemonteer, geskik vir gebruik as vervaardigingsmodelle | kg | vry | |
| | .15 | 1 | - - Beskermende metaalneuse | kg | vry | |
| | .25 | 9 | - - Ander onderdele, van yster of staal | kg | 20% | |
| | .35 | 6 | - - Ander, van tekstielstowwe, van rubber of plastieke | kg | 50% | |
| | .90 | 9 | - - Ander | kg | 26% | |
| 6406.20 | | 8 | - Buitesole en hakke, van rubber of plastieke | kg | 26% | |
| 6406.9 | | | - Ander: | | | |
| 6406.91 | | | - - Van hout: | | | |
| | .05 | 7 | - - - Sole en hak-en-sooleenhede, punte en hakke, verstywers, steunboë en hakbinnesole | kg | vry | |
| | .40 | 5 | - - - Verwyderbare toebehore | kg | 20% | |
| | .90 | 1 | - - - Ander | kg | 26% | |
| 6406.99 | | | - - Van ander stowwe: | | | |
| | .10 | 4 | - - - Oorkouse en kamaste, en dergelike artikels, en onderdele daarvan slegs of hoofsaaklik van leer of saamgestelde leer | kg | 2 % | |
| | .15 | 5 | - - - Oorkouse en kamaste, en dergelike artikels, en onderdele daarvan (uitgesonderd dié slegs of hoofsaaklik van leer of saamgestelde leer) | kg | 20% | |
| | .25 | 2 | - - - Klompsole en hak-en-sooleenhede, punte en hakke van kurk | kg | vry | |
| | .40 | 6 | - - - Onderdele van yster, staal, koper of aluminium, vir skoeisel | kg | 20% | |
| | .50 | 3 | - - - Ander verstywers, steunboë en hakbinnesole, vir skoeisel | kg | vry | |
| | .60 | 0 | - - - Ander verwyderbare toebehore, vir skoeisel | kg | 20% | |
| | .90 | 2 | - - - Ander | kg | 26%" | |
| 65.07 | | | Deur pos No. 65.07 deur die volgende te vervang: | | | |
| "65.07 | 6507.00 | 4 | Sweetbande, voerings, oortreksels, hoedfondamente, hoedframe, tuite en kenbande, vir hoofdeksels | kg | 18%" | |
| 68.05, 68.06 en 68.07 | | | Deur poste Nos. 68.05, 68.06 en 68.07 deur die volgende te vervang: | | | |
| "68.05 | | | Natuurlike of kunsskuurpoeier of -korrels, op 'n basis van tekstielstof, van papier, van papierbord of van ander stowwe, hetsy na vorm gesny of genaal of andersins opgemaak al dan nie: | | | |
| 6805.10 | | 7 | - Slegs op 'n basis van tekstielweefstof | kg | 18% | |
| 6805.20 | | 1 | - Slegs op 'n basis van papier of papierbord | kg | 18% | |
| 6805.30 | | 6 | - Op 'n basis van ander stowwe | kg | 18% | |

| Pos | Subpos | T. S. | Artikel Beskrywing | Statistiese Eenheid | Skaal van Reg | Anno= tasies |
|----------------------|----------|----------|--|------------------------|---------------|-----------------|
| 68.06 | | | Slakwol, klipwol en dergelike mineraalwol; geskilferde vermekuliet, uitgesette klei, skuimslak van dergelike uitgesette mineraalstowwe; mengsels en artikels van hitte-isolerende, klankisolerende of klankabsorberende mineraalstowwe (uitgesonderd dié van pos No. 68.11 of 68.12 of Hoofstuk 69): | | | |
| | 6806.10 | 0 | - Slakwol, klipwol en dergelike mineraal wol (met inbegrip van mengsels daarvan), in massavorms, velle of rolle | kg | 18% | |
| | 6806.20 | 5 | - Geskilferde vermekuliet, uitgesette klei, skuimslak en dergelike uitgesette mineraalstowwe (met inbegrip van mengsels daarvan) | kg | 15% | |
| | 6806.90 | | - Ander: | | | |
| | .30 | 9 | - - Ander artikels van slakwol, klipwol of dergelike mineraalwol | kg | 18% | |
| | .90 | 2 | - - Ander | kg | vry | |
| 68.07 | | | Artikels van asfalt of van dergelike stof (byvoorbeeld, petroleumbitumen of koolteerpik): | | | |
| | 6807.10 | 4 | - In rolle | kg | 18% | |
| | 6807.90 | 0 | - Ander | kg | 18%" | |
| 68.09 | | | Deur pos No. 68.09 deur die volgende te vervang: | | | |
| "68.09 | | | Artikels van pleister of van komposisies op pleister gebaseer: | | | |
| | 6809.1 | | - Planke, velle, panele, teëls en dergelike artikels, nie versier nie: | | | |
| | 6809.11 | 8 | - - Met 'n voorkant of versterk slegs met papier of papierbord | kg | 18% | |
| | 6809.19 | 9 | - - Ander | kg | 18% | |
| | 6809.90 | 8 | - Ander artikels | kg | 18%" | |
| 68.12 | | | Deur subpos No. 6812.50 deur die volgende te vervang: | | | |
| | "6812.50 | 7 | - Klerasie, klerasiebykomstighede, skoeisel en hoofdeksels | kg | 18%" | |
| 68.14 | | | Deur pos No. 68.14 deur die volgende te vervang: | | | |
| "68.14 | | | Bewerkte mika en artikels van mika, met inbegrip van saamgeperste of hersaamgestelde mika, hetsy op 'n versterking van papier, papierbord of ander stowwe al dan nie: | | | |
| | 6814.10 | 6 | - Plate, velle en reep van saamgeperste of hersaamgestelde mika, hetsy op 'n versterking al dan nie | kg | 18%" | |
| | 6814.90 | 2 | - Ander | kg | 18%" | |
| 69.07 en 69.08 | | | Deur poste Nos. 69.07 en 69.08 deur die volgende te vervang: | | | |
| "69.07 | | | Ongeglasuurde keramiese plaveiteëls en plaveisel-, herd- of muurteëls; ongeglasuurde mosaïekblokkies en soortgelyke artikels, hetsy op 'n rugkant al dan nie: | | | |
| | 6907.10 | 6 | - Teëls, blokkies en dergelike artikels, hetsy reghoekig al dan nie, waarvan die grootste oppervlakarea in 'n vierkant waarvan die sy minder as 7 cm is, inpas | m ² | 24,5% | |
| | 6907.90 | 2 | - Ander | m ² | 24,5% | |
| 69.08 | | | Geglasuurde keramiese plaveiteëls en plaveisel-, herd- of muurteëls; geglasuurde mosaïekblokkies en soortgelyke artikels, hetsy op 'n rugkant al dan nie: | | | |
| | 6908.10 | 5 | - Teëls, blokkies en dergelike artikels, hetsy reghoekig al dan nie, waarvan die grootste oppervlakarea in 'n vierkant waarvan die sy minder as 7 cm is, inpas | m ² | 24,5% | |
| | 6908.90 | 6 | - Ander | m ² | 24,5%" | |

| Pos | Subpos | T. S. | Artikel Beskrywing | Statistiese Eenheid | Skaal van Reg | Anno= tasies |
|--|------------|----------|--|------------------------|---------------|-----------------|
| 70.06, 70.07, 70.08, 70.09 en 70.10 | | | Deur poste Nos. 70.06, 70.07, 70.08, 70.09 en 70.10 deur die volgende te vervang: | | | |
| "70.06 | 7006.00 | | Glas van pos No. 70.03, 70.04 of 70.05, gebuig, met randwerk, gegraveer, geboor, geëmaljeer of andersins bewerk, maar nie geraam of met ander stowwe toegerus nie: | | | |
| | 7006.00.30 | 1 | - Optiese glas; brandskildervensters | kg | vry | |
| | .90 | 5 | - Ander | kg | 16% | |
| 70.07 | | | Veiligheidsglas, wat uit verharde (getemperde) of gelamelleerde glas bestaan: | | | |
| | 7007.1 | | - Verharde (getemperde) veiligheidsglas: | | | |
| | 7007.11 | 4 | - - Van 'n grootte en vorm geskik om in voertuie, vliegtuie, ruimtetuie of vaartuie geïnkorporeer te word | kg | 18% | |
| | 7007.19 | 5 | - - Ander | m ² | 18% | |
| | 7007.2 | | - Gelamelleerde veiligheidsglas: | | | |
| | 7007.21 | 9 | - - Van 'n grootte en vorm geskik om in voertuie, vliegtuie, ruimtetuie of vaartuie geïnkorporeer te word | kg | 18% | |
| | 7007.29 | 9 | - - Ander | m ² | 18% | |
| 70.08 | 7008.00 | 7 | Meerwandige Isoleereenhede van glas | kg | 18% | |
| 70.09 | | | Glasspieëls, hetsy geraam al dan nie, met inbegrip van truspieëls: | | | |
| | 7009.10 | 5 | - Truspieëls vir voertuie | kg | 18% | |
| | 7009.9 | | - Ander: | | | |
| | 7009.91 | 8 | - - Ongeraam | kg | 18% | |
| | 7009.92 | 4 | - - Geraam | kg | 18% | |
| 70.10 | | | Karba's, bottels, flesse, potte, kanne, botteeltjies, ampulie en ander houers van glas, van 'n soort wat vir die vervoer of verpakking van goedere gebruik word; inmaakflesse van glas; proppe, deksels en ander afsluiters, van glas: | | | |
| | 7010.10 | | - Ampulle: | | | |
| | .10 | 2 | - - Buisvormig, met 'n inhoudsvermoë van hoogstens 35 ml | kg | 19% | |
| | .90 | 0 | - - Ander | kg | 13% | |
| | 7010.20 | 6 | - Proppe, deksels en ander afsluiters | kg | 5% | |
| | 7010.9 | | - Ander, met 'n inhoudsvermoë: | | | |
| | 7010.91 | | - - Van meer as 1 ℥: | | | |
| | .10 | 5 | - - - Sifonvase | kg | 5% | |
| | .20 | 2 | - - - Bier- en mineraalwater tipe bottels | kg | 19% | |
| | .30 | 1 | - - - Inmaakflesse | kg | 5% | |
| | .90 | 7 | - - - Ander | kg | 13% | |
| | 7010.92 | | - - Van meer as 0,33 ℥ mar hoogstens 1 ℥: | | | |
| | .10 | 1 | - - - Sifonvase | kg | 5% | |
| | .20 | 9 | - - - Bier- en mineraalwater tipe bottels, met 'n inhoudsvermoë van hoogstens 800 ml | kg | 10% | |
| | .30 | 6 | - - - Bier- en mineraalwater tipe bottels, met 'n inhoudsvermoë van meer as 800 ml | kg | 19% | |
| | .40 | 3 | - - - Inmaakflesse | kg | 5% | |
| | .90 | 9 | - - - Ander | kg | 13% | |

| Pos | Subpos | T. S. | Artikel Beskrywing | Statistiese Eenheid | Skaal van Reg | Anno= tasies |
|--------|----------|----------|---|------------------------|---------------|-----------------|
| | 7010.93 | .10 8 | - - Van meer as 0,15 ℥ maar hoogstens 0,33 ℥: - - - Sifonvase | kg | 5% | |
| | | .15 9 | - - - Bier- en mineraalwater tipe bottels | kg | 10% | |
| | | .20 5 | - - - Inmaakflesse | kg | 5% | |
| | | .90 6 | - - - Ander | kg | 13% | |
| | 7010.94 | .10 4 | - - Van hoogstens 0,15 ℥: - - - Sifonvase | kg | 5% | |
| | | .15 5 | - - - Bier- en mineraalwater tipe bottels | kg | 10% | |
| | | .20 1 | - - - Inmaakflesse | kg | 5% | |
| | | .30 9 | - - - Ander buisvormig met 'n inhoudsvermoë van hoogstens 35 ml | kg | 19% | |
| | | .90 2 | - - - Ander | kg | 13%" | |
| 70.16 | | | Deur subpos No. 7016.10 deur die volgende te vervang: | | | |
| | "7016.10 | 7 | - Glasblokkies en ander glasstukkies hetsy op 'n rugkant al dan nie, vir mosaike of dergelike versieringsdoeleindes | kg | 18%" | |
| | | | Deur subpos No. 7016.90.90 deur die volgende te vervang: | | | |
| | ".90 | 9 | - - Ander | kg | 18%" | |
| 70.19 | | | Deur subpos No. 70.19 deur die volgende te vervang: | | | |
| "70.19 | | | Glasvesel (met inbegrip van glaswol) en artikels daarvan (byvoorbeeld, garing, weefstowwe): | | | |
| | 7019.1 | | - Lonte, voorgaring, garing en snipperstringe: | | | |
| | 7019.11 | 4 | - - Snipperstringe, met 'n lengte van hoogstens 50 mm | kg | 18% | |
| | 7019.12 | | - Voorgaring: | | | |
| | | .10 8 | - - - In die massa deurgaans gekleur | kg | vry | |
| | | .90 6 | - - - Ander | kg | 18% | |
| | 7019.19 | | - - Ander: | | | |
| | | .10 2 | - - - Garing | kg | vry | |
| | | .90 0 | - - - Ander | kg | 18% | |
| | 7019.3 | | - Dun velle (voiles), webbe, matte, matrasse, bord en dergelike veselvliesprodukte: | | | |
| | 7019.31 | | - - Matte | kg | 18% | |
| | 7019.32 | 9 | - - Dun velle (voiles) | kg | 18% | |
| | 7019.39 | 4 | - - Ander | kg | 18% | |
| | 7019.40 | | - Weefstowwe van voorgaring: | | | |
| | | .10 9 | - - - Stowwe van multifilamentvoorgaring geweef | kg | 18% | |
| | | .20 6 | - - - Ander, met plastieke bestryk | kg | 10% | |
| | | .90 7 | - - - Ander | kg | 5% | |
| | 7019.5 | | - Ander weefstowwe: | | | |
| | 7019.51 | | - - Met 'n wydte van hoogstens 30 cm: | | | |
| | | .10 8 | - - - Met plastieke bestryk | kg | 10% | |
| | | .90 8 | - - - Ander | kg | 5% | |
| | 7019.52 | | - - Met 'n wydte van meer as 30 cm, effebinding; met 'n massa van minder as 250 g/m ² , van enkelgaring van nie meer as 136 tex nie: | | | |
| | | .10 6 | - - - Met plastieke bestryk | kg | 10% | |
| | | .90 4 | - - - Ander | kg | 5% | |
| | 7019.59 | | - - Ander: | | | |
| | | .10 0 | - - - Met plastieke bestryk | kg | 10% | |
| | | .90 9 | - - - Ander | kg | 5% | |

| Pos | Subpos | T. S. | Artikel Beskrywing | Statistiese Eenheid | Skaal van Reg | Anno = tasies |
|-------|----------|----------|---|------------------------|---------------|------------------|
| | 7019.90 | | - Ander: | | | |
| | .30 | 6 | - - Filtersakke; bereide elektriese isoleerband, bestryk of geimpregneer | kg | vry | |
| | .90 | 4 | - - Ander | kg | 18%" | |
| 72.17 | | | Deur subposte Nos. 7217.31 en 7217.32 deur die volgende te vervang: | | | |
| | "7217.31 | 9 | - - Nie geplateer of bestryk nie, hetsy gepoleer al dan nie | kg | 8% | |
| | 7217.32 | 6 | - - Met sink geplateer of bestryk | kg | 8%" | |
| 73.04 | | | Deur subpos No. 7304.10.90 deur die volgende te vervang: | | | |
| | ".90 | 8 | - - Ander | kg | 13%" | |
| | | | Deur subpos No. 7304.21.90 deur die volgende te vervang: | | | |
| | ".90 | 2 | - -, Ander | kg | 13%" | |
| | | | Deur subpos No. 7304.29.90 deur die volgende te vervang: | | | |
| | ".90 | 6 | - - - Ander | kg | 13%" | |
| 73.07 | | | Deur subpos No. 7307.1 deur die volgende te vervang: | | | |
| | "7307.1 | | - Gegote toebehere: | | | |
| | 7307.11 | | - - Van nie-smeebare gietyster: | | | |
| | .10 | 7 | - - - Vir gebruik met afvoer- en geutpype | kg | 13% | |
| | .90 | 5 | - - - Ander | kg | 5% | |
| | 7307.19 | | - - Ander: | | | |
| | .10 | 8 | - - - Vir gebruik met afvoer- en geutpype | kg | 13% | |
| | .80 | 9 | - - - Ander, van gietyster | kg | 13% | |
| | .90 | 6 | - - - Ander | kg | 5%" | |
| | | | Deur subposte Nos. 7307.21, 7307.22 en 7307.23 deur die volgende te vervang: | | | |
| | "7307.21 | | - - Flense: | | | |
| | .10 | 1 | - - - Vir gebruik met afvoer- en geutpype | kg | 13% | |
| | .90 | 7 | - - - Ander | kg | 5% | |
| | 7307.22 | | - - Skroefelmoë, -buigstukke en -hulsels: | | | |
| | .10 | 8 | - - - Vir gebruik met afvoer- en geutpype | kg | 13% | |
| | .90 | 6 | - - - Ander | kg | 5% | |
| | 7307.23 | | - - Stuiksweistoebehore: | | | |
| | .10 | 4 | - - - Vir gebruik met afvoer- en geutpype | kg | 13% | |
| | .90 | 2 | - - - Ander | kg | 5%" | |
| 73.08 | | | Deur poste Nos. 73.08 deur die volgende te vervang: | | | |
| 73.08 | | | Strukture (uitgesonderd opslaangeboue van pos No. 94.06) en onderdele van strukture (byvoorbeeld, brûe en seksies van brûe, sluishekke, torings, traliemaste, dakke, dakraamwerke, deure en vensters en rame balustrades, pilare en sulle), van yster of staal; plate, stange, hoeke, profiele, buise en soortgelyke goedere, vir gebruik in strukture gereedgemaak, van yster of staal: | | | |
| | 7308.10 | 7 | - Brûe en seksies van brûe | kg | 18% | |
| | 7308.20 | | - Torings en traliemaste: | | | |
| | .10 | 9 | - - Traliemaste vir telegraafdrade of elektriese kragdrade | kg | 5% | |
| | .90 | 7 | - - Ander | kg | 18% | |
| | 7308.30 | | - Deure, vensters en rame daarvan en drumpels vir deure: | | | |
| | .10 | 3 | - - Deure of hekke vir hysers | kg | vry | |
| | .90 | 1 | - - Ander | kg | 18% | |

| / Pos | Subpos | T. S. | Artikel Beskrywing | Statistiese Eenheid | Skaal van Reg | Anno= тасіе |
|-------|---------|----------|--|--|--|----------------|
| | 7308.40 | | - Toerusting vir steierwerk, bekisting, bestutting of myn-bestutting: .10 8 - - Mynboutoestelle .90 6 - - Ander | kg kg | 5% 18% | |
| | 7308.90 | | - Ander: .30 5 - - Wentelgeute; skoorsteenpype .90 9 - - Ander | kg kg | 15% 18%" | |
| 73.12 | | | Deur pos No. 7312.10 deur die volgende te vervang: "7312.10 | | | |
| | | | - Stringdraad, toue en kabels: .05 9 - - Stringdraad, van draad wat nie geplateer, bestryk of bedek is nie .10 5 - - Stringdraad, van draad wat met sink geplateer, bestryk of bedek is .15 6 - - Stringdraad, van draad wat met tin geplateer, bestryk of bedek is .20 2 - - Ander stringdraad .25 3 - - Toue en kabels, met 'n dwarsdeursnee-afmeting van hoogstens 38 mm en 'n konstruksie van meer as 7 stringrade, van draad wat nie geplateer, bestryk of bedek is nie .30 2 - - Toue en kabels, met 'n dwarsdeursnee-afmeting van hoogstens 38 mm en 'n konstruksie van hoogstens 7 stringrade, van draad wat nie geplateer, bestryk of bedek is nie .35 0 - - Toue en kabels, met 'n dwarsdeursnee-afmeting van meer as 38 mm, van draad wat nie geplateer, bestryk of bedek is nie .40 7 - - Toue en kabels, van draad wat met sink geplateer, bestryk of bedek is .90 3 - - Ander | kg kg kg kg kg kg kg kg kg kg kg kg kg kg kg | 10% 10% 15% 10% 10% 10% 10% 10% 10% 10% 19%" | |
| 73.14 | | | Deur na subpos No. 7314.19.20 deur die volgende in te voeg: ".30 4 | | | |
| | | | - - - Met minstens 4 maar hoogstens 10 openings per cm in die skering sowel as in die inslag (uitgesonderd insekte-sifmateriaal) | kg | 15%" | |
| 74.09 | | | Deur pos No. 74.09 deur die volgende te vervang: "74.09 | | | |
| | | | Koperplate, -fynplate en -band, met 'n dikte van meer as 0,15 mm: 7409.1 | | | |
| | | | - Van geraffineerde koper: | | | |
| | 7409.11 | 9 | - - Gehaspel | kg | 13% | |
| | 7409.19 | 5 | - - Ander | kg | 13% | |
| | 7409.2 | | - Van legerings met 'n koper-sinkbasis (geelkoper): | | | |
| | 7409.21 | 3 | - - Gehaspel | kg | 13% | |
| | 7409.29 | 4 | - - Ander | kg | 13% | |
| | 7409.3 | | - Van legerings met 'n koper-tinbasis (brons): | | | |
| | 7409.31 | 8 | - - Gehaspel | kg | 13% | |
| | 7409.39 | 9 | - - Ander | kg | 13% | |
| | 7409.40 | 6 | - Van legerings met 'n koper-nikkelsinkbasis (koper-nikkel) of 'n koper-nikkelsinkbasis (nikkel-silwer) | kg | 13% | |
| | 7409.90 | 9 | - Van ander koperlegerings | kg | 13%" | |
| 74.10 | | | Deur subpos No. 7410.1 deur die volgende te vervang: "7410.1 | | | |
| | | | - Nie met rugkant nie: | | | |
| | 7410.11 | 9 | - - Van geraffineerde koper | kg | 13% | |
| | 7410.12 | 5 | - - Van koperlegerings | kg | 13%" | |

| Pos | Subpos | T. S. | Artikel Beskrywing | Statistiese Eenheid | Skaal van Reg | Anno= tasies |
|-------|----------|----------|---|------------------------|---------------|-----------------|
| 84.15 | "8415.10 | | Deur subpos No. 8415.10 deur die volgende te vervang: - Venster- of muurtipes, kompleet: | | | |
| | 40 8 | | - - Kompressor bedien, met 'n berekende verkoelingsvermoë van hoogstens 8,8 kW | u | 21% | |
| | 80 7 | | - - Ander, wat nie 'n verhittingselement bevat nie | u | 2,5% | |
| | .90 4 | | - - Ander | u | 5%" | |
| | | | Deur subpos No. 8415.90.10 deur die volgende te vervang: ".10 2 | | | |
| | | | - - Uitkenbaar as vir gebruik slegs of hoofsaaklik met die masjiene van subpos No. 8415.10.40 | kg | 21%" | |
| 84.18 | | | Deur subpos No. 8418.91.10 deur die volgende te vervang: ".10 3 | | | |
| | | | - - - Vir huishoudelike koelkaste of vrieskaste | kg | 23% | |
| | | | Deur subposte Nos. 8418.99.30 en 8418.99.40 deur die volgende te vervang: ".30 5 | | | |
| | | | - - - Ander, vir vertoonbanke, kabinette, vertoonkaste en dergelike toerusting | kg | 16% | |
| | .40 2 | | - - - Ander verdampers en kondensors | kg | 16%" | |
| 84.21 | | | Deur subpos No. 8421.12.20 deur die volgende te vervang: ".20 4 | | | |
| | | | - - - Ander, met 'n droëwasgoedinhouvermoë van hoogstens 7 kg (uitgesondert muntbustipe) | u | 18%" | |
| | | | Deur subpos No. 8421.23.30 deur die volgende te vervang: .30 2 | | | |
| | | | - - - Geskik vir gebruik met ander motorvoertuigenjins (met inbegrip van motorfietsenjins) | u | 18%" | |
| | | | Deur subpos No. 8421.31.50 deur die volgende te vervang: .50 9 | | | |
| | | | - - - Ander geskik vir gebruik met ander motorvoertuigenjins (met inbegrip van motorfietsenjins) | u | 18%" | |
| | | | Deur subpos No. 8421.91.20 deur die volgende te vervang: .20 4 | | | |
| | | | - - - Vir kleredroërs met 'n droëwasgoedinhouvermoë van hoogstens 7 kg | kg | 18%" | |
| | | | Deur subpos No. 8421.99.30 en 8421.99.66 deur die volgende te vervang: .30 2 | | | |
| | | | - - - Filterplate en -rame, vir suikerfiltreerperse | kg | 18% | |
| | .66 3 | | - - - Vir filters geskik vir gebruik met ander motorvoertuigenjins (met inbegrip van motorfietsenjins) | kg | 18%" | |
| 84.31 | | | Deur subpos No. 8431.49.50 deur die volgende te vervang: .50 7 | | | |
| | | | - - - Pikke, beitels, bore en soortgelyke artikels en ru-stukke daarvan, geskik vir koolsnymasjinerie | kg | 8%" | |
| 84.60 | | | Deur subpos No. 8460.90.20 deur die volgende te vervang: .20 5 | | | |
| | | | - - Ander dubbelwiel horizontale slypmasjiene, (uitgesondert dié waarin die posisie van enige van die assse teen 'n akkuraatheid van minstens 0,1 mm gestel kan word) wat 'n elektriese motor van hoogstens 600 W inkorporeer | u | 18% | |
| 85.08 | | | Deur subpos No. 8508.80.10 deur die volgende te vervang: .10 8 | | | |
| | | | - - Snyers van die swaailyntipe, geskik vir gebruik by die sny van grasperke rande | u | 18%" | |
| | | | Deur subpos No. 8508.90.10 deur die volgende te vervang: .10 2 | | | |
| | | | - - Vir die gereedskap van subpos No. 8508.80.10 | kg | 18%" | |

| Pos | Subpos | T. S. | Artikel Beskrywing | Statistiese Eenheid | Skaal van Reg | Anno= tasies |
|-------|--------|----------|--|------------------------|--|-----------------|
| 85.11 | | | Deur subposte Nos. 8511.30, 8511.40 en 8511.50 deur die volgende te vervang: "8511.30 .30 7 - Verdelers; ontstekingspoele; .90 0 - - Verdelers en ontstekingspoele, uitkenbaar as vir gebruik slegs of hoofsaaklik met motorvoertuigenjins 8511.40 .15 8 - Aansitmotore en dubbeldoelaansittergenerators; .90 5 - - Uitkenbaar as vir gebruik slegs of hoofsaaklik met motorvoertuigenjins 8511.50 .20 9 - Ander generators; .90 7 - - Uitkenbaar as vir gebruik slegs of hoofsaaklik met motorvoertuigenjins - - Ander | u | 18% vry 18% vry 18% vry" | |
| 85.12 | | | Deur subposte Nos. 8512.20 en 8512.30 deur die volgende te vervang: "8512.20 4 - Ander verligtings- of visuele seintoerusting 8512.30 9 - Klankseintoerusting | u | 18% 18%" | |
| 85.16 | | | Deur subpos No. 8516.29.10 deur die volgende te vervang: ".10 3 - - - Elektriese uitstralers Deur subpos No. 8516.33 deur die volgende te vervang: "8516.33 2 - - Handdroogapparate Deur subpos No. 8516.80.10 deur die volgende te vervang: .10 3 - - Uitkenbaar as vir gebruik slegs of hoofsaaklik met huishoudelike stowe, kookplate en oonde Deur subpos No. 8516.90.30 deur die volgende te vervang: .30 2 - - Vir ander elektrotermiese toestelle van 'n soort vir huishoudelike doeleinades gebruik | u | 26%" 26%" 26%" 26%" | |
| 85.35 | | | Deur subpos No. 8535.21.05 deur die volgende te vervang: ".05 8 - - - Met gevormde omhulsels van plastiek, met 'n stroomaanslag van hoogstens 1 250 A, vir 'n spanning van hoogstens 1,1 kV (WS) of 125 V per pool (GS) en 'n breekvermoë-aanslag van hoogstens 100 000 A Deur subpos No. 8535.30.05 deur die volgende te vervang: .05 6 - - Afsonderskakelaars, met gevormde omhulsels van plastiek, met 'n stroomdravermoe van hoogstens 1 250 A, vir 'n spanning van hoogstens 1 100 V (WS) of 125 V per pool (GS) en 'n breekvermoë-aanslag van hoogstens 100 000 A Deur subpos No. 8535.90.10 deur die volgende te vervang: .10 3 - - Skakelaardekplaatjies; apparaataansluiters | kg | 21%" 21%" 18%" | |
| 85.37 | | | Deur subpos No. 8537.10.20 deur die volgende te vervang: .20 8 - - Ander uitkenbaar as vir gebruik slegs of hoofsaaklik met motorvoertuie | kg | 18%" | |
| 85.39 | | | Deur subpos No. 8539.21.20 deur die volgende te vervang: .20 6 - - - Ander, uitkenbaar as vir gebruik slegs of hoofsaaklik met motorvoertuie .45 1 - - - Ander, met 'n krag van minstens 15 W maar hoogstens 1 000 W en vir 'n spanning van meer as 100 V maar hoogstens 260 V | u | 21% 20% of 85c elk min 80% met 'n maksimum van 37%" | |

| Pos | Subpos | T. S. | Artikel Beskrywing | Statistiese Eenheid | Skaal van Reg | Anno= tasies |
|---------|--------|----------|---|------------------------|---|-----------------|
| | | | Deur subposte Nos. 8539.29.45, 8539.29.50 en 8539.29.57 deur die volgende te vervang: | | | |
| | ".45 | 2 | - - - Ander gloeilampe, uitkenbaar as vir gebruik slegs of hoofsaaklik met motorvoertuie | u | 23% | |
| | .50 | 9 | - - - Ander, vakuumtipe, van minder as 15 W | u | 20% | |
| | .57 | 6 | - - - Ander, met 'n krag van meer as 200 W maar hoogstens 1 000 W en vir 'n spanning van meer as 100 V maar hoogstens 260 V | u | 20% of 85c elk min 80% met 'n maksimum van 37%" | |
| 85.44 | | | Deur subpos No. 8544.1 deur die volgende te vervang: | | | |
| "8544.1 | | | - Wikkeldraad: | | | |
| 8544.11 | 1 | | - - Van koper | kg | 18% | |
| 8544.19 | 2 | | - - Ander | kg | 18%" | |
| 87.08 | | | Deur subpos No. 8708.50.50 deur die volgende vervang: | | | |
| "50 | 7 | | - - Ander, van die nie-verende integrerende omhulseltype, met 'n kroonrat of kransrat met 'n deursnee van hoogstens 205 mm | kg | 23%" | |
| | | | Deur subposte Nos. 8708.93.25 en 8708.93.55 deur die volgende vervang: | | | |
| "25 | 3 | | - - - Koppelaardekstuksamestelle (uitgesonderd onderdele daarvan), wat drukplate met 'n buitedeursnee van hoogsens 300 mm inkorporeer | kg | 23% | |
| | .55 | 5 | - - - Gedrewe koppelaarplate (uitgesonderd onderdele daarvan), met 'n buitedeursnee van hoogstens 300 mm | kg | 23%" | |
| | | | Deur subpos No. 8708.94.20 deur die volgende vervang: | | | |
| "20 | 9 | | - - - Tandratstuursamestelle (uitgesonderd kraghulptipes en dié van subpos No. 8708.94.10) | kg | 23%" | |
| 87.16 | | | Deur pos No. 87.16 deur die volgende vervang: | | | |
| "87.16 | | | Sleepwaens en leunsleepwaens; ander voertuie, nie meganies aangedryf nie; onderdele daarvan: | | | |
| 8716.10 | 8 | | - Sleepwaens en leunsleepwaens van die woonwatipe, vir behuising of kampering | u | 21% | |
| 8716.20 | 2 | | - Selflaai- of selfaflaaisleepwaens vir landboudoeleindes | u | 18% | |
| 8716.3 | | | - Ander sleepwaens en leunsleepwaens vir die vervoer van goedere: | | | |
| 8716.31 | 3 | | - - Tenksleepwaens en tenkleunsleepwaens | u | 18% | |
| 8716.39 | 4 | | - - Ander | u | 18% | |
| 8716.40 | 1 | | - Ander sleepwaens en leunsleepwaens | u | 18% | |
| 8716.80 | | | - Ander voertuie: | | | |
| | .10 | 7 | - - Rytuie, karre, koetse en waens | u | 21% | |
| | .20 | 4 | - - Kruiwaens | u | 18% | |
| | .90 | 5 | - - Ander | u | 15% | |
| 8716.90 | | | - Onderdele: | | | |
| | .05 | 5 | - - Onderdele vir rytuie, karre, koetse, sleepwaens, leunsleepwaens en kruiwaens | kg | 18% | |
| | .90 | 0 | - - Ander | kg | 15%" | |
| 89.03 | | | Deur pos No. 89.03 deur die volgende te vervang: | | | |
| "89.03 | | | Jagte en ander bote vir plesier of sport; roelbote en kano's: | | | |
| 8903.10 | 8 | | - Opblaasbaar | u | 19% | |
| 8903.9 | | | - Ander: | | | |
| 8903.91 | 0 | | - - Seilbote, met of sonder hulpmotor | u | 19% | |

| Pos | Subpos | T. S. | Artikel Beskrywing | Statistiese Eenheid | Skaal van Reg | Anno= tasies |
|--------|---------|----------|---|------------------------|---------------|-----------------|
| | 8903.92 | 7 | - - Motorbote (uitgesonderd buiteboordmotorbote) | u | 19% | |
| | 8903.99 | | - - Ander: | | | |
| | | 10 | 9 - - - Roeibote van 'n soort gewoonlik gebruik by bootrenne | u | 13% | |
| | | 90 | 7 - - - Ander | u | 19%" | |
| 90.02 | | | Deur subpos No. 9002.20.20 deur die volgende te vervang: | | | |
| | | 120 | 5 - - Uitkenbaar as vir gebruik met klankprojektors vir film met 'n wydte van minstens 16 mm | kg | 3%" | |
| 90.04 | | | Deur subpos No. 9004.10 deur die volgende te vervang: | | | |
| | 9004.10 | 3 | - Sonbrille | u | 16%" | |
| 94.01 | | | Deur pos No. 94.01 deur die volgende te vervang: | | | |
| "94.01 | | | Sitplekke (uitgesonderd dié van pos No. 94.02), hetsy veranderbaar in beddens al dan nie, en onderdele daarvan: | | | |
| | 9401.10 | 3 | - Sitplekke van 'n soort gebruik vir vliegtuie | u | vry | |
| | 9401.20 | 4 | - Sitplekke van 'n soort gebruik vir motorvoertuie | u | 20% | |
| | 9401.30 | 9 | - Draaisitplekke met wisselbare hoogteverstelling | u | 23% | |
| | 9401.40 | 3 | - Sitplekke (uitgesonderd tuinsitplekke of kampeertoerusting), veranderbaar in beddens | u | 23% | |
| | 9401.50 | 8 | - Sitplekke van rrottang, vlegwilg, bamboes of soortgelyke stowwe | u | 26% | |
| | | | - Ander sitplekke, met hourame: | | | |
| | 9401.61 | 9 | - - Gestoffeerd | u | 23% | |
| | 9401.69 | 7 | - - Ander | u | 23% | |
| | 9401.7 | | - Ander sitplekke, met metaairame | | | |
| | 9401.71 | 3 | - - Gestoffeerd | u | 23% | |
| | 9401.79 | 4 | - - Ander | u | 23% | |
| | 9401.80 | | - Ander sitplekke: | | | |
| | | .30 | 3 - - Van asbessement, van monument- of bouklip, van sellulose veselsement of van keramiek | u | 20% | |
| | | 90 | 7 - - Ander | u | 23% | |
| | 9401.90 | 6 | - Onderdele | kg | 20%" | |
| 94.03 | | | Deur pos No. 94.03 deur die volgende te vervang: | | | |
| "94.03 | | | Ander meubels en onderdele daarvan: | | | |
| | 9403.10 | | - Metaalmeubels van 'n soort in kantore gebruik: | | | |
| | | .10 | 4 - - Lèerkabinette, van staal | kg | 20% | |
| | | .90 | 2 - - Ander | kg | 23% | |
| | 9403.20 | | - Ander metaalmeubels: | | | |
| | | .10 | 9 - - Metaalkatels | kg | 20% | |
| | | .30 | 3 - - Yskaste | kg | 20% | |
| | | .50 | 8 - - Loopringe vir babas | kg | 26% | |
| | | .60 | 5 - - Hangvleiskaste | kg | 20% | |
| | | .90 | 7 - - Ander | kg | 23% | |
| | 9403.30 | 6 | - Houtmeubels van 'n soort in kantore gebruik | u | 23% | |
| | 9403.40 | 0 | - Houtmeubels van 'n soort in die kombuis gebruik | u | 23% | |
| | 9403.50 | 5 | - Houtmeubels van 'n soort in die slaapkamer gebruik | u | 23% | |
| | 9403.60 | | - Ander houtmeubels: | | | |
| | | .30 | 1 - - Loopringe vir babas | u | 26% | |
| | | .40 | 9 - - Hangvleiskaste | u | 20% | |
| | | .90 | 5 - - Ander | u | 23% | |

| Pos | Subpos | T. S. | Artikel Beskrywing | Statistiese Eenheid | Skaal van Reg | Anno= tasies |
|--------|---------|----------|---|--|--|-----------------|
| | 9403.70 | | - Meubels van plastiek: .30 6 - - Loopinge vir babas .90 6 - - Ander | kg kg | 28% 23% | |
| | 9403.80 | | - Meubels van ander stowwe, met inbegrip van rottang, vlegwilg, bamboes of dergelike stowwe: .30 0 - - Van monument- of bouclip, van sellulose veselsoement of van keramieke of van asbessement .90 4 - - Ander | kg | 20% | |
| | 9403.90 | | - Onderdele: .10 0 - - Van staallêerkabinette .20 8 - - Vir metaalkatels .30 5 - - Metaalonderdele vir houtkatels .40 2 - - Vir metaalkaste .50 6 - - Onedelmetaalrame vir kampbedjies of opvoutafels .60 7 - - Vir loopinge vir babas .90 9 - - Ander | kg kg kg kg kg kg kg kg | 20% 20% 20% 20% 20% 26% 23%" | |
| 94.04 | | | Deur subpos No. 9404.10 deur die volgende te vervang: "9404.10 0 - Matrassteunstukke | kg | 23%" | |
| | | | Deur subpos No. 9404.29.10 deur die volgende te vervang: .10 7 - - - Matrasse met binnevering | u | 23%" | |
| 96.03 | | | Deur pos No. 96.03 deur die volgende te vervang: "96.03 | | | |
| "96.03 | | | Besems, borsels (met inbegrip van borsels wat deel uitmaak van masjiene, toestelle of voertuie), handbedienende meganiiese vloerveêrs, nie gemotoriseer nie, dweile en verestoffers; voorbereide bossies en kwassies vir besem- of borselvervaardiging; verfkussinkies en -rollers; waterbesems (uitgesonderr rubberrollerbesems): | | | |
| | 9603.10 | 0 | - Besems en borsels, wat bestaan uit twey of ander plantaardige stowwe aanmekaar gebind, met of sonder handvatsels | u | 24% | |
| | 9603.2 | | - Tandeborsels, skeerborsels, haarborsels, naelskoonmaakborsels, ooghaarborsels en ander toiletborsels vir gebruik op die persoon, met inbegrip van sodanige borsels wat onderdele van toestelle is: | | | |
| | 9603.21 | | - - Tandeborsels, met inbegrip van verhemelteplaatborsels: .10 9 - - - Verhemelteplaatborsels .90 7 - - - Ander | u u | 15% 21% | |
| | 9603.29 | | - - Ander: .40 1 - - - Haarborsels, baardborsels, haarkleurborsels, badborsels en nael borsels .90 8 - - - Ander | u | 21% 15% | |
| | 9603.30 | | - Kunstenaarsborsels, skryfborsels en dergelike borsels vir die aanwending van kosmetiek: .10 7 - - Kunstenaarsborsels en skryfborsels .90 5 - - Ander | u u | vry 15% | |
| | 9603.40 | | - Verf-, distemper-, vernis- of dergelike borsels (uitgesonderr borsels van subpos No. 9603.30); verfkussinkies en -rollers: .30 6 - - Verf- en vernisborsels; verfrollers .90 6 - - Ander | u u | 15% 24% | |

| Pos | Subpos | T. S. | Artikel Beskrywing | Statistiese Eenheid | Skaal van Reg | Anno= tasies |
|-------|---------|----------|---|------------------------|---------------------------------|-----------------|
| | 9603.50 | | - Ander borsels wat deel uitmaak van masjiene, toestelle of voertuie: .10 6 - - Masjiennbottelborsels .20 3 - - Onderdele van verplaasbare masjiengereedskap .30 0 - - Onderdele van landboumasjienerie .40 8 - - Onderdele van ander industriële of vervaardigingsmasjienerie .90 4 - - Ander | u | 21% vry vry vry 24% | |
| | 9603.90 | | - Ander: .10 4 - - Klereborsels; borsels vir skoeisel .15 5 - - Pypsteelskoonmakers; voorbereide bossies of kwassies vir besem- of borselvervaardiging; waterbesems; meganiese vloerveërs .90 7 - - Ander | u | 15% 18% 24%" | |
| 96.06 | | | Deur subpos No. 9604.2 en 9604.30 deur die volgende te vervang: - Knope: 9606.21 2 - - Van plastieke, nie met tekstielstof bedek nie 9606.22 9 - - Van onedelmetaal, nie met tekstielstof bedek nie 9606.29 - - Ander: .06 2 - - - Van metaal, leer of saamgestelde leer .90 9 - - - Ander | kg | 21% 15% 21% | |
| | 9606.30 | | - Knopvorms en ander dele van knope; ru-stukke van knope: .15 9 - - Knopvorms en ander dele van knope .25 6 - - Ru-stukke van knope | kg | vry kg | 21%" |
| 96.12 | "96.12 | | Deur pos No. 96.12 deur die volgende te vervang: Tikmasjien- of dergelike linte, met ink behandel of andersins voorberei om afdrukke te maak, hetsy op spoele of in laaiakkassies al dan nie; stempelkussings, hetsy met ink behandel al dan nie, het of sonder dose: - Linte: 9612.10 .10 7 - - Van polietileentereftalaat, met 'n wydte van meer as 5 mm maar hoogstens 8 mm, nie op spoele of in laaiakkassies nie .90 5 - - Ander | u | 15% 18% | |
| | 9612.20 | 4 | - Stempelkussings | u | 18%" | |

Save a drop — and save a million

Water conservation is very important to the community and industry to ensure their survival. So save water!



Spaar 'n druppel — en vul die dam

Indien almal van ons besparingsbewus optree, besnoei ons nie slegs uitgawes nie maar wen ook ten opsigte van ons kosbare water- en elektrisiteitsvoorraad

CONTENTS**INHOUD**

| No. | Page No. | Gazette No. | No. | Bladsy No. | Koerant No. | | |
|-----------------------------------|---|-------------|-------|------------|--|----|-------|
| GOVERNMENT NOTICES | | | | | | | |
| Agriculture, Department of | | | | | | | |
| <i>Government Notices</i> | | | | | | | |
| R. 494 | Plant Improvement Act (53/1976): South African Plant Certification Scheme for Wine Grapes: Amendment..... | 1 | 17060 | R. 495 | Wet op Arbeidsverhoudinge (28/1956): Vermaakklikheidsbedryf van Suid-Afrika: Verlenging van Ooreenkoms | 6 | 17060 |
| R. 501 | Liquor Products Act (60/1989): Regulations: Amendment..... | 2 | 17060 | R. 506 | Wet op Arbeidsverhoudinge (28/1956): Klerasiénywerheid, Oostelike Provincie: Hernuwing van Hoofooreenkoms..... | 6 | 17060 |
| R. 502 | Marketing Act (59/1968): Grain Sorghum Scheme: Levy and special levy: Amendment..... | 3 | 17060 | R. 507 | do.: do.: Hernuwing van Voorsorgfonds- ooreenkoms..... | 6 | 17060 |
| R. 503 | do.: do.: General levy: Amendment..... | 4 | 17060 | | | | |
| Finance, Department of | | | | | | | |
| <i>Government Notice</i> | | | | | | | |
| R. 497 | Customs and Excise Act (91/1964): Amendment of Schedule No. 1 (No. 1/1/771) | 7 | 17060 | R. 497 | Doeane- en Aksynswet (No. 91/1964): Wysiging van Bylae No. 1 (No. 1/1/771)... | 32 | 17060 |
| Health, Department of | | | | | | | |
| <i>Government Notice</i> | | | | | | | |
| R. 496 | Medicines and Related Substances Control Act (101/1965): Rectification: Regulations: Amendment..... | 5 | 17060 | R. 496 | Wet op die Beheer van Medisyne en Verwante Stowwe (101/1965): Regstelling: Regulasies: Wysiging | 5 | 17060 |
| Labour, Department of | | | | | | | |
| <i>Government Notices</i> | | | | | | | |
| R. 495 | Labour Relations Act (28/1956): Entertainment Industry of South Africa: Extension of Agreement..... | 5 | 17060 | R. 494 | Plantverbeteringswet (53/1976): Suid-Afrikaanse Plantsertifiseringskema vir Wyndruwe: Wysiging | 1 | 17060 |
| R. 506 | Labour Relations Act (28/1956): Clothing Industry, Eastern Province: Renewal of Main Agreement | 6 | 17060 | R. 501 | Wet op Drankprodukte (60/1989): Regulasies: Wysiging | 3 | 17060 |
| R. 507 | do.: do.: Renewal of the Provident Fund Agreement..... | 6 | 17060 | R. 502 | Bemarkingswet (59/1968): Graansorghumskema: Heffing en spesiale heffing: Wysiging | 4 | 17060 |
| | | | | R. 503 | do.: do.: Algemene heffing: Wysiging..... | 5 | 17060 |
| GOEWERMENSKENNISGEWINGS | | | | | | | |
| Arbeid, Departement van | | | | | | | |
| <i>Goewermenskennisgewings</i> | | | | | | | |
| | | | | | | | |