



Government Gazette

Straatskooerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID-AFRIKA

Regulation Gazette

No. 7290

Regulasiekooerant

Vol. 440

Pretoria, 22 February 2002
Februarie 2002

No. 23159



AIDS HELPLINE: 0800-0123-22 Prevention is the cure

CONTENTS

No.	Page No.	Gazette No.
GOVERNMENT NOTICE		
South African Revenue Service		
<i>Government Notice</i>		
R. 221 Customs and Excise Act (91/1964): Amendment of Schedule No. 2 (No. 2/102)	3	23159

INHOUD

No.	Bladsy No.	Koerant No.
GOEWERMENTSKENNISGEWING		
Suid-Afrikaanse Inkomstediens		
<i>Goewermentskennisgewing</i>		
R. 221 Doeane- en Aksynswet (91/1964): Wysiging van Bylae No. 2 (No. 2/102)....	6	23159

GOVERNMENT NOTICE GOEWERMENTSKENNISGEWING

SOUTH AFRICAN REVENUE SERVICE SUID-AFRIKAANSE INKOMSTEDIENS

No. R. 221

22 February 2002

**CUSTOMS AND EXCISE ACT, 1964.-
AMENDMENT OF SCHEDULE NO. 2 (NO. 2/102)**

Under section 56 of the Customs and Excise Act, 1964, Part I of Schedule No. 2 to the said Act is hereby amended, with retrospective effect to 9 November 2001, to the extent set out in the Schedule hereto.

**M MPAHLWA
DEPUTY MINISTER OF FINANCE**

SCHEDULE

I Item	II				III Rebate Items	IV Imported from or originating in	V Rate of anti-dumping duty	Annotations
	Tariff Heading	Code	C D	Description				
207.01	"3919.90	01.06	68	By the insertion after tariff heading 3904.10 of the following: Self adhesive plates, sheets, film, foil, tape, strip and other flat shapes, of polymers of vinyl chloride, of a width exceeding 20 cm, of a thickness of 0,075 mm or more but not exceeding 1 mm (excluding products coated on both sides and products imported from Orafol Klebetechnik GmbH and Intercoat Beschichtungs-und Klebetechnik GmbH & Co)		Germany	41,6%	
	3920.4	01.05	53	Plates, sheets, film, foil, tape and strip, of polymers of vinyl chloride, non-cellular and not reinforced, laminated, supported or similarly combined with other materials, of a thickness of 0,07 mm or more but not exceeding 1 mm, which can, without fracturing, be bent manually around a cylinder of a diameter of 18 cm, at a temperature between 15°C and 30°C		India	157%	

I Item	II				III Rebate Items	IV Imported from or originating in	V Rate of anti-dumping duty	Anno=tations
	Tariff Heading	Code	C D	Description				
	02.05	58		Plates, sheets, film, foil, tape and strip, of polymers of vinyl chloride, non-cellular and not reinforced, laminated, supported or similarly combined with other materials, of a thickness of 0,07 mm or more but not exceeding 1 mm, which can, without fracturing, be bent manually around a cylinder of a diameter of 18 cm, at a temperature between 15°C and 30°C, imported from Solvay Draka B.V		Netherlands	2,3%	
	03.05	52		Plates, sheets, film, foil, tape and strip, of polymers of vinyl chloride, non-cellular and not reinforced, laminated, supported or similarly combined with other materials, of a thickness of 0,07 mm or more but not exceeding 1 mm, which can, without fracturing, be bent manually around a cylinder of a diameter of 18 cm, at a temperature between 15°C and 30°C (excluding that imported from Solvay Draka B.V)		Netherlands	56,9%	
	04.05	57		Plates, sheets, film, foil, tape and strip, of polymers of vinyl chloride, non-cellular and not reinforced, laminated, supported or similarly combined with other materials, of a thickness of 0,07 mm or more but not exceeding 1 mm, which can, without fracturing, be bent manually around a cylinder of a diameter of 18 cm, at a temperature between 15°C and 30°C, imported from CCPC Decorative Products (Pty) Ltd		Thailand	6,9%	

I Item	II				III Rebate Items	IV Imported from or originating in	V Rate of anti- dumping duty	Anno= tations
	Tariff Heading	Code	C D	Description				
		05.05	51	Plates, sheets, film, foil, tape and strip, of polymers of vinyl chloride, non-cellular and not reinforced, laminated, supported or similarly combined with other materials, of a thickness of 0,07 mm or more but not exceeding 1 mm, which can, without fracturing, be bent manually around a cylinder of a diameter of 18 cm, at a temperature between 15°C and 30°C (excluding that imported from CCPC Decorative Products (Pty) Ltd)		Thailand	54,9%	
		06.05	56	Other plates, sheets, film, foil, tape and strip, of polymers of vinyl chloride, non-cellular and not reinforced, laminated, supported or similarly combined with other materials, of a thickness of 0,07 mm or more but not exceeding 1 mm, which cannot, without fracturing, be bent manually around a cylinder of a diameter of 18 cm, at a temperature between 15°C and 30°C		Germany	24%	
	3921.12	01.06	62	Plates, sheets, film, foil and strip, cellular, of polymers of vinyl chloride		India	64%"	

No. R. 221

22 Februarie 2002

**DOEANE- EN AKSYNSWET 1964.-
WYSIGING VAN BYLAE NO. 2 (NO. 2/102)**

Kragtens artikel 56 van die Doeane- en Aksynswet, 1964, word Deel I van Bylae No. 2 by genoemde Wet hiermee gewysig, met terugwerkende krag tot 9 November 2001, in die mate in die Bylae hierby aangetoon.

**M MPAHLWA
ADJUNKMINISTER VAN FINANSIES**

BYLAE

I Item	II				III Kort- ing= items	IV Ingevoer vanaf of afkomstig van	V Skaal van anti- dumping reg	Anno- tasies
	Tarief- pos	Kode	T S	Beskrywing				
207.01	"3919.90	01.06	68	Deur na tariefpos 3904.10 die volgende in te voeg: Selfklewende plate, velle, film, foelie, band, reep en ander platvorms, van polimere van vinielchloried, met 'n wydte van minstens 20 cm, met 'n dikte van minstens 0,075 mm maar hoogstens 1 mm (uitgesonderd produkte wat aan beide kante bestryk is en produkte ingevoer van Orafol Klebetechnik GmbH en Intercoat Beschichtungs-und Klebetechnik GmbH & Co)		Duitsland	41,6%	
	3920.4	01.05	53	Plate, velle, film, foelie, band en reep, van polimere van vinielchloried, nie-sellulêr en nie versterk, gelamelleer, gesteun of op dergelyke wyse met ander stowwe saamgevoeg nie, met 'n dikte van minstens 0,07 mm maar hoogstens 1 mm, wat sonder dat dit skeur, met die hand om 'n silinder met 'n deursnee van 18 cm, teen 'n temperatuur tussen 15°C en 30°C, gebuig kan word		Indië	157%	

I Item	II				III Kort=ing=items	IV Ingevoer vanaf afkomstig van	V Skaal van anti-dumping reg	Anno=tasies
	Tarief= pos	Kode	T S	Beskrywing				
	02.05	58		Plate, velle, film, foelie, band en reep, van polimere van vinielchloried, nie-selluler en nie versterk, gelamelleer, gesteun of op dergelyke wyse met ander stowwe saamgevoeg nie, met 'n dikte van minstens 0,07 mm maar hoogstens 1 mm, wat sonder dat dit skeur, met die hand om 'n silinder met 'n deursnee van 18 cm, teen 'n temperatuur tussen 15°C en 30°C, gebuig kan word, ingevoer van Solvay Draka B.V		Nederland	2,3%	
	03.05	52		Plate, velle, film, foelie, band en reep, van polimere van vinielchloried, nie-selluler en nie versterk, gelamelleer, gesteun of op dergelyke wyse met ander stowwe saamgevoeg nie, met 'n dikte van minstens 0,07 mm maar hoogstens 1 mm, wat sonder dat dit skeur, met die hand om 'n silinder met 'n deursnee van 18 cm, teen 'n temperatuur tussen 15°C en 30°C, gebuig kan word (uitgesonderd dié ingevoer van Solvay Draka B.V)		Nederland	56,9%	
	04.05	57		Plate, velle, film, foelie, band en reep, van polimere van vinielchloried, nie-selluler en nie versterk, gelamelleer, gesteun of op dergelyke wyse met ander stowwe saamgevoeg nie, met 'n dikte van minstens 0,07 mm maar hoogstens 1 mm, wat sonder dat dit skeur, met die hand om 'n silinder met 'n deursnee van 18 cm, teen 'n temperatuur tussen 15°C en 30°C, gebuig kan word, ingevoer van CCPC Decorative Products (Pty) Ltd		Thailand	6,9%	

I Item	II				III Kort=ing=items	IV Ingevoer vanaf of afkomstig van	V Skaal van anti-dumping reg	Anno=tasies
	Tarief= pos	Kode	T S	Beskrywing				
	05.05	51		Plate, velle, film, foelie, band en reep, van polimere van vinielchloried, nie-selluler en nie versterk, gelamelleer, gesteun of op dergelyke wyse met ander stowwe saamgevoeg nie, met 'n dikte van minstens 0,07 mm maar hoogstens 1 mm, wat sonder dat dit skeur, met die hand om 'n silinder met 'n deursnee van 18 cm, teen 'n temperatuur tussen 15°C en 30°C, gebuig kan word (uitgesonderd dié ingevoer van CCPC Decorative Products (Pty) Ltd)		Thailand	54,9%	
	06.05	56		Plate, velle, film, foelie, band en reep, van polimere van vinielchloried, nie-selluler en nie versterk, gelamelleer, gesteun of op dergelyke wyse met ander stowwe saamgevoeg nie, met 'n dikte van minstens 0,07 mm maar hoogstens 1 mm, wat sonder dat dit skeur, met die hand om 'n silinder met 'n deursnee van 18 cm, teen 'n temperatuur tussen 15°C en 30°C, nie gebuig kan word nie		Duitsland	24%	
3921.12	01.06	62		Plate, velle, film, foelie en reep, selluler, van polimere van vinielchloried		Indië	64%"	

Printed by and obtainable from the Government Printer, Bosman Street, Private Bag X85, Pretoria, 0001

Publications: Tel: (012) 334-4508, 334-4509, 334-4510

Advertisements: Tel: (012) 334-4673, 334-4674, 334-4504

Subscriptions: Tel: (012) 334-4735, 334-4736, 334-4737

Cape Town Branch: Tel: (021) 465-7531

Gedruk deur en verkrygbaar by die Staatsdrukker, Bosmanstraat, Privaatsak X85, Pretoria, 0001

Publikasies: Tel: (012) 334-4508, 334-4509, 334-4510

Advertensies: Tel: (012) 334-4673, 334-4674, 334-4504

Subskripsies: Tel: (012) 334-4735, 334-4736, 334-4737

Kaapstad-tak: Tel: (021) 465-7531