



Government Gazette Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID-AFRIKA

Regulation Gazette

No. 7671

Regulasiekoerant

Vol. 455

Pretoria, 23 May 2003
Mei

No. 24887



AIDS HELPLINE: 0800-0123-22 Prevention is the cure

CONTENTS

No.		Page No.	Gazette No.
GOVERNMENT NOTICES			
South African Revenue Service			
<i>Government Notices</i>			
R. 687	Customs and Excise Act (91/1964): Amendment of Schedule No. 1 (No. 1/1/1187)	3	24887
R. 688	do.: Amendment of Schedule No. 1 (No. 1/1/1188)	35	24887

INHOUD

No.		Bladsy No.	Koerant No.
GOEWERMENTSKENNISGEWINGS			
Suid-Afrikaanse Inkomstediens			
<i>Goewermentskennisgewings</i>			
R. 687	Doeane- en Aksynswet (91/1964): Wysiging van Bylae No. 1 (No. 1/1/1187)	19	24887
R. 688	do.: Wysiging van Bylae No. 1 (No. 1/1/1188)	30	24887

GOVERNMENT NOTICES

GOEWERMENTSKENNISGEWINGS

SOUTH AFRICAN REVENUE SERVICE

SUID-AFRIKAANSE INKOMSTEDIENS

No. R. 687

23 May 2003

CUSTOMS AND EXCISE ACT, 1964.-

AMENDMENT OF SCHEDULE NO. 1 (NO. 1/1/1187)

Under section 48 of the Customs and Excise Act, 1964, Part 1 of Schedule No. 1 to the said Act is hereby amended, with retrospective effect to 1 January 2003, to the extent set out in the Schedule hereto.

M MPAHLWA
DEPUTY MINISTER OF FINANCE

SCHEDULE

Head- ing	Subheading	C D	Article Description	Statistical Unit	Rate of Duty		
					General	EU	SADC
72.08, 72.09, 72.10 and 72.11			By the substitution for headings 72.08, 72.09, 72.10 and 72.11 of the following:				
"72.08			Flat-rolled products of iron or non- alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated:				
	7208.10	5	- In coils, not further worked than hot- rolled, with patterns in relief	kg	5%	3,35%	free
	7208.2		- Other, in coils, not further worked than hot-rolled, pickled:				
	7208.25	1	-- Of a thickness of 4,75 mm or more	kg	5%	3,35%	free
	7208.26	8	-- Of a thickness of 3 mm or more but less than 4,75 mm	kg	5%	3,35%	free
	7208.27	4	-- Of a thickness of less than 3 mm	kg	5%	3,35%	free
	7208.3		- Other, in coils, not further worked than hot-rolled:				

Head= ing	Subheading	C D	Article Description	Statistical Unit	Rate of Duty		
					General	EU	SADC
72.09	7208.36	2	-- Of a thickness exceeding 10 mm	kg	5%	3,35%	free
	7208.37	9	-- Of a thickness of 4,75 mm or more but not exceeding 10 mm	kg	5%	3,35%	free
	7208.38	5	-- Of a thickness of 3 mm or more but less than 4,75 mm	kg	5%	3,35%	free
	7208.39	1	-- Of a thickness of less than 3 mm	kg	5%	3,35%	free
	7208.40	9	- Not in coils, not further worked than hot-rolled, with patterns in relief	kg	5%	3,35%	free
	7208.5		- Other, not in coils, not further worked than hot rolled:				
	7208.51	8	-- Of a thickness exceeding 10 mm	kg	5%	3,35%	free
	7208.52	6	-- Of a thickness of 4,75 mm or more but not exceeding 10 mm	kg	5%	3,35%	free
	7208.53	2	-- Of a thickness of 3 mm or more but less than 4,75 mm	kg	5%	3,35%	free
	7208.54	9	-- Of a thickness of less than 3 mm	kg	5%	3,35%	free
	7208.90	1	- Other	kg	5%	3,35%	free
			Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated:				
	7209.1		- In coils, not further worked than cold-rolled (cold-reduced):				
	7209.15	0	-- Of a thickness of 3 mm or more	kg	5%	3,35%	free

Head= ing	Subheading	C D	Article Description	Statistical Unit	Rate of Duty		
					General	EU	SADC
72.10	7209.16	7	-- Of a thickness exceeding 1 mm but less than 3 mm	kg	5%	3,35%	free
	7209.17	3	-- Of a thickness of 0,5 mm or more but not exceeding 1 mm	kg	5%	3,35%	free
	7209.18	7	-- Of a thickness of less than 0,5 mm	kg	5%	3,35%	free
	7209.2		- Not in coils, not further worked than cold-rolled (cold-reduced):				
	7209.25	5	-- Of a thickness of 3 mm or more	kg	5%	3,35%	free
	7209.26	1	-- Of a thickness exceeding 1 mm but less than 3 mm	kg	5%	3,35%	free
	7209.27	8	-- Of a thickness of 0,5 mm or more but not exceeding 1 mm	kg	5%	3,35%	free
	7209.28	4	-- Of a thickness of less than 0,5 mm	kg	5%	3,35%	free
	7209.90	5	-- Other	kg	5%	3,35%	free
			Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated:				
	7210.1		- Plated or coated with tin:				
	7210.11	5	-- Of a thickness of 0,5 mm or more	kg	free	free	free
	7210.12	1	-- Of a thickness of less than 0,5 mm	kg	5%	3,35%	free
	7210.20	3	- Plated or coated with lead, includingterne-plate	kg	free	free	free
	7210.30	8	- Electrolytically plated or coated with zinc	kg	5%	3,35%	free
	7210.4		- Otherwise plated or coated with zinc:				
	7210.41	9	-- Corrugated	kg	5%	3,35%	free

Head= ing	Subheading	C D	Article Description	Statistical Unit	Rate of Duty		
					General	EU	SADC
72.11	7210.49	0	- Other	kg	5%	3,35%	free
	7210.50	7	- Plated or coated with chromium oxides or with chromium and chromium oxides	kg	5%	3,35%	free
	7210.6		- Plated or coated with aluminium:				
	7210.61	8	-- Plated or coated with aluminium-zinc alloys	kg	free	free	free
	7210.69	9	-- Other	kg	free	free	free
	7210.70	6	- Painted, varnished or coated with plastics	kg	5%	3,35%	free
	7210.90	5	- Other	kg	5%	3,35%	free
			Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated:				
	7211.1		- Not further worked than hot-rolled:				
	7211.13	1	-- Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief	kg	5%	3,35%	free
	7211.14	8	-- Other, of a thickness of 4,75 mm or more	kg	5%	3,35%	free
	7211.19	1	-- Other	kg	5%	3,35%	free
	7211.2		- Not further worked than cold-rolled (cold reduced):				
	7211.23	6	-- Containing by mass less than 0,25 per cent of carbon	kg	5%	3,35%	free
	7211.29	4	-- Other	kg	5%	3,35%	free
	7211.90	6	- Other	kg	5%	3,35%	free"
72.12			By the substitution for subheadings 7212.10.20, 7212.20, 7212.30 and 7212.40 of the following:				
	..20	0	-- Of a thickness of less than 0,5 mm	kg	5%	3,35%	free

Head= ing	Subheading	C D	Article Description	Statistical Unit	Rate of Duty		
					General	EU	SADC
72.13, 72.14, 72.15, 72.16 and 72.17 "72.13 72.14	7212.20	0	- Electrolytically plated or coated with zinc	kg	5%	3,35%	free
	7212.30	5	- Otherwise plated or coated with zinc	kg	5%	3,35%	free
	7212.40	2	- Painted, varnished or coated with plastics	kg	5%	3,35%	free"
			By the substitution for headings 72.13, 72.14, 72.15, 72.16 and 72.17 of the following:				
			Bars and rods, hot-rolled, in irregular wound coils, of iron or non-alloy steel:				
	7213.10	3	- Containing indentations, ribs, grooves or other deformations produced during the rolling process	kg	5%	3,35%	free
	7213.20	4	- Other, of free-cutting steel	kg	5%	3,35%	free
	7213.9		- Other:				
	7213.91	2	-- Of circular cross-section measuring less than 14 mm in diameter	kg	5%	3,35%	free
	7213.99	3	-- Other	kg	5%	3,35%	free
			Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling:				
	7214.10	3	- Forged	kg	5%	3,35%	free
	7214.20	8	- Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling	kg	5%	3,35%	free
	7214.30	2	- Of free-cutting steel	kg	5%	3,35%	free
	7214.9		- Other:				
	7214.91	6	-- Of rectangular (excluding square) cross-section	kg	5%	3,35%	free
	7214.99	7	-- Other	kg	5%	3,35%	free

Head= ing	Subheading	C D	Article Description	Statistical Unit	Rate of Duty		
					General	EU	SADC
72.15			Other bars and rods of iron or non-alloy steel:				
	7215.10	7	- Of free-cutting steel, not further worked than cold-formed or cold-finished	kg	5%	3,35%	free
	7215.50	5	- Other, not further worked than cold-formed or cold-finished	kg	5%	3,35%	free
	7215.90	3	- Other	kg	5%	3,35%	free
72.16			Angles, shapes and sections of iron or non-alloy steel:				
	7216.10	0	- U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm	kg	5%	3,35%	free
	7216.2		- L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm:				
	7216.21	1	-- L sections	kg	5%	3,35%	free
	7216.22	8	-- T sections	kg	5%	3,35%	free
	7216.3		- U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more:				
	7216.31	6	-- U sections	kg	5%	3,35%	free
	7216.32	2	-- I sections	kg	5%	3,35%	free
	7216.33	9	-- H sections	kg	5%	3,35%	free
	7216.40	4	- L or T sections, not further worked than hot-rolled, hot-drawn or extruded of a height of less than 80 mm or more	kg	5%	3,35%	free
	7216.50	9	- Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded	kg	5%	3,35%	free
	7216.6		- Angles, shapes and sections, not further worked than hot-formed or cold-finished:				
	7216.61	8	-- Obtained from flat-rolled products	kg	5%	3,35%	free
	7216.69	0	-- Other	kg	5%	3,35%	free

Head= ing	Subheading	C D	Article Description	Statistical Unit	Rate of Duty		
					General	EU	SADC
72.17	7216.9		- Other:				
	7216.91	3	-- Cold-formed or cold-finished from flat-rolled products	kg	5%	3,35%	free
	7216.99	4	-- Other	kg	5%	3,35%	free
			Wire of iron or non-alloy steel:				
	7217.10	4	- Not plated or coated, whether or not polished	kg	5%	3,35%	free
	7217.20	9	-- Plated or coated with zinc	kg	5%	3,35%	free
	7217.30	3	-- Plated or coated with other base metals	kg	5%	3,35%	free
72.19 and 72.20 "72.19"	7217.90	0	-- Other	kg	5%	3,35%	free"
			By the substitution for headings 72.19 and 72.20 of the following:				
			Flat-rolled products of stainless steel, of a width of 600 mm or more:				
	7219.1		- Not further worked than hot-rolled, in coils:				
	7219.11	8	-- Of a thickness exceeding 10 mm	kg	5%	3,35%	free
	7219.12	4	-- Of a thickness of 4,75 mm or more but not exceeding 10 mm	kg	5%	3,35%	free
	7219.13	0	-- Of a thickness of 3 mm or more but less than 4,75 mm	kg	5%	3,35%	free
	7219.14	7	--- Of a thickness of less than 3 mm	kg	5%	3,35%	free
	7219.2		- Not further worked than hot rolled, not in coils:				
	7219.21	2	-- Of a thickness exceeding 10 mm	kg	5%	3,35%	free
	7219.22	9	-- Of a thickness of 4,75 mm or more but not exceeding 10 mm	kg	5%	3,35%	free
	7219.23	5	-- Of a thickness of 3 mm or more but less than 4,75 mm	kg	5%	3,35%	free
	7219.24	1	-- Of a thickness of less than 3 mm	kg	5%	3,35%	free

Head=ing	Subheading	C D	Article Description	Statistical Unit	Rate of Duty		
					General	EU	SADC
72.20	7219.3		- Not further worked than cold-rolled (cold-reduced):				
	7219.31	7	-- Of a thickness of 4,75 mm or more	kg	5%	3,35%	free
	7219.32	3	-- Of a thickness of 3 mm or more but less than 4,75 mm	kg	5%	3,35%	free
	7219.33	7	-- Of a thickness exceeding 1 mm but less than 3 mm	kg	5%	3,35%	free
	7219.34	6	-- Of a thickness of 0,5 mm or more but not exceeding 1 mm	kg	5%	3,35%	free
	7219.35	2	-- Of a thickness of less than 0,5 mm	kg	5%	3,35%	free
	7219.90	8	- Other	kg	5%	3,35%	free
			Flat-rolled products of stainless steel, of a width of less than 600 mm:				
	7220.1		- Not further worked than hot-rolled:				
	7220.11	8	-- Of a thickness of 4,75 mm or more	kg	5%	3,35%	free
72.25	7220.12	4	-- Of a thickness of less than 4,75 mm	kg	5%	3,35%	free
	7220.20	6	- Not further worked than cold-rolled (cold-reduced)	kg	5%	3,35%	free
	7220.90	8	- Other	kg	5%	3,35%	free"
			By the substitution for subheadings 7225.30, 7225.40, 7225.50 and 7225.9 of the following:				
	"7225.30	9	- Other, not further worked than hot-rolled, in coils	kg	5%	3,35%	free
	7225.40	3	- Other, not further worked than hot-rolled, not in coils	kg	5%	3,35%	free
	7225.50	8	- Other, not further worked than cold-rolled (cold-reduced)	kg	5%	3,35%	free
	7225.9		- Other:				
	7225.91	2	-- Electrolytically plated or coated with zinc	kg	5%	3,35%	free
	7225.92	9	-- Otherwise plated or coated with zinc	kg	5%	3,35%	free

Head- ing	Subheading	C D	Article Description	Statistical Unit	Rate of Duty		
					General	EU	SADC
72.26	7225.99		-- Other:				
	.10	0	--- Plated, coated or clad with lead or aluminium	kg	free	free	free
	.90	9	--- Other	kg	5%	3,35%	free"
			By the substitution for subheading 7226.9 of the following:				
	"7226.9		- Other:				
	7226.91	6	-- Not further worked than hot-rolled	kg	5%	3,35%	free
	7226.92	2	-- Not further worked than cold-rolled (cold reduced)	kg	5%	3,35%	free
	7226.93	9	-- Electrolytically plated or coated with zinc	kg	5%	3,35%	free
	7226.94	5	-- Otherwise plated or coated with zinc	kg	5%	3,35%	free
	7226.99		-- Other:				
	.25	2	--- Plated or coated with tin, chromium or chromium and chromium oxides	kg	5%	3,35%	free
	.90	2	--- Other	kg	free	free	free"
			By the substitution for headings 72.28, 72.29, 73.01 and 73.02 of the following:				
	"72.28		Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel:				
72.28, 72.29, 73.01 and 73.02	7228.10	0	- Bars and rods of highspeed steel	kg	free	free	free
	7228.20	5	- Other bars and rods of silico-manganese steel	kg	5%	3,35%	free
	7228.30	8	- Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded	kg	5%	3,35%	free
	7228.40	4	- Other bars and rods, not further worked than forged	kg	5%	3,35%	free
	7228.50	9	- Other bars and rods, not further worked than cold-formed or cold-finished	kg	5%	3,35%	free

Head- ing	Subheading	C D	Article Description	Statistical Unit	Rate of Duty		
					General	EU	SADC
72.29	7228.60	3	- Other bars and rods	kg	5%	3,35%	free
	7228.70	8	- Angles, shapes and sections	kg	5%	3,35%	free
	7228.80	2	- Hollow drill bars and rods	kg	5%	3,35%	free
			Wire of other alloy steel:				
	7229.10	4	- Of high speed steel	kg	5%	free	free
	7229.20	9	- Of silico-manganese steel	kg	5%	3,35%	free
73.01	7229.90	0	- Other	kg	5%	3,35%	free
			Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections of iron or steel:				
73.02	7301.10	1	- Sheet piling	kg	5%	3,35%	free
	7301.20	6	- Angles, shapes and sections	kg	10%	6,7%	free
			Railway or tramway track construction material of iron or steel, the following: rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers (cross-ties), fish-plates, chairs, chair wedges, sole plates (base plates), rail clips, bedplates, ties and other material specialized for jointing or fixing rails:				
	7302.10	5	- Rails	kg	5%	3,35%	free
	7302.30	4	- Switch blades, crossing frogs, point rods and other crossing pieces	kg	5%	3,35%	free
	7302.40	9	- Fish-plates and sole plates	kg	5%	3,35%	free
	7302.90	1	- Other	kg	5%	3,35%	free"
			By the substitution for headings 73.04, 73.05, 73.06 and 73.07 of the following:				
			Tubes, pipes and hollow profiles, seamless, of iron (excluding cast iron):				
	7304.10		- Line pipe of a kind used for oil or gas pipelines:				
73.04, 73.05, 73.06 en 73.07 "73.04"	.20	7	- - Of stainless steel	kg	free	free	free

Head= ing	Subheading	C D	Article Description	Statistical Unit	Rate of Duty		
					General	EU	SADC
73.05	.90	8	-- Other	kg	10%	6,7%	free
	7304.2		- Casing, tubing and drill pipe, of a kind used in drilling for oil or gas:				
	7304.21	3	-- Drill pipe	kg	10%	6,7%	free
	7304.29	4	-- Other	kg	10%	6,7%	free
	7304.3		- Other, of circular cross-section, of iron or non-alloy steel:				
	7304.31	8	-- Cold-drawn or cold-rolled (cold-reduced)	kg	15%	10,05%	free
	7304.39		-- Other:				
	.35	1	--- Of a wall thickness exceeding 25 mm or an outside cross-sectional dimension exceeding 170 mm	kg	10%	6,7%	free
	.90	4	--- Other	kg	15%	10,05%	free
	7304.4		- Other, of circular cross-section, of stainless steel:				
	7304.41	2	-- Cold-drawn or cold-rolled (cold-reduced)	kg	free	free	free
	7304.49	3	-- Other	kg	free	free	free
	7304.5		- Other, of circular cross-section, of other alloy steel:				
	7304.51	7	-- Cold-drawn or cold-rolled (cold-reduced)	kg	15%	10,05%	free
	7304.59		-- Other:				
	.45	8	--- Of a wall thickness exceeding 25 mm or a cross-sectional dimension exceeding 170 mm	kg	10%	6,7%	free
	.90	3	--- Other	kg	15%	10,05%	free
	7304.90	9	- Other	kg	15%	10,05%	free
			Other tubes and pipes (for example, welded, riveted or similarly closed), having circular cross-sections, the external diameter of which exceeds 406,4 mm, of iron or steel:				

Head=ing	Subheading	C D	Article Description	Statistical Unit	Rate of Duty		
					General	EU	SADC
73.06	7305.1		- Line pipe of a kind used for oil or gas pipelines:				
	7305.11	2	-- Longitudinally submerged arc welded	kg	10%	6,7%	free
	7305.12	9	-- Other, longitudinally welded	kg	10%	6,7%	free
	7305.19	3	-- Other	kg	10%	6,7%	free
	7305.20	0	- Casing of a kind used in drilling for oil or gas	kg	10%	6,7%	free
	7305.3		- Other, welded:				
	7305.31		-- Longitudinally welded:				
	.10	9	--- High-pressure hydro-electric conduits, of steel, with an internal cross-sectional dimension exceeding 400 mm and a wall thickness exceeding 10,5 mm	kg	free	free	free
	.90	7	--- Other	kg	10%	6,7%	free
	7305.39		-- Other:				
	.10	7	--- High-pressure hydro-electric conduits, of steel, with an internal cross-sectional dimension exceeding 400 mm and a wall thickness exceeding 10,5 mm	kg	free	free	free
	.90	8	--- Other	kg	10%	6,7%	free
	7305.90		- Other:				
	.10	7	-- High-pressure hydro-electric conduits, of steel, with an internal cross-sectional dimension exceeding 400 mm and a wall thickness exceeding 10,5 mm	kg	free	free	free
	.90	8	-- Other	kg	10%	6,7%	free
			Other tubes, pipes and hollow profiles (for example, open seam or welded, riveted or similarly closed), of iron or steel:				
	7306.10	1	- Line pipe of a kind used for oil gas pipelines	kg	10%	6,7%	free

Head=ing	Subheading	C D	Article Description	Statistical Unit	Rate of Duty		
					General	EU	SADC
73.07	7306.20	4	- Casing and tubing of a kind used in drilling for oil or gas	kg	10%	6,7%	free
	7306.30	9	- Other, welded, of circular cross-section, of iron or non-alloy steel	kg	10%	6,7%	free
	7306.40	3	- Other, welded, of circular cross-section, of stainless steel	kg	10%	6,7%	free
	7306.50	8	- Other, welded, of circular cross-section, of other alloy steel	kg	10%	6,7%	free
	7306.60	2	- Other, welded, of non-circular cross-section	kg	10%	6,7%	free
	7306.90	6	- Other	kg	10%	6,7%	free
			Tube or pipe fittings (for example, couplings, elbows, sleeves), of iron or steel:				
	7307.1		- Cast fittings:				
	7307.11		-- Of non-malleable cast iron:				
	.10	7	--- For use with down pipes and gutter pipes	kg	10%	6,7%	free
	.90	5	--- Other	kg	10%	6,7%	free
	7307.19		-- Other:				
	.10	8	--- For use with down pipes and gutter pipes	kg	10%	6,7%	free
	.80	9	--- Other, of cast iron	kg	10%	6,7%	free
	.90	6	--- Other	kg	free	free	free
	7307.2		- Other, of stainless steel:				
	7307.21		-- Flanges:				
	.10	1	--- For use with down pipes and gutter pipes	kg	10%	6,7%	free
	.90	7	--- Other	kg	free	free	free
	7307.22		-- Threaded elbows, bends and sleeves:				
	.10	8	--- For use with down pipes and gutter pipes	kg	10%	6,7%	free
	.90	6	--- Other	kg	free	free	free

Head- ing	Subheading	C D	Article Description	Statistical Unit	Rate of Duty		
					General	EU	SADC
	7307.23		-- Butt welding fittings:				
	.10	4	--- For use with down pipes and gutter pipes	kg	10%	6,7%	free
	.90	2	--- Other	kg	free	free	free
	7307.29		-- Other:				
	.10	2	--- For use with down pipes and gutter pipes	kg	10%	6,7%	free
	.90	0	--- Other	kg	free	free	free
	7307.9		- Other:				
	7307.91		-- Flanges:				
	.10	3	--- For use with down pipes and gutter pipes	kg	10%	6,7%	free
	.20	0	--- For use with electrical wiring conduit	kg	10%	6,7%	free
	.35	9	--- Slip-on type, of an inside cross-sectional dimension of 25 mm or more but not exceeding 1 200 mm (excluding those for use with electrical wiring conduit, down pipes and gutter pipes)	kg	10%	6,7%	free
	.40	5	--- Other, of an inside cross-sectional dimension of 400 mm or more but not exceeding 610 mm	kg	10%	6,7%	free
	.90	1	--- Other	kg	free	free	free
	7307.92		-- Threaded elbows, bends and sleeves:				
	.10	5	--- For use with down pipes and gutter pipes	kg	10%	6,7%	free
	.20	7	--- For use with electrical wiring conduit	kg	10%	6,7%	free
	.30	4	--- Branch pipe pieces and Y-pieces, for use with pipes of an inside diameter not exceeding 30 mm (excluding those for use with electrical wiring conduit, down pipes and gutter pipes)	kg	10%	6,7%	free
	.90	8	--- Other	kg	free	free	free

Head=ing	Subheading	C D	Article Description	Statistical Unit	Rate of Duty		
					General	EU	SADC
73.08	7307.93		-- Butt welding fittings:				
	.10	6	--- For use with down pipes and gutter pipes	kg	10%	6,7%	free
	.20	3	--- For use with electrical wiring conduit	kg	10%	6,7%	free
	.30	0	--- Branch pipe pieces and Y-pieces, for use with pipes of an inside diameter not exceeding 30 mm (excluding those for use with electrical wiring conduit, down pipes and gutter pipes)	kg	10%	6,7%	free
	.90	4	--- Other	kg	free	free	free
	7307.99		-- Other:				
			-- Butt welding fittings:				
	.10	4	--- For use with down pipes and gutter pipes	kg	10%	6,7%	free
	.20	1	--- For use with electrical wiring conduit	kg	10%	6,7%	free
	.30	9	--- Branch pipe pieces and Y-pieces, for use with pipes of an inside diameter not exceeding 30 mm (excluding those for use with electrical wiring conduit, down pipes and gutter pipes)	kg	10%	6,7%	free
	.90	2	--- Other	kg	free	free	free"
			By the substitution for subheading 7308.10 of the following:				
	“.10	7	- Bridges and bridge-sections	kg	15%	10,5%	free"
			By the substitution for subheadings 7312.10.20, 7312.25 and 7312.40 of the following:				
73.12	“.20	2	-- Other stranded wire	kg	5%	3,35%	free
	.25	3	-- Ropes and cables, of wire which is not plated, coated or clad	kg	5%	3,35%	free
	.40	7	-- Ropes and cables, of wire which is plated, coated or clad with zinc	kg	5%	3,35%	free"

Head- ing	Subheading	C D	Article Description	Statistical Unit	Rate of Duty		
					General	EU	SADC
73.14			By the substitution for subheadings 7314.12.10 and 7314.12.90 of the following:				
	“.10	5	--- With 4 or more but not exceeding 10 apertures per cm in the warp as well as in the weft	kg	5%	3,35%	free
	.20	2	--- With more than 10 but not exceeding 80 apertures per cm in the weft	kg	5%	3,35%	free"
			By the substitution for subheading 7314.13.10 of the following:				
	“.10	1	--- With more than 10 but not exceeding 80 apertures per cm in the warp as well as in the weft	kg	5%	3,35%	free"
			By the substitution for subheadings 7314.14.20 and 7314.14.30 of the following:				
	“.20	5	--- With 4 or more but not exceeding 10 apertures per cm in the warp as well as in the weft (excluding insect screening)	kg	5%	3,35%	free
73.20	.30	2	--- With more than 10 but not exceeding 80 apertures per cm in the warp as well as in the weft	kg	5%	3,35%	free"
			By the substitution for subheading 7314.50 of the following:				
	"7314.50	3	- Expanded metal	kg	5%	3,35%	free"
			By the substitution for heading 73.20 of the following:				
	"73.20		Springs and leaves for springs, of iron or steel:				
	7320.10	3	- Leaf-springs and leaves therefore	kg	5%	3,5%	free
	7320.20	8	- Helical springs	kg	5%	3,5%	free
	7320.90	9	- Other	kg	5%	3,5%	free"

No. R. 687

23 Mei 2003

**DOEANE EN AKSYNSWET, 1964.-
WYSIGING VAN BYLAE NO. 1 (NO. 1/1/1187)**

Kragtens artikel 48 van die Doeane- en Aksynswet, 1964, word Deel I van Bylae No. 1 by genoemde Wet hiermee gewysig, met terugwerkende krag tot 1 Januarie 2003, in die mate in die Bylae hierby aangetoon.

**M MPAHLWA
ADJUNKMINISTER VAN FINANSIES**

BYLAE

Pos	Subpos	T S	Artikel Beskrywing	Statis= tiese Eenheid	Skaal van Reg		
					Algemeen	EU	SAOG
72.08, 72.09, 72.10 en 72.11			Deur poste 72.08, 72.09, 72.10 and 72.11 deur die volgende te vervang:				
72.08			Gewalste platprodukte van yster of nie- legeringstaal, met 'n wydte van minstens 600 mm, warmgewals, nie bedek, geplateer of bestryk nie:				
	7208.10	5	- In rolle, nie verder bewerk as warmgewals nie, met verheve patrone	kg	5%	3,35%	vry
	7208.2		- Ander, in rolle, nie verder bewerk as warmgewals nie, gepekel:				
	7208.25	1	-- Met 'n dikte van meer as 4,75 mm	kg	5%	3,35%	vry
	7208.26	8	-- Met 'n dikte van minstens 3 mm maar minder as 4,75 mm	kg	5%	3,35%	vry
	7208.27	4	-- Met 'n dikte van minder as 3 mm	kg	5%	3,35%	vry
	7208.3		- Ander, in rolle, nie verder bewerk as warmgewals nie:				

Pos	Subpos	T S	Artikel Beskrywing	Statis= tiese Eenheid	Skaal van Reg		
					Algemeen	EU	SAOG
72.09	7208.36	2	-- Met 'n dikte van meer as 10 mm	kg	5%	3,35%	vry
	7208.37	9	-- Met 'n dikte van 4,75 mm of meer, maar minder as 10 mm	kg	5%	3,35%	vry
	7208.38	5	-- Met 'n dikte van 3 mm of meer, maar minder as 4,75 mm	kg	5%	3,35%	vry
	7208.39	1	-- Met 'n dikte van minder as 3 mm	kg	5%	3,35%	vry
	7208.40	9	- Nie in rolle nie, nie verder bewerk as warmgewals nie, met verhewe patrone	kg	5%	3,35%	vry
	7208.5		- Ander, nie in rolle nie, nie verder bewerk as warmgewals nie:				
	7208.51	8	-- Met 'n dikte van meer as 10 mm	kg	5%	3,35%	vry
	7208.52	6	-- Met 'n dikte van minstens 4,75 mm maar minder as 10 mm	kg	5%	3,35%	vry
	7208.53	2	-- Met 'n dikte van minstens 3 mm maar minder as 4,75 mm	kg	5%	3,35%	vry
	7208.54	9	-- Met 'n dikte van minder as 3 mm	kg	5%	3,35%	vry
	7208.90	1	- Ander	kg	5%	3,35%	vry
			Platgewalste produkte van yster of nie-legeringstaal, met 'n wydte van minstens 600 mm, koudgewals, (koud vervorm) nie bedek, geplateer of bestryk nie:				
	7209.1		- In rolle, nie verder bewerk as koudgewals (koudvervorm):				
	7209.15	0	-- Met 'n dikte van 3 mm of meer	kg	5%	3,35%	vry

Pos	Subpos	T S	Artikel Beskrywing	Statis- tiese Eenheid	Skaal van Reg		
					Algemeen	EU	SAOG
72.10	7209.16	7	-- Met 'n dikte van minstens 1 mm maar hoogstens 3 mm	kg	5%	3,35%	vry
	7209.17	3	-- Met 'n dikte van minstens 0,5 mm maar hoogstens 1 mm	kg	5%	3,35%	vry
	7209.18	7	-- Met 'n dikte van minder as 0,5 mm	kg	5%	3,35%	vry
	7209.2		- Nie in rolle, nie verder bewerk as koudgewals (koudvervorm) nie:				
	7209.25	5	-- Met 'n dikte van minstens 3 mm of meer	kg	5%	3,35%	vry
	7209.26	1	-- Met 'n dikte van meer as 1 mm maar minder as 3 mm	kg	5%	3,35%	vry
	7209.27	8	-- Met 'n dikte van minstens 0,5 mm of meer, maar minder as 1 mm	kg	5%	3,35%	vry
	7209.28	4	-- Met 'n dikte van minder as 0,5 mm	kg	5%	3,35%	vry
	7209.90	5	-- Ander	kg	5%	3,35%	vry
			Platgewalste produkte van yster of nie-legeringstaal, met 'n wydte van minstens 600 mm, bedek, geplateer of bestryk:				
	7210.1		- Met tin geplateer of bestryk:				
	7210.11	5	-- Met 'n dikte van 0,5 mm of meer	kg	vry	vry	vry
	7210.12	1	-- Met 'n dikte van 0,5 mm of minder	kg	5%	3,35%	vry
	7210.20	3	- Met lood geplateer of bestryk, met inbegrip van verlode plaat	kg	vry	vry	vry
	7210.30	8	- Elektrolities met sink geplateer of bestryk	kg	5%	3,35%	vry
	7210.4		- Andersins met sink geplateer of bestryk:				
	7210.41	9	-- Gegolf	kg	5%	3,35%	vry

Pos	Subpos	T S	Artikel Beskrywing	Statistiese Eenheid	Skaal van Reg		
					Algemeen	EU	SAOG
72.11	7210.49	0	- Ander	kg	5%	3,35%	vry
	7210.50	7	- Met chroomoksiede of met chroom en chroomoksiede geplateer of bestryk	kg	5%	3,35%	vry
	7210.6		- Met aluminium geplateer of bestryk:				
	7210.61	8	-- Met aluminium-sink legerings geplateer of bestryk	kg	vry	vry	vry
	7210.69	9	-- Ander	kg	vry	vry	vry
	7210.70	6	- Geverf, vernis of met plastieke bestryk	kg	5%	3,35%	vry
	7210.90	5	- Ander	kg	5%	3,35%	vry
			Platgewalste produkte van yster of nie-legeringstaal, met 'n wydte van minder as 600 mm, nie bedek, geplateer of bestryk nie:				
	7211.1		- Nie verder bewerk as warmgewals nie:				
	7211.13	1	- Op vier kante of in 'n geslote kaswalsery gewals, met 'n wydte van meer as 150 mm en met 'n dikte van minstens 4 mm, nie in rolle nie en sonder verhewe patrone	kg	5%	3,35%	vry
	7211.14	8	-- Ander, met 'n dikte van 4.75 mm of meer	kg	5%	3,35%	vry
	7211.19	1	-- Ander	kg	5%	3,35%	vry
	7211.2		- Nie verder bewerk as koudgewals (koud vervorm) nie:				
	7211.23	6	-- Wat volgens massa minder as 0,25 persent kolstof bevat	kg	5%	3,35%	vry
72.12	7211.29	4	-- Ander	kg	5%	3,35%	vry
	7211.90	6	- Ander	kg	5%	3,35%	vry"
			Deur subposte 7212.10.20, 7212.20, 7212.30 en 7212.40 deur die volgende te vervang:				
	..20	0	-- Met 'n dikte van minder as 0,5 mm	kg	5%	3,35%	vry

Pos	Subpos	T S	Artikel Beskrywing	Statistiese Eenheid	Skaal van Reg		
					Algemeen	EU	SAOG
72.13, 72.14, 72.15, 72.16 en 72.17 "72.13"	7212.20	0	- Elektrolities met sink geplateer of bestryk	kg	5%	3,35%	vry
	7212.30	5	- Andersins met sink geplateer of bestryk	kg	5%	3,35%	vry
	7212.40	2	- Geverf, vernis of met plastieke bestryk	kg	5%	3,35%	vry"
			Deur poste 72.13, 72.14, 72.15, 72.16 en 72.17 deur die volgende te vervang:				
			Stawe en stange, warmgewals, in onreëlmatige gehaspelde rolle, van yster of nie-legeringstaal:				
	7213.10	3	- Wat inkepings, ribbe, gleuwe of ander deformasies bevat wat gedurende die walsproses verkry is	kg	5%	3,35%	vry
	7213.20	4	- Ander, van vrysnystaal	kg	5%	3,35%	vry
	7213.9		- Ander:				
	7213.91	2	-- Met 'n sirkelvormige dwarsdeursnee met 'n afmeting van minder as 14 mm in deursnee	kg	5%	3,35%	vry
	7213.99	3	-- Ander	kg	5%	3,35%	vry
72.14			Ander stawe en stange van yster of nie-legeringstaal, nie verder bewerk as gesmee, warmgewals, warmgetrek of warmgepers nie, maar met inbegrip van dié na walsing gedraai:				
	7214.10	3	- Gesmee	kg	5%	3,35%	vry
	7214.20	8	- Wat inkepings, ribbe, gleuwe of ander deformasies bevat wat gedurende die walsproses verkry is, of na walsing gedraai is	kg	5%	3,35%	vry
	7214.30	2	- Van vrysnystaal	kg	5%	3,35%	vry
	7214.9		- Ander:				
	7214.91	6	-- Van reghoekige (maar uitsluitende vierkantige) dwarsdeursnee	kg	5%	3,35%	vry
	7214.99	7	-- Ander	kg	5%	3,35%	vry

Pos	Subpos	T S	Artikel Beskrywing	Statistiese Eenheid	Skaal van Reg		
					Algemeen	EU	SAOG
72.15			Ander stawe en stange van yster of nie-legeringstaal:				
	7215.10	7	- Van vrysnystaal, nie verder bewerk as koud vervorm of koud afgewerk nie	kg	5%	3,35%	vry
	7215.50	5	- Ander, nie verder bewerk as koud vervorm of koud afgewerk nie	kg	5%	3,35%	vry
	7215.90	3	- Ander	kg	5%	3,35%	vry
72.16			Hoeke, vorms en profiele van yster of nie-legeringstaal:				
	7216.10	0	- U-, I- of H-profiele, nie verder bewerk as warmgewals, warmgetrek of gepers nie, met 'n hoogte van minder as 80 mm	kg	5%	3,35%	vry
	7216.2		- L- of T-profiele, nie verder bewerk as warmgewals, warmgetrek of gepers nie, met 'n hoogte van minder as 80 mm:				
	7216.21	1	-- L-profiele	kg	5%	3,35%	vry
	7216.22	8	-- T-profiele	kg	5%	3,35%	vry
	7216.3		- U-, I- of H-profiele, nie verder bewerk as warmgewals, warmgetrek of gepers nie, met 'n hoogte van minstens 80 mm:				
	7216.31	6	-- U-profiele	kg	5%	3,35%	vry
	7216.32	2	-- I-profiele	kg	5%	3,35%	vry
	7216.33	9	-- H-profiele	kg	5%	3,35%	vry
	7216.40	4	- L- of T-profiele, nie verder bewerk as warmgewals, warmgetrek of gepers nie, met 'n hoogte van minstens 80 mm	kg	5%	3,35%	vry
	7216.50	9	- Ander hoeke, vorms en profiele, nie verder bewerk as warmgewals, warmgetrek of gepers nie	kg	5%	3,35%	vry
	7216.6		- Hoeke, vorms en profiele, nie verder bewerk as koud vervorm of koud afgewerk nie:				
	7216.61	8	-- Verkry van plat gerolde produkte	kg	5%	3,35%	vry
	7216.69	0	-- Ander	kg	5%	3,35%	vry

Pos	Subpos	T S	Artikel Beskrywing	Statistiese Eenheid	Skaal van Reg		
					Algemeen	EU	SAOG
72.17	7216.9		- Ander:				
	7216.91	3	-- Koud vervorm of koud afgewerk vanaf plat produkte	kg	5%	3,35%	vry
	7216.99	4	-- Ander	kg	5%	3,35%	vry
			Draad van yster of nie-legeringstaal:				
	7217.10	4	- Nie geplateer of bestryk nie, hetsy gepoleer al dan nie	kg	5%	3,35%	vry
	7217.20	9	-- Met sink geplateer of bestryk	kg	5%	3,35%	vry
	7217.30	3	-- Met ander onedelmetale geplateer of bestryk	kg	5%	3,35%	vry
72.19 en 72.20 "72.19"	7217.90	0	-- Ander	kg	5%	3,35%	vry"
			Deur poste 72.19 en 72.20 deur die volgende te vervang:				
			Platgewalste produkte van vlekvrystaal, met 'n dikte van minstens 600 mm:				
	7219.1		- Nie verder bewerk as warmgewals nie, in rolle:				
	7219.11	8	-- Met 'n dikte van meer as 10 mm	kg	5%	3,35%	vry
	7219.12	4	-- Met 'n dikte van minstens 4,75 mm maar hoogstens 10 mm	kg	5%	3,35%	vry
	7219.13	0	-- Met 'n dikte van minstens 3 mm maar minder as 4,75 mm	kg	5%	3,35%	vry
	7219.14	7	--- Met 'n dikte van minder as 3 mm	kg	5%	3,35%	vry
	7219.2		- Nie verder bewerk as warmgewals nie, nie in rolle nie:				
	7219.21	2	-- Met 'n dikte van meer as 10 mm	kg	5%	3,35%	vry
	7219.22	9	-- Met 'n dikte van minstens 4,75 mm maar hoogstens 10 mm	kg	5%	3,35%	vry
	7219.23	5	-- Met 'n dikte van minstens 3 mm maar minder as 4,75 mm	kg	5%	3,35%	vry
	7219.24	1	-- Met 'n dikte van minder as 3 mm	kg	5%	3,35%	vry

Pos	Subpos	T S	Artikel Beskrywing	Statistiese Eenheid	Skaal van Reg		
					Algemeen	EU	SAOG
72.20	7219.3		- Nie verder bewerk as koudgewals (koudervorm):				
	7219.31	7	-- Met 'n dikte van minder as 0,5 mm	kg	5%	3,35%	vry
	7219.32	3	-- Met 'n dikte van minstens 3 mm maar minder as 4,75 mm	kg	5%	3,35%	vry
	7219.33	7	-- Met 'n dikte van meer as 1 mm maar minder as 3 mm	kg	5%	3,35%	vry
	7219.34	6	-- Met 'n dikte van minstens 0,5 mm maar hoogstens 1 mm	kg	5%	3,35%	vry
	7219.35	2	-- Met 'n dikte van minder as 0,5 mm	kg	5%	3,35%	vry
	7219.90	8	- Ander	kg	5%	3,35%	vry
			Platgewalste produkte van vlekvrystaal, met 'n wydte van minder as 600 mm:				
	7220.1		- Nie verder bewerk as warmgewals:				
	7220.11	8	-- Met 'n dikte van minstens 4,75 mm	kg	5%	3,35%	vry
	7220.12	4	-- Met 'n dikte van minstens 4,75 mm	kg	5%	3,35%	vry
	7220.20	6	- Nie verder bewerk as koudgewals (koudervorm)	kg	5%	3,35%	vry
	7220.90	8	- Ander	kg	5%	3,35%	vry"
72.25			Deur subposte 7225.30, 7225.40, 7225.50 en 7225.9 deur die volgende te vervang:				
	"7225.30	9	- Ander, nie verder bewerk as warmgewals nie, in rolle	kg	5%	3,35%	vry
	7225.40	3	- Ander, nie verder bewerk as warmgewals nie, nie in rolle nie	kg	5%	3,35%	vry
	7225.50	8	- Ander, nie verder bewerk as koudgewals (koud vervorm) nie	kg	5%	3,35%	vry
	7225.9		- Ander:				
	7225.91	2	-- Elektrolities geplateer of bestryk met sink	kg	5%	3,35%	vry
	7225.92	9	-- Andersins geplateer of bestryk met sink	kg	5%	3,35%	vry

Pos	Subpos	T S	Artikel Beskrywing	Statistiese Eenheid	Skaal van Reg		
					Algemeen	EU	SAOG
72.26	7225.99		-- Ander:				
	.10	0	--- Geplateer, bestryk of bedek met lood of aluminium	kg	vry	vry	vry
	.90	9	--- Ander	kg	5%	3,35%	vry"
			By die subpos 7226.9 deur die volgende te vervang:				
	"7226.9		- Ander:				
	7226.91	6	-- Nie verder bewerk as warmgewals nie	kg	5%	3,35%	vry
	7226.92	2	-- Nie verder bewerk as koudgewals nie	kg	5%	3,35%	vry
	7226.93	9	-- Elektrolities met sink geplateer of bestryk	kg	5%	3,35%	vry
	7226.94	5	-- Andersins met sink geplateer of bestryk	kg	5%	3,35%	vry
	7226.99		-- Ander:				
72.28, 72.29, 73.01 en 73.02 "72.28	.25	2	--- Geplateer of bestryk met tin, chroom of chroom en chroomoksiede	kg	5%	3,35%	vry
	.90	2	--- Ander	kg	vry	vry	vry"
			Deur poste 72.28, 72.29, 73.01 en 73.02 deur die volgende te vervang:				
			Ander stawe en stange van ander legeringstaal; hoeke, vorms en profile, van ander legeringstaal, hol boorstawe en -stange, van legering- of nie-legeringstaal:				
	7228.10	0	- Stawe en stange, van hoëspoedstaal	kg	vry	vry	vry
	7228.20	5	- Stawe en stange, van silikon-mangaanstaal	kg	5%	3,35%	vry
	7228.30	8	- Ander stawe en stange, nie verder bewerk as warmgewals, warmgetrokke of uitgedrewe	kg	5%	3,35%	vry
	7228.40	4	- Ander stawe en stange, nie verder bewerk as gesmee nie	kg	5%	3,35%	vry
	7228.50	9	- Ander stawe en stange, nie verder bewerk as koud gevorm of koud afgewerk nie	kg	5%	3,35%	vry

Pos	Subpos	T S	Artikel Beskrywing	Statis= tiese Eenheid	Skaal van Reg		
					Algemeen	EU	SAOG
72.29	7228.60	3	- Ander stawe en stange	kg	5%	3,35%	vry
	7228.70	8	- Hoeke, vorms en profiele	kg	5%	3,35%	vry
	7228.80	2	- Hol boorstawe en -stange	kg	5%	3,35%	vry
			Draad van ander legeringstaal:				
	7229.10	4	- Van hoëspoedstaal	kg	5%	vry	vry
	7229.20	9	- Van silikon-mangaanstaal	kg	5%	3,35%	vry
73.01	7229.90	0	- Ander	kg	5%	3,35%	vry
			Plaatwerk van yster of staal, hetsy geboor, gepons of van gemonteerde elemente gemaak al dan nie; gesweiste hoeke, vorms en profiele, van yster of staal:				
	7301.10	1	- Plaatwerk	kg	5%	3,35%	vry
73.02	7301.20	6	- Hoeke, vorms en profiele	kg	10%	6,7%	vry
			Trein- of tremspoorbaanaanlegmateriaal van yster of staal, die volgende: spoor= stawe, keerspoorstawe en tandspoor= stawe, keerspoorstawe en tandspoor= stawe, wisseltonge, puntstukke, wissels= tange en ander kruisstukke, dwarslêers, lasplate, spoorstaafstoele, spoorstaaf= wigge, voetstukplate (grondplate), spoorstaafklempate, bodemplate, ankers en ander gespesialiseerde materiaal om spoorstawe mee te las of te bevestig:				
	7302.10	5	- Spoorstawe	kg	5%	3,35%	vry
	7302.30	4	- Wisseltonge, puntstukke, wisseltange en ander kruisstukke	kg	5%	3,35%	vry
	7302.40	9	- Lasplate en voetstukplate	kg	5%	3,35%	vry
	7302.90	1	- Ander	kg	5%	3,35%	vry"
	73.04, 73.05, 73.06 en 73.07		Deur poste 73.04, 73.05, 73.06 en 73.07 deur die volgende te vervang:				
	"73.04		Buise, pype en holprofiele, naatloos, van yster (uitgesonderd gietyster) of staal:				
	7304.10		- Leidingpyp van 'n soort vir olie- of gaspyleiding gebruik:				
	.20	7	- - Van vlekrye staal	kg	vry	vry	vry

Pos	Subpos	T S	Artikel Beskrywing	Statis= tiese Eenheid	Skaal van Reg		
					Algemeen	EU	SAOG
73.05	.90	8	-- Ander	kg	10%	6,7%	vry
	7304.2		- Hulsel, buisleiding en boorpyl, van 'n soort by die boor na olie of gas gebruik:				
	7304.21	3	-- Boorpyl	kg	10%	6,7%	vry
	7304.29	4	-- Ander	kg	10%	6,7%	vry
	7304.3		- Ander, met 'n sirkelvormige dwarsdeur=snee, van yster of nie-legeringstaal:				
	7304.31	8	-- Koudgetrokke of koudgewals (koud afgewerk)	kg	15%	10,05%	vry
	7304.39		-- Ander:				
	.35	1	--- Met 'n wanddikte van meer as 25 mm of 'n buitewarsdeursnee-afmeting van meer as 170 mm	kg	10%	6,7%	vry
	.90	4	--- Ander	kg	15%	10,05%	vry
	7304.4		- Ander, met 'n sirkelvormige dwarsdeursnee, van vlekvrige staal:				
	7304.41	2	-- Koudgetrokke of koudgewals (koud afgewerk)	kg	vry	vry	vry
	7304.49	3	-- Ander	kg	vry	vry	vry
	7304.5		- Ander, met 'n sirkelvormige dwarsdeur=snee, van ander legeringstaal:				
	7304.51	7	-- Koudgetrokke of koudgewals (koud afgewerk)	kg	15%	10,05%	vry
	7304.59		-- Ander:				
	.45	8	--- Met 'n wanddikte van meer as 25 mm of 'n buite dwarsdeursnee-afmeting van meer as 170 mm	kg	10%	6,7%	vry
	.90	3	--- Ander	kg	15%	10,05%	vry
	7304.90	9	- Ander	kg	15%	10,05%	vry
			Ander buise en pyl (byvoorbeeld, gesweis, geklink of op dergelike wyse toegemaak), met sirkelvormige dwarsdeursnitte waarvan die buitewarsdeursnee 406,4 mm oorskry, van yster of staal:				

Pos	Subpos	T S	Artikel Beskrywing	Statis= tiese Eenheid	Skaal van Reg		
					Algemeen	EU	SAOG
	7305.1		- Leidingpyp van 'n soort vir olie- of gaspypleiding gebruik:				
	7305.11	2	-- Oorlangs dompelbooggesweis	kg	10%	6,7%	vry
	7305.12	9	-- Ander, oorlangs gesweis	kg	10%	6,7%	vry
	7305.19	3	-- Ander	kg	10%	6,7%	vry
	7305.20	0	- Hulsels van 'n soort by die boor na olie of gas gebruik	kg	10%	6,7%	vry
	7305.3		- Ander gesweis:				
	7305.31		-- Oorlangs gesweis:				
	.10	9	--- Hoëdruk-hidro-elektriese geleipype, van staal, met 'n binnedwarsdeur=snee-afmeting van meer as 400 mm en 'n wanddikte van meer as 10,5 mm	kg	vry	vry	vry
	.90	7	--- Ander	kg	10%	6,7%	vry
	7305.39		-- Ander:				
	.10	7	--- Hoëdruk-hidro-elektriese geleipype, van staal, met 'n binnedwarsdeur=snee-afmeting van meer as 400 mm en 'n wanddikte van meer as 10,5 mm	kg	vry	vry	vry
	.90	8	--- Ander	kg	10%	6,7%	vry
	7305.90		-- Ander:				
	.10	7	-- Hoëdruk-hidro-elektriese geleipype, van staal, met 'n binnedwarsdeur=snee-afmeting van meer as 400 mm en 'n wanddikte van meer as 10,5 mm	kg	vry	vry	vry
	.90	8	-- Ander	kg	10%	6,7%	vry
73.06			Ander buise, pype en hol profile (byvoorbeeld oop naat of gesweis, geklink of op dergelike wyse toegemaak), van yster of staal:				
	7306.10	1	- Leidingpyp van 'n soort vir olie- of gaspypleiding gebruik	kg	10%	6,7%	vry

Pos	Subpos	T S	Artikel Beskrywing	Statis- tiese Eenheid	Skaal van Reg		
					Algemeen	EU	SAOG
73.07	7306.20	4	- Hulsels en buisleiding van 'n soort by die boor na olie of gas gebruik	kg	10%	6,7%	vry
	7306.30	9	- Ander, gesweis, met 'n sirkelvormige dwarsdeursnee, van yster of nie-legeringstaal	kg	10%	6,7%	vry
	7306.40	3	- Ander, gesweis, met 'n sirkelvormige dwarsdeursnee, van vlekvrige staal	kg	10%	6,7%	vry
	7306.50	8	- Ander, gesweis, met 'n sirkelvormige dwarsdeursnee, van ander legeringstaal	kg	10%	6,7%	vry
	7306.60	2	- Ander, gesweis, met 'n nie-sirkelvormige dwarsdeursnee	kg	10%	6,7%	vry
	7306.90	6	- Ander	kg	10%	6,7%	vry
			Buis- of pyptoebehore (byvoorbeeld, koppelstukke, elmboë, hulsels), van yster of staal:				
	7307.1		- Gegote toebere:				
	7307.11		-- Van nie-smeebare gietyster:				
	.10	7	--- Vir gebruik met afvoer- en geutype	kg	10%	6,7%	vry
	.90	5	--- Ander	kg	10%	6,7%	vry
	7307.19		-- Ander:				
	.10	8	--- Vir gebruik met afvoer- en geutype	kg	10%	6,7%	vry
	.80	9	--- Ander, van gietyster	kg	10%	6,7%	vry
	.90	6	--- Ander	kg	vry	vry	vry
	7307.2		- Ander, van vlekvrige staal:				
	7307.21		-- Flense:				
	.10	1	--- Vir gebruik met afvoer- en geutype	kg	10%	6,7%	vry
	.90	7	--- Ander	kg	vry	vry	vry
	7307.22		-- Skroefelmboë, -buigstukke en -hulsels:				
	.10	8	--- Vir gebruik met afvoer- en geutype	kg	10%	6,7%	vry
	.90	6	--- Ander	kg	vry	vry	vry

Pos	Subpos	T S	Artikel Beskrywing	Statistiese Eenheid	Skaal van Reg		
					Algemeen	EU	SAOG
	7307.23		-- Stuiksweistoehore:				
	.10	4	--- Vir gebruik met afvoer- en geutype	kg	10%	6,7%	vry
	.90	2	--- Ander	kg	vry	vry	vry
	7307.29		-- Ander:				
	.10	2	--- Vir gebruik met afvoer- en geutype	kg	10%	6,7%	vry
	.90	0	--- Ander	kg	vry	vry	vry
	7307.9		- Ander:				
	7307.91		-- Flense:				
	.10	3	--- Vir gebruik met afvoer- en geutype	kg	10%	6,7%	vry
	.20	0	--- Vir gebruik met gleipype vir elektriese draad	kg	10%	6,7%	vry
	.35	9	--- Oorskuiftipe, met 'n binnedwarsdeursnee- afmeting van minstens 25 mm maar hoogstens 1 200 mm (uitgesonderd ru-stukke en dié vir gebruik met geleipype vir elektriese draad, afvoertype en geutype)	kg	10%	6,7%	vry
	.40	5	--- Ander, met 'n binnedwarsdeursnee- afmeting van minstens 400 mm maar hoogstens 610 mm (uitgesonderd ru-stukke)	kg	10%	6,7%	vry
	.90	1	--- Ander	kg	vry	vry	vry
	7307.92		--- Skroefelmoë, -buigstukke en -hulsels:				
	.10	5	--- Vir gebruik met afvoer- en geutype	kg	10%	6,7%	vry
	.20	7	--- Vir gebruik met geleipype vir elektriese draad	kg	10%	6,7%	vry
	.30	4	--- Aftakpyp- en Y-stukke, vir gebruik met pype met 'n binnedeursnee van hoogstens 30 mm (uitgesonderd dié vir gebruik met geleipype vir elektriese draad, afvoertype en geutype)	kg	10%	6,7%	vry
	.90	8	--- Ander	kg	vry	vry	vry

Pos	Subpos	T S	Artikel Beskrywing	Statistiese Eenheid	Skaal van Reg		
					Algemeen	EU	SAOG
73.08	7307.93		-- Stuikswestoebehore:				
	.10	6	--- Vir gebruik met afvoer- en geutpype	kg	10%	6,7%	vry
	.20	3	--- Vir gebruik met geleipype vir elektriese draad	kg	10%	6,7%	vry
	.30	0	--- Aftakpyp- en Y-stukke, vir gebruik met pype met 'n binnedeursnee van hoogstens 30 mm (uitgesonderd dié vir gebruik met geleipype vir elektriese draad, afvoerpype en geutpype)	kg	10%	6,7%	vry
	.90	4	--- Ander	kg	vry	vry	vry
	7307.99		-- Ander:				
			-- Pypswestoebehore:				
	.10	4	--- Vir gebruik met afvoer- en geutpype	kg	10%	6,7%	vry
	.20	1	--- Vir gebruik met geleipype vir elektriese draad	kg	10%	6,7%	vry
	.30	9	--- Aftakpyp- en Y-stukke, vir gebruik met pype met 'n binnedeursnee van hoogstens 30 mm (uitgesonderd dié vir gebruik met geleipype vir elektriese draad, afvoerpype en geutpype)	kg	10%	6,7%	vry
	.90	2	--- Ander	kg	vry	vry	vry"
			Deur subpos 7308.10 deur die volgende te vervang:				
73.12	.10	7	- Brûe en seksies van brûe	kg	15%	10,5%	vry"
			Deur subposte 7312.10.20, 7312.25 en 7312.40 deur die volgende te vervang:				
	.20	2	-- Ander stringdraad	kg	5%	3,35%	vry
	.25	3	-- Toue en kables van draad, wat nie geplateer, bestryk of bedek is nie	kg	5%	3,35%	vry
	.40	7	-- Toue en kables, van draad wat met sink geplateer, bestryk of bedek is	kg	5%	3,35%	vry"

Pos	Subpos	T S	Artikel Beskrywing	Statis= tiese Eenheid	Skaal van Reg		
					Algemeen	EU	SAOG
73.14			Deur subposte 7314.12.10 and 7314.12.90 deur die volgende te vervang:				
	"10	5	--- Met minstens 4 maal hoogstens 10 openinge per cm in die skering, sowel as in die inslag	kg	5%	3,35%	vry
	.20	2	--- Met meer as 10 maar minder as 80 openinge per cm in die skering	kg	5%	3,35%	vry"
			Deur subpos 7314.13.10 deur die volgende te vervang:				
	"10	1	--- Met meer as 10 maar minder as 80 openinge per cm in die skering, sowel as die inslag	kg	5%	3,35%	vry"
			Deur subposte 7314.14.20 en 7314.14.30 deur die volgende te vervang:				
	"20	5	--- Met minstens 4 maar hoogstens 10 openinge per cm in die skering, sowel as in die inslag (uitgesonderd insekt-sifmateriaal)	kg	5%	3,35%	vry
	.30	2	--- Met meer as 10 maar hoogstens 80 openinge per cm in die skering, sowel as in die inslag	kg	5%	3,35%	vry"
			Deur subpos 7314.50 deur die volgende te vervang:				
	"7314.50	3	- Plaatgaas	kg	5%	3,35%	vry"
73.20			Deur pos 73.20 deur die volgende te vervang:				
"73.20			Vere en veerblaai, van yster of staal:				
	7320.10	3	- Bladvere en veerblaai daarvoor	kg	5%	3,5%	vry
	7320.20	8	- Heliese vere	kg	5%	3,5%	vry
	7320.90	9	- Ander	kg	5%	3,5%	vry"

No. R. 688

23 May 2003

**CUSTOMS AND EXCISE ACT, 1964.-
AMENDMENT OF SCHEDULE NO. 1 (NO. 1/1/188)**

Under section 48 of the Customs and Excise Act, 1964, Part 1 of Schedule No. 1 to the said Act is hereby amended to the extent set out in the Schedule hereto.

**M MPAHLWA
DEPUTY MINISTER OF FINANCE**

SCHEDULE

Head= ing	Subheading	C D	Article Description	Statistical Unit	Rate of Duty		
					General	EU	SADC
82.11	".30	8	By the substitution for subheading 8211.93.30 of the following: --- Other folding knives with one or more blades with a cutting edge of 25 mm or more but not exceeding 100 mm, not plated with precious metal	u	free	free	free"

Cj/82.11

No. R. 688

23 Mei 2003

**DOEANE EN AKSYNSWET, 1964.-
WYSIGING VAN BYLAE NO. 1 (NO. 1/1/1188)**

Kragtens artikel 48 van die Doeane- en Aksynswet, 1964, word Deel 1 van Bylae No. 1 by genoemde Wet hiermee gewysig in die mate in die Bylae hierby aangetoon.

**M MPAHLWA
ADJUNKMINISTER VAN FINANSIES**

BYLAE

Pos	Subpos	T S	Artikel Beskrywing	Statis= tiese Eenheid	Skaal van Reg		
					Algemeen	EU	SAOG
82.11	"30	8	Deur subpos 8211.93.30 deur die volgende te vervang: --- Ander voubare messe met meer as een lem met 'n snykant van minstens 25 mm, maar hoogstens 100 mm, nie met edelmetaal geplateer nie	e	vry	vry	vry"

Cj/82.11



*Looking for back copies and out of print issues of
the Government Gazette and Provincial Gazettes?*

The National Library of SA has them!

Let us make your day with the information you need ...

National Library of SA, Pretoria Division

PO Box 397

0001 PRETORIA

Tel.: (012) 321-8931, Fax: (012) 325-5984

E-mail: infodesk@nlsa.ac.za



*Soek u ou kopieë en uit druk uitgawes van die
Staatskoerant en Provinsiale Koerante?*

Die Nasionale Biblioteek van SA het hulle!

Met ons hoef u nie te sukkel om inligting te bekom nie ...



Nasionale Biblioteek van SA, Pretoria Divisie

Posbus 397





0001 PRETORIA

Tel.: (012) 321-8931, Faks: (012) 325-5984

E-pos: infodesk@nlsa.ac.za

SA WEATHER BUREAU SA WEERBURO

**W
E
A
T
H
E
R
·
S
E
R
V
I
C
E
S
·
W
E
E
R
D
I
E
N
S
T
E**



DEPT. OF ENVIRONMENTAL AFFAIRS AND TOURISM · DEPT. VAN OMGEWINGSAKE EN TOERISME

Printed by and obtainable from the Government Printer, Bosman Street, Private Bag X85, Pretoria, 0001

Publications: Tel: (012) 334-4508, 334-4509, 334-4510

Advertisements: Tel: (012) 334-4673, 334-4674, 334-4504

Subscriptions: Tel: (012) 334-4735, 334-4736, 334-4737

Cape Town Branch: Tel: (021) 465-7531

Gedruk deur en verkrygbaar by die Staatsdrukker, Bosmanstraat, Privaatsak X85, Pretoria, 0001

Publikasies: Tel: (012) 334-4508, 334-4509, 334-4510

Advertensies: Tel: (012) 334-4673, 334-4674, 334-4504

Subskripsies: Tel: (012) 334-4735, 334-4736, 334-4737

Kaapstad-tak: Tel: (021) 465-7531