REPUBLIC OF SOUTH AFRICA REPUBLIER N SIDE KA

Regulation Gazette

No. 8377

Regulasiekoerant

Vol. 486

Pretoria, 30 December 2005

No. 28356

	CONTENTS		CONTENTS							
No.		Page No.	Gazette No.	No.		Page No.	Gazette No.			
	GOVERNMENT NOTICES				COEMEDMENTOVENINGO CHAING	•				
Health, [Department of				GOEWERMENTSKENNISGEWING	35				
Government Notice					Gesondheld, Departement van					
•	Health Professions Act (56/1974):			Goeweri	mentskennisgewing					
11. 1201	Regulations: Qualifications for registration of environmental health assistants	3	3 28356	R. 1251	Wet op Gesondheidsberoepe (56/1974) Regulasies: Kwalifikasies vir registrasie van omgewingsgesondheidsassistente	•	5 28 3 56			
Public Service and Administration, Department of				Handel en Nywerheid, Departement van						
Governm	nent Notices				• •					
R. 1249	Public Service Act (103/1994): Amendment: Public Service Regulations, 2001	7	z 28356	R. 1260	mentskennisgewing Standards Act (29/1993): Proposed introduction of a compulsory specification for non-pressure paraffin stoves and					
R. 1250	Notice in terms of Public Service Regulations, 2001: Replacement of Zi Form	_			heaters		27168			
		ε	28356	Staatsdi	1					
Trade and Industry, Department of				Goewermentskennisgewings						
Government Notice			R. 1249	:						
R. 1260	tandards Act (29/1993): Proposed				Amendment: Public Service Regulations 2001		28356			
	introduction of a compulsory specification for non-presure paraffin stoves and			R . 1250		•	23300			
	heaters	10	28356		Form	. 8	28356			

CORRECTION NOTICE

Government Gazette No. R. 1223 published in *Government Gazette* No. 28329 (*Regulation Gazette* No. 8368) of 23 December 2005, is hereby corrected as follows:

In the English text:

Substitute the expression "Hopefield and Moorreesburg", for the expression "Hopefield, Moorreesburg", where it appear in Column 2, Paragraph 5.

In the Afrikaans text:

Substitute the expressions "uitsonderd" and "Hopefield en Moorreesburg, Van Rhynsdorp, Vredendal and" with the expression "uitgesonderd" and "Hopefield, Moorreesburg, Van Rhynsdorp, Vredendal en" where it appears in Column 2, Paragraph 5 as well as "uitsonderd" for the expression "uitgesonderd" where it appears in Column 3 Paragraph 5.

GOVERNMENT NOTICES GOEWERMENTSKENNISGEWINGS

DEPARTMENT OF HEALTH DEPARTEMENT VAN GESONDHEID

No. R. 1251

30 December 2005

HEALTH PROFESSIONS ACT, 1974 (ACT NO. 56 OF 1974)

REGULATIONS RELATING TO THE QUALIFICATIONS FOR REGISTRATION OF ENVIRONMENTAL HEALTH ASSISTANTS

The Minister of Health has, in consultation with the Health Professions Council of South Africa, in terms of section 61(1), read with section 24 of the Health Professions Act, 1974 (Act No. 56 of 1974), made the regulations in the Schedule.

SCHEDULE

Definitions

1. In these regulations word or expression to which a meaning has been assigned in the Act shall bear such meaning, and unless the context otherwise indicates —

"board" means the Professional Board for Environmental Health Practitioners established in terms of section 15(1) of the Act;

"environmental health assistant" means a person registered as such in terms of the Act; and

"the Act" means the Health Professions Act, 1974 (Act No. 56 of 1974).

Registration as environmental health assistant

2. (1) The board may approve an application by any person for registration as an environmental health assistant on the basis of previous experience and training, length of environmental health service

GOVERNMENT GAZETTE, 30 DECEMBER 2005

4 No. 28356

and recognition of prior learning obtained in an environmental health facility or any other institution

recognised by the board.

(2) If the application referred to in subregulation (1) is approved by the board, such applicant may be

required to undergo an examination in environmental health conducted by the board in terms of

section 15B of the Act.

(3) The registrar may register a person as an environmental health assistant if such person's

application for registration has been approved by the board, or in the case of an applicant referred to in

subregulation (2), if such applicant has passed the examination referred to in that subregulation.

MOhalbalald ME TSHABALALA-MSIMANG

MINISTER OF HEALTH

No. R. 1251

30 Desember 2005

WET OP GESONDHEIDSBEROEPE, 1974 (WET NO. 56 VAN 1974)

REGULASIES BETREFFENDE DIE KWALIFIKASIES VIR REGISTRASIE VAN OMGEWINGSGESONDHEIDSASSISTENTE

Die Minister van Gesondheid het, in oorleg met die Raad vir Gesondheidsberoepe van Suid-Afrika, kragtens artikel 61(1), gelees met artikel 24 van die Wet op Gesondheidsberoepe, 1974 (Wet No. 56 van 1974), die regulasies in die Bylae uitgevaardig.

BYLAE

Woordomskrywing

1. In hierdie regulasies het 'n woord of uitdrukking waaraan 'n betekenis in die Wet geheg is, daardie betekenis, en tensy uit die samehang anders blyk, beteken

"beroepsraad" die Beroepsraad vir Omgewingsgesondheidspraktisyns ingestel ingevolge artikel 15(1) van die Wet;

"die Wet" die Wet op Gesondheidsberoepe, 1974 (Wet No. 56 van 1974); en

"omgewingsgesondheidsassistent" 'n persoon as sodanig geregistreer ingevolge die "Wet.

GOVERNMENT GAZETTE, 30 DECEMBER 2005

6 No. 28356

Registrasie as omgewingsgesondheidsassistent

2. (1) Die beroepsraad kan 'n aansoek deur iemand om registrasie as

omgewingsgesondheidsassistent goedkeur op grond van vorige ondervinding en

opleiding, lengte van omgewingsgesondheidsdiens en erkende vorige kennis verwerf

aan 'n omgewingsgesondheidsfasiliteit of enige ander inrigting deur die beroepsraad

erken.

(2) Indien die aansoek bedoel in subregulasie (1) deur die beroepsraad goedgekeur

word, kan van sodanige aansoeker vereis word om 'n eksamen af te lê in

omgewingsgesondheid soos afgeneem deur die beroepsraad ingevolge artikel 15B van

die Wet.

(3) Die registrateur kan iemand as 'n omgewingsgesondheidsassistent registreer

indien sodanige persoon se aansoek om registrasie deur die beroepsraad goedgekeur

is, of in die geval van 'n aansoeker bedoel in subregulasie (2), indien sodanige

aansoeker die eksamen in daardie subregulasie bedoel, geslaag het.

ME TSHABALALA-MSIMANG

MINISTER VAN GESONDHEID

DEPARTMENT OF PUBLIC SERVICE AND ADMINISTRATION DEPARTEMENT VAN STAATSDIENS EN ADMINISTRASIE

No. R. 1249

30 December 2005

AMENDMENT OF PUBLIC SERVICE REGULATIONS, 2001

The Minister for the Public Service and Administration has, under section 41 of the Public Service Act, 1994 (promulgated under Proclamation No. 103 of 1994), amended Annexure 1 to the Public Service Regulations, 2001 (promulgated under Government Notice R. 1 of 5 January 2001), as amended-

- (a) by the substitution for paragraph 5(b) of the following paragraph:
 - "(b) until a date directed by the Minister. Such directive may be issued from time to time in respect of-
 - (i) any one or more of those forms;
 - (ii) any one or more departments; and
 - (iii) any one or more use of any such form."; and
- (b) by the substitution for paragraph 6 of the following paragraph:
 - *6. Any form contemplated in paragraph 5 may be amended or replaced by the Minister by notice in the Gazette. Such notice may stipulate that the date from which the amended or new form takes effect for a department shall be on the date directed by the Minister.".

No. R. 1250 30 December 2005

NOTICE IN TERMS OF PUBLIC SERVICE REGULATIONS, 2001: REPLACEMENT OF Z1 FORM

I, Geraldine Joslyn Fraser-Moleketi, the Minister for the Public Service and Administration hereby, in terms of paragraph 6 of Annexure 1 to the Public Service Regulations, 2001 (promulgated under Government Notice R. 1 of 5 January 2001), as amended, replace the official form Z1 with the form in the Schedule in respect of a department with effect from the date stipulated by the said Minister in a directive to the executive authority of that department.

G Litrocar Malakati

Minister for the Public Service and Administration

SCHEDULE

[FORM]

Zl(a)

		APPLIC	ATION F	OR LEA	VE OF ABSENCE							
Surname				Initials:								
PERSAL Number:					Shift Worker	Yes	No					
Address During The Leave Period:			Casual Employee	Yes	No							
						t						
						,						
					Component							
Tel. No.:	Tel. No.:											
Type Of Leave Taken As Working Annual Leave	Days		Star	t Date	End Date	Of Working Da	ys .					
Normal Sick Leave			+		,							
Temporary Incapacity Leave				This application form must not be used to apply for temporary incapacity								
					leave. Temporary Incapacity leave must be applied for on the application							
				form prescribed in terms of the Management Policy and Procedure on Incapacity Leave and Ill-health Retirement for Public Service Employees.								
						Please contact your Personnel Office for further information.						
Leave for Occupational Injuries and												
Adoption Leave ²	city Ty	pe of Illness		-	Т							
Family Responsibility Leave (Provi	de Evid	ence)	+		 							
Special Leave												
Specify T	ype of s	pecial leave										
Leave For Union Office Bearers (Pr Type Of Leave Taken As Calendar			S4	t Date	End Date	Nu-h	Of Calendar Da					
Unpaid Leave (Provide motivation)	Days/M	OUTES	Star	t Date	End Date	Number	Of Calcudar Di	ys				
Maternity Leave (Attach medical ce	rtificat	e)	 	-	1	No. of Calend	ar Months					
EMPLOYEE SIGNATURE Recommended			By Super		DATE nager (Mark with X)	Resched	uled					
REMARKS (If not recommended placement of the second of the				wes in the	case of rescrieduing):	DAT	E					
	A	pproval By	Head of I	epartme	nt (Mark With X)							
Approved With Full Pay		App	roved Wh	hout Pay		Not Appr	oved	T."				
REMARKS (If approved with a chair		ondition of p	oayment o		oved, please provide mo			-				
DIGITAL UKE OF HOD OR DESIG			DATAC	APTURU								
CAPTURED BY:		CA										
CHECKED BY:	•••••	СЕ	IECKED	ON:	***************************************							

¹ Applications in respect of sick leave of three or more days must be accompanied by a medical certificate issued by a registered medical

practitioner.

Applications for adoption leaves must be accompanied by a declaration on how the entitlement will be used in the case where both spouses are in the employ of the Public Service.

DEPARTMENT OF TRADE AND INDUSTRY DEPARTEMENT VAN HANDEL EN NYWERHEID

No. R. 1260

30 December 2005

STANDARDS ACT, 1993

PROPOSED INTRODUCTION OF A COMPULSORY SPECIFICATION FOR NON-PRESSURE PARAFFIN STOVES AND HEATERS

It is hereby made known under section 22(3) of the Standards Act, (Act No.29 of 1993), that the Minister of Trade and Industry, on the recommendation of the Council of the South African Bureau of Standards, intends to introduce a compulsory specification for Non-pressure Paraffin Stoves and Heaters, as set out in the attached Schedule.

Any person who wishes to object to the intention of the Minister to thus introduce the compulsory specification concerned shall lodge their objection in writing with the President, South African Bureau of Standards, Private Bag X191, Pretoria, 0001, on or before the date two (2) months after publication of this notice.

M Mpahlwa

Minister of Trade and Industry

SCHEDULE

PROPOSED COMPULSORY SPECIFICATION FOR NON-PRESSURE PARAFFIN STOVES AND HEATERS

···· 1 Scope

This specification covers the performance, safety and homologation requirements for non-pressure paraffin fuelled cooking stoves and heaters intended primarily for domestic use.

2 Definitions

For the purpose of this compulsory specification, the following definitions apply:

Homologation:

A certification process conducted by the regulatory authority that verifies that each type of non-pressure stove or heater intended to be sold in the RSA, complies with the relevant requirements of this specification.

Non-pressure stove or heater

A stove or heater of which the pressure of the paraffin that reaches the burner is less than 2 kPa/g

3 Requirements

3.1 Non-pressure paraffin stoves and heaters shall comply with the requirements of SANS 1906:2005 Edition 2 *Non-pressure paraffin stoves and heaters*, with the following amendments.

For the purpose of this compulsory specification the following clauses of the standard SANS 1906:2005 Edition 2 shall read as follows:

Clause 4.1.8

The appliance shall be so constructed in such a way that no part essential to its operation or integrity shall deteriorate or otherwise be weakened so as to compromise its performance as defined in the standard, except that the maximum output of the appliance after completion of the 500 h test of the burner may (see 4.1.5)

Clause 4.1.9

When tested in accordance with 6.6;

- a) the difference between the first and the last mass shall not exceed 0,5 g; and
- b) there shall be no leakage of fuel in the event the stove being knocked over.

Clause 4.1.11

When tested in accordance with 6.8, the appliance shall not topple over.

Clause 4.1.12

The appliance shall extinguish itself within 30 s, if it is knocked over.

Clause 4.1.13.2

Once extinguished (see 4.1.13.1), the appliance shall not emit visible smoke for more than 1 min when tested in accordance with 6.9.

Clause 6.6

- 6.6.1 Fill the container with paraffin;
- 6.6.2 Remove any spillage and then weigh the appliance to the nearest 0.1g.
- 6.6.3 Shake the appliance vigorously for 30 s, remove any spillage and then weigh it once again to the nearest 0,1 g.
- 6.6.4 Check for compliance with 4.1.9a
- 6.6.5 Knock the appliance over and leave it for 30 s.
- 6.6.6 Check for compliance with 4.1.9b.

Clause 6.9

Add the following sub-clause:

6.9.2.6 Check for compliance with 4.1.13.2

3.2 Homologation

Each type of non-pressure paraffin stove or heater shall be certified by the regulatory authority as complying to the requirements of this compulsory specification in accordance with the homologation process as defined in Annexure A, prior to it being offered for sale.

ANNEXURE A

Homologation of Paraffin Stoves

1 **Definitions**

- applicant: The manufacturer or importer of a non-pressure paraffin stove or heater 1.1 type. The manufacturer or importer shall be established within the Republic of South Africa.
- 1.2 appliance type: Category of paraffin stove or heater that does not differ in such essential respects as:
- 1.2.1 the trade name or mark, or
- 1,2.2 the design, materials, dimensions, manufacturing processes or methods of assembly.
- 1.3 homologation test: means a test to determine the extent to which a non-pressure paraffin stove or heater submitted for homologation is capable of satisfying the requirements.

2 Application for homologation

- 2.1 An application for homologation of a non-pressure paraffin stove or heater type (herein after referred to as appliance type) shall be submitted by the applicant to the regulatory authority for each type of product. This application shall include the following:
- 2.1.1 Drawings to scale, in sufficient detail to permit identification of all component parts and materials thereof, including the assembly of the appliance. The drawings shall show the marking of the appliance type as required by the Specification;
- Authentic test reports to the satisfaction of the regulatory authority to prove 2.1.2 compliance with all the relevant regulrements of the Specification;
- 2.1.3 One specimen of the appliance type for the verification of compliance with the requirements of the Specification. The specimen shall include all the accessories that are supplied with the appliance type, within the packaging, as it is placed on the market, whether or not those accessories have actually been fitted to the appliance;
- 2.1.4 Additional specimens shall be supplied at the request of the regulatory authority;
- 2.1.5 Details of the marking of the packaging for the non-pressure paraffin stove or heater type in accordance with paragraph 3.2.
- Information for users that shall accompany the appliance type when placed on the 2.1.6 market as required by the Specification.
- 2.1.7 Provide additional information as requested by the regulatory authority.
- The regulatory authority shall verify the existence of satisfactory arrangements in 2.2 order to ensure effective control of the conformity of production in accordance with the provisions of paragraph 4 before homologation is granted.

3 Homologation

- 3.1 Once all the requirements have been met to the satisfaction of the regulatory authority, the regulatory authority shall grant homologation.
- 3.2 The regulatory authority shall assign a unique homologation number to each type homologated.
- 3.3 The regulatory authority shall confirm to the applicant that homologation has been granted by means of a certificate bearing the homologation number as referred to in paragraph 3.2.
- The holder of the homologation shall ensure that the homologation number as referred to in paragraph 3.2 is marked on every appliance conforming to a type homologated under the Specification or on its packaging, so as to be visible at the point of sale.

4 Conformity of production and routine tests

4.1 Ongoing proof of compliance shall be made available to the regulatory authority to ensure conformity to the requirements of the Specification.

5 Modification and extension of homologation of an appliance type

- 5.1 Every modification of the appliance type for which homologation has been granted, shall be formally notified accordingly to the regulatory authority prior to implementation.
- 5.2 If further evidence of compliance is required as a result of such modifications, this may be required from the applicant.

6 Withdrawal of homologation

6.1 The homologation granted in respect of an appliance type pursuant to the Specification may be withdrawn if the requirements in the Specification have not been maintained.