

Gazette men over 2 R 0 T. P С 9

31

Regulation Gazette


No. 10703

Regulasiekoerant

Vol. 621

March Maart 2017

No. 40734





AIDS HELPLINE: 0800-0123-22 Prevention is the cure

IMPORTANT NOTICE:


THE GOVERNMENT PRINTING WORKS WILL NOT BE HELD RESPONSIBLE FOR ANY ERRORS THAT MIGHT OCCUR DUE TO THE SUBMISSION OF INCOMPLETE / INCORRECT / ILLEGIBLE COPY.

NO FUTURE QUERIES WILL BE HANDLED IN CONNECTION WITH THE ABOVE.

Contents

N / -		Gazette	Page
No.		No.	No.
	GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS		
Labour, De	partment of/ Arbeid, Departement van		
R. 286	Labour Relations Act, 1995: Variation of Scope of the National Bargaining Council for The Hairdressing, Cosmeto ogy, Beauty and Skincare Industry	l- 40734	11
R. 287	Labour Relations Act, 1995: Variation of Registered Scope of the Building Industry Bargaining Council	40734	14
R. 288	Occupational Health and Safety Act (85/1993): Guidelines for Driven Machinery Regulations, 2015	40734	20
South Afric	an Revenue Service/ Suid-Afrikaanse Inkomstediens		
R. 289	Customs and Excise Act, 1964: Amendment of Schedule No. 1 (No. 1/1/1567)	40734	49
R. 289	Doeane- en Aksynswet, 1964: Wysiging van Bylae No. 1 (No. 1/1/1567)	40734	50
R. 290	Customs and Excise Act, 1964: Amendment of Schedule No. 1 (No. 1/1/1569)	40734	51
R. 290	Doeane- en Aksynswet, 1964: Wysiging van Bylae No. 1 (No. 1/1/1569)	40734	53
R. 291	Customs and Excise Act, 1964: Amendment of Schedule No. 1 (No. 1/1/1571)	40734	55
R. 291	Doeane- en Aksynswet, 1964: Wysiging van Bylae No. 1 (No. 1/1/1571)	40734	56
R. 292	Customs and Excise Act, 1964: Amendment of Schedule No. 6 (No. 6/3/45)	40734	57
R. 292	Doeane- en Aksynswet, 1964: Wysiging van Bylae No. 6 (No. 6/3/45)	40734	58
R. 293	Customs and Excise Act, 1964: Amendment of Schedule No. 1 (No. 1/5A/162)	40734	59
R. 293	Doeane- en Aksynswet, 1964: Wysiging van Bylae No. 1 (No. 1/5A/162)	40734	60
R. 294	Customs and Excise Act, 1964: Amendment of Schedule No. 1 (No. 1/5B/163)	40734	61
R. 294	Doeane- en Aksynswet, 1964: Wysiging van Bylae No. 1 (No. 1/5B/163)	40734	62
R. 295	Customs and Excise Act, 1964: Amendment of Schedule No. 1 (No. 1/1/1570)	40734	63
R. 295	Doeane- en Aksynswet, 1964: Wysiging van Bylae No. 1 (No. 1/1/1570)	40734	64

No. 40734 3



LIST OF TARIFF RATES FOR PUBLICATION OF NOTICES COMMENCEMENT: 1 APRIL 2016

NATIONAL AND PROVINCIAL

Notice sizes for National, Provincial & Tender gazettes 1/4, 2/4, 3/4, 4/4 per page. Notices submitted will be charged at R1000 per full page, pro-rated based on the above categories.

Pricing for National, Provincial - Variable Priced Notices						
Notice Type	Page Space	New Price (R)				
Ordinary National, Provincial	1/4 - Quarter Page	250.00				
Ordinary National, Provincial	2/4 - Half Page	500.00				
Ordinary National, Provincial	3/4 - Three Quarter Page	750.00				
Ordinary National, Provincial	4/4 - Full Page	1000.00				

EXTRA-ORDINARY

All Extra-ordinary National and Provincial gazette notices are non-standard notices and attract a variable price based on the number of pages submitted.

The pricing structure for National and Provincial notices which are submitted as **Extra ordinary submissions** will be charged at **R3000** per page.

The **Government Printing Works** (**GPW**) has established rules for submitting notices in line with its electronic notice processing system, which requires the use of electronic *Adobe* Forms. Please ensure that you adhere to these guidelines when completing and submitting your notice submission.

CLOSING TIMES FOR ACCEPTANCE OF NOTICES

- 1. The *Government Gazette* and *Government Tender Bulletin* are weekly publications that are published on Fridays and the closing time for the acceptance of notices is strictly applied according to the scheduled time for each gazette.
- 2. Please refer to the Submission Notice Deadline schedule in the table below. This schedule is also published online on the Government Printing works website <u>www.gpwonline.co.za</u>

All re-submissions will be subject to the standard cut-off times. **All notices received after the closing time will be rejected**.

Government Gazette Type	Publication Frequency	Publication Date	Submission Deadline	Cancellations Deadline
National Gazette	Weekly	Friday	Friday 15h00 for next Friday	Tuesday, 12h00 - 3 days prior to publication
Regulation Gazette	Weekly	Friday	Friday 15h00, to be published the following Friday	Tuesday, 12h00 - 3 days prior to publication
Petrol Price Gazette	As required	First Wednesday of the month	One week before publication	3 days prior to publication
Road Carrier Permits	Weekly	Friday	Thursday 15h00, to be published the following Friday	3 days prior to publication
Unclaimed Monies (justice, labour or lawyers)	January / As required 2 per year	Any	15 January / As required	3 days prior to publication
Parliament (acts, white paper, green paper)	As required	Any		3 days prior to publication
Manuals	As required	Any	None	None
State of Budget (National Treasury)	Monthly	Any	7 days prior to publication	3 days prior to publication
Legal Gazettes A, B and C	Weekly	Friday	One week before publication	Tuesday, 12h00 - 3 days prior to publication
Tender Bulletin	Weekly	Friday	Friday 15h00 for next Friday	Tuesday, 12h00 - 3 days prior to publication
Gauteng	Weekly	Wednesday	Two weeks before publication	3 days after submission deadline
Eastern Cape	Weekly	Monday	One week before publication	3 days prior to publication
Northern Cape	Weekly	Monday	One week before publication	3 days prior to publication
North West	Weekly	Tuesday	One week before publication	3 days prior to publication
KwaZulu-Natal	Weekly	Thursday	One week before publication	3 days prior to publication
Limpopo	Weekly	Friday	One week before publication	3 days prior to publication
Mpumalanga	Weekly	Friday	One week before publication	3 days prior to publication
Gauteng Liquor License Gazette	Monthly	Wednesday before the First Friday of the month	Two weeks before publication	3 days after submission deadline
Northern Cape Liquor License Gazette	Monthly	First Friday of the month	Two weeks before publication	3 days after submission deadline
National Liquor License Gazette	Monthly	First Friday of the month	Two weeks before publication	3 days after submission deadline
Mpumalanga Liquor License Gazette	2 per month	Second & Fourth Friday	One week before	3 days prior to publication

EXTRAORDINARY GAZETTES

3. *Extraordinary Gazettes* can have only one publication date. If multiple publications of an *Extraordinary Gazette* are required, a separate Z95/Z95Prov *Adobe* Forms for each publication date must be submitted.

NOTICE SUBMISSION PROCESS

- 4. Download the latest *Adobe* form, for the relevant notice to be placed, from the **Government Printing Works** website <u>www.gpwonline.co.za</u>.
- 5. The *Adobe* form needs to be completed electronically using *Adobe Acrobat / Acrobat Reader*. Only electronically completed *Adobe* forms will be accepted. No printed, handwritten and/or scanned *Adobe* forms will be accepted.
- 6. The completed electronic *Adobe* form has to be submitted via email to <u>submit.egazette@gpw.gov.za</u>. The form needs to be submitted in its original electronic *Adobe* format to enable the system to extract the completed information from the form for placement in the publication.
- 7. Every notice submitted **must** be accompanied by an official **GPW** quotation. This must be obtained from the *eGazette* Contact Centre.
- 8. Each notice submission should be sent as a single email. The email **must** contain **all documentation relating to a particular notice submission**.
 - 8.1. Each of the following documents must be attached to the email as a separate attachment:
 - 8.1.1. An electronically completed *Adobe* form, specific to the type of notice that is to be placed.
 - 8.1.1.1. For National *Government Gazette* or *Provincial Gazette* notices, the notices must be accompanied by an electronic Z95 or Z95Prov *Adobe* form
 - 8.1.1.2. The notice content (body copy) **MUST** be a separate attachment.
 - 8.1.2. A copy of the official **Government Printing Works** quotation you received for your notice . (*Please see Quotation section below for further details*)
 - 8.1.3. A valid and legible Proof of Payment / Purchase Order: **Government Printing Works** account customer must include a copy of their Purchase Order. **Non-Government Printing Works** account customer needs to submit the proof of payment for the notice
 - 8.1.4. Where separate notice content is applicable (Z95, Z95 Prov and TForm 3, it should **also** be attached as a separate attachment. (*Please see the Copy Section below, for the specifications*).
 - 8.1.5. Any additional notice information if applicable.
- 9. The electronic *Adobe* form will be taken as the primary source for the notice information to be published. Instructions that are on the email body or covering letter that contradicts the notice form content will not be considered. The information submitted on the electronic *Adobe* form will be published as-is.
- 10. To avoid duplicated publication of the same notice and double billing, Please submit your notice ONLY ONCE.
- 11. Notices brought to **GPW** by "walk-in" customers on electronic media can only be submitted in *Adobe* electronic form format. All "walk-in" customers with notices that are not on electronic *Adobe* forms will be routed to the Contact Centre where they will be assisted to complete the forms in the required format.
- 12. Should a customer submit a bulk submission of hard copy notices delivered by a messenger on behalf of any organisation e.g. newspaper publisher, the messenger will be referred back to the sender as the submission does not adhere to the submission rules.

QUOTATIONS

- 13. Quotations are valid until the next tariff change.
 - 13.1. Take note: GPW's annual tariff increase takes place on 1 April therefore any quotations issued, accepted and submitted for publication up to 31 March will keep the old tariff. For notices to be published from 1 April, a quotation must be obtained from GPW with the new tariffs. Where a tariff increase is implemented during the year, GPW endeavours to provide customers with 30 days' notice of such changes.
- 14. Each quotation has a unique number.
- 15. Form Content notices must be emailed to the *eGazette* Contact Centre for a quotation.
 - 15.1. The *Adobe* form supplied is uploaded by the Contact Centre Agent and the system automatically calculates the cost of your notice based on the layout/format of the content supplied.
 - 15.2. It is critical that these *Adobe* Forms are completed correctly and adhere to the guidelines as stipulated by **GPW**.

16. APPLICABLE ONLY TO GPW ACCOUNT HOLDERS:

- 16.1. GPW Account Customers must provide a valid GPW account number to obtain a quotation.
- 16.2. Accounts for **GPW** account customers **must** be active with sufficient credit to transact with **GPW** to submit notices.
 - 16.2.1. If you are unsure about or need to resolve the status of your account, please contact the GPW Finance Department prior to submitting your notices. (If the account status is not resolved prior to submission of your notice, the notice will be failed during the process).

17. APPLICABLE ONLY TO CASH CUSTOMERS:

- 17.1. Cash customers doing **bulk payments** must use a **single email address** in order to use the **same proof of payment** for submitting multiple notices.
- 18. The responsibility lies with you, the customer, to ensure that the payment made for your notice(s) to be published is sufficient to cover the cost of the notice(s).
- 19. Each quotation will be associated with one proof of payment / purchase order / cash receipt.

19.1. This means that the quotation number can only be used once to make a payment.

COPY (SEPARATE NOTICE CONTENT DOCUMENT)

- 20. Where the copy is part of a separate attachment document for Z95, Z95Prov and TForm03
 - 20.1. Copy of notices must be supplied in a separate document and may not constitute part of any covering letter, purchase order, proof of payment or other attached documents.

The content document should contain only one notice. (You may include the different translations of the same notice in the same document).

20.2. The notice should be set on an A4 page, with margins and fonts set as follows:

Page size = A4 Portrait with page margins: Top = 40mm, LH/RH = 16mm, Bottom = 40mm; Use font size: Arial or Helvetica 10pt with 11pt line spacing;

Page size = A4 Landscape with page margins: Top = 16mm, LH/RH = 40mm, Bottom = 16mm; Use font size: Arial or Helvetica 10pt with 11pt line spacing;

CANCELLATIONS

- 21. Cancellation of notice submissions are accepted by GPW according to the deadlines stated in the table above in point 2. Non-compliance to these deadlines will result in your request being failed. Please pay special attention to the different deadlines for each gazette. Please note that any notices cancelled after the cancellation deadline will be published and charged at full cost.
- 22. Requests for cancellation must be sent by the original sender of the notice and must accompanied by the relevant notice reference number (N-) in the email body.

AMENDMENTS TO NOTICES

23. With effect from 01 October 2015, **GPW** will not longer accept amendments to notices. The cancellation process will need to be followed according to the deadline and a new notice submitted thereafter for the next available publication date.

REJECTIONS

- 24. All notices not meeting the submission rules will be rejected to the customer to be corrected and resubmitted. Assistance will be available through the Contact Centre should help be required when completing the forms. (012-748 6200 or email info.egazette@gpw.gov.za). Reasons for rejections include the following:
 - 24.1. Incorrectly completed forms and notices submitted in the wrong format, will be rejected.
 - 24.2. Any notice submissions not on the correct Adobe electronic form, will be rejected.
 - 24.3. Any notice submissions not accompanied by the proof of payment / purchase order will be rejected and the notice will not be processed.
 - 24.4. Any submissions or re-submissions that miss the submission cut-off times will be rejected to the customer. The Notice needs to be re-submitted with a new publication date.

APPROVAL OF NOTICES

- 25. Any notices other than legal notices are subject to the approval of the Government Printer, who may refuse acceptance or further publication of any notice.
- 26. No amendments will be accepted in respect to separate notice content that was sent with a Z95 or Z95Prov notice submissions. The copy of notice in layout format (previously known as proof-out) is only provided where requested, for Advertiser to see the notice in final Gazette layout. Should they find that the information submitted was incorrect, they should request for a notice cancellation and resubmit the corrected notice, subject to standard submission deadlines. The cancellation is also subject to the stages in the publishing process, i.e. If cancellation is received when production (printing process) has commenced, then the notice cannot be cancelled.

GOVERNMENT PRINTER INDEMNIFIED AGAINST LIABILITY

- 27. The Government Printer will assume no liability in respect of-
 - 27.1. any delay in the publication of a notice or publication of such notice on any date other than that stipulated by the advertiser;
 - 27.2. erroneous classification of a notice, or the placement of such notice in any section or under any heading other than the section or heading stipulated by the advertiser;
 - 27.3. any editing, revision, omission, typographical errors or errors resulting from faint or indistinct copy.

LIABILITY OF ADVERTISER

28. Advertisers will be held liable for any compensation and costs arising from any action which may be instituted against the Government Printer in consequence of the publication of any notice.

CUSTOMER INQUIRIES

Many of our customers request immediate feedback/confirmation of notice placement in the gazette from our Contact Centre once they have submitted their notice – While **GPW** deems it one of their highest priorities and responsibilities to provide customers with this requested feedback and the best service at all times, we are only able to do so once we have started processing your notice submission.

GPW has a 2-working day turnaround time for processing notices received according to the business rules and deadline submissions.

Please keep this in mind when making inquiries about your notice submission at the Contact Centre.

- 29. Requests for information, quotations and inquiries must be sent to the Contact Centre ONLY.
- 30. Requests for Quotations (RFQs) should be received by the Contact Centre at least **2 working days** before the submission deadline for that specific publication.

PAYMENT OF COST

- 31. The Request for Quotation for placement of the notice should be sent to the Gazette Contact Centre as indicated above, prior to submission of notice for advertising.
- 32. Payment should then be made, or Purchase Order prepared based on the received quotation, prior to the submission of the notice for advertising as these documents i.e. proof of payment or Purchase order will be required as part of the notice submission, as indicated earlier.
- 33. Every proof of payment must have a valid **GPW** quotation number as a reference on the proof of payment document.
- 34. Where there is any doubt about the cost of publication of a notice, and in the case of copy, an enquiry, accompanied by the relevant copy, should be addressed to the Gazette Contact Centre, **Government Printing Works**, Private Bag X85, Pretoria, 0001 email: <u>info.egazette@gpw.gov.za</u> before publication.
- 35. Overpayment resulting from miscalculation on the part of the advertiser of the cost of publication of a notice will not be refunded, unless the advertiser furnishes adequate reasons why such miscalculation occurred. In the event of underpayments, the difference will be recovered from the advertiser, and future notice(s) will not be published until such time as the full cost of such publication has been duly paid in cash or electronic funds transfer into the **Government Printing Works** banking account.
- 36. In the event of a notice being cancelled, a refund will be made only if no cost regarding the placing of the notice has been incurred by the **Government Printing Works**.
- 37. The **Government Printing Works** reserves the right to levy an additional charge in cases where notices, the cost of which has been calculated in accordance with the List of Fixed Tariff Rates, are subsequently found to be excessively lengthy or to contain overmuch or complicated tabulation.

PROOF OF PUBLICATION

- 38. Copies of any of the *Government Gazette* or *Provincial Gazette* can be downloaded from the **Government Printing Works** website <u>www.gpwonline.co.za</u> free of charge, should a proof of publication be required.
- 39. Printed copies may be ordered from the Publications department at the ruling price. The **Government Printing Works** will assume no liability for any failure to post or for any delay in despatching of such *Government Gazette*(s).

GOVERNMENT PRINTING WORKS CONTACT INFORMATION

Physical Address:				
Government Printing Works				
149 Bosman Street				
Pretoria				

Postal Address: Private Bag X85 Pretoria 0001

For Gazette and Notice submissions: Gazette Submissions: For queries and quotations, contact: Gazette Contact Centre:

Contact person for subscribers: Mrs M. Toka:

GPW Banking Details: Bank: ABSA Bosman Street Account No.: 405 7114 016 Branch Code: 632-005

E-mail: <u>submit.egazette@gpw.gov.za</u> E-mail: <u>info.egazette@gpw.gov.za</u> Tel: 012-748 6200

E-mail: subscriptions@gpw.gov.za Tel: 012-748-6066 / 6060 / 6058 Fax: 012-323-9574

GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS

DEPARTMENT OF LABOUR

31 MARCH 2017

NO. R. 286

LABOUR RELATIONS ACT, 1995

VARIATION OF SCOPE OF THE NATIONAL BARGAINING COUNCIL FOR THE HAIRDRESSING, COSMETOLOGY, BEAUTY AND SKINCARE INDUSTRY

I, Johannes Theodorus Crouse, Registrar of Labour Relations, hereby, in terms of section 58(1) of the Labour Relations Act, 1995, give notice in terms of section 109 that, following an application by the above-mentioned Council, its scope has been varied as contained in the Annexure hereto.

REGISTRA UR RELATIONS

ANNEXURE

For the purpose hereof –

"Hairdressing, Cosmetology, Beauty and Skincare Industry" means the trade in which employers and their employees are associated for the purpose of rendering hairdressing and cosmetology services in any establishment "Barber or Barbering Services" means an employee that renders one or more or all of the following services in an establishment being: Clipper cuts, dry and wet razor shaving, treatment of facial and neck hair including beards and moustaches, hot towel treatments, facial massages, wet and dry cutting of hair, singeing and dry or wet blow drying of hair but specifically excludes any chemical services. The barbering services shall:

- (i) Be performed predominantly on male clients.
- (ii) Constitute at least 95% of all services rendered by an employee to clients.
- (iii) Can only be rendered when the salon provides barbering services to its clients.

"Beauty and Skincare Industry" means the industry in which employers and its employees render "cosmetology services" which include but are not limited to cosmetic camouflage, spa treatments, tattooing and/or painting of the face or any part of the body features; whether by permanent, semi-permanent or temporary means in any establishments where such services are rendered to members of the public.

"Cosmetology services" means any one or more or a combination of the operations generally and usually performed by nail technicians or beauty culturists or cosmeticians or cosmetologists or skincare therapist or somotologist or aestician or hairdresser.

"Establishment" means any place or premises from which hairdressing, cosmetology, beauty and/or skincare services are rendered but excluding canvas or sail gazebos or if such services are rendered in open space, unless chemicals are used in the execution of the hairdressing, cosmetology, beauty and/or skincare services rendered, in which event all such places or premises shall be considered to be an establishment.

"Hairdressing" means any one or more of the following services usually performed by a person in an establishment, and includes. but is limited to –

- (a) any service to the scalp or the hair of the head or face, including the following:
 - (i) shampooing, cleansing, conditioning and treating;
 - (ii) chemical reformation of the hair including permanent waving, relaxing and straightening of the hair;
 - (iii) hair colouring, including tinting, dyeing and colouring by means of permanent, semi-permanent or temporary processes, including the use of colour rinses, shampoos, gels or mousses; and lightening by means of tints, bleaches, highlights or high lifting tints or toners;
 - (iv) hair cutting and shaping;
 - hair styling, designing, shaping, curling, waving, including blow drying, styling, tonging, crimping, straightening and silking;

Whether or not any apparatus, appliance, heat, preparation or substance is used in any of these operations;

- (b) massage or stimulative treatment of the face, scalp or neck;
- (c) adding hair, either natural or artificial, including hair extensions, board work, pastiche, wig making, or performing any of the above operations on any wig or hairpiece to be worn by any person; and
- (d) trichology and trichological treatment, including the treatment of abnormalities and disorders of the hair and scalp.

J.T. CROUSE

REGISTRAR OF LABOUR RELATIONS

DATE: 16 March 2017.

NO. R. 287

DEPARTMENT OF LABOUR

31 MARCH 2017

LABOUR RELATIONS ACT, 1995

VARIATION OF REGISTERED SCOPE OF THE BUILDING INDUSTRY BARGAINING COUNCIL (CAPE OF GOOD HOPE)

I, Johannes Theodorus Crouse, Registrar of Labour Relations, hereby, in terms of section 58(1) read with Section 29 of the Labour Relations Act, 1995, give notice in terms of section 109 that, following an application by the above-mentioned Council, its scope has been varied as contained in the Annexure hereto.

REGISTRA ABOUR RELATIONS

ANNEXURE

The scope of registration of the above-mentioned bargaining council has, in terms of section 58(1) of the Act been varied. With effect from 10.000 and 1.000. The bargaining council is registered in respect of:

- (1) The Building Industry, as defined hereunder excluding all electrical activities undertaken in the Magisterial Districts of Bellville, Goodwood, Kuils River, Malmesbury, Mitchells Plain Paarl, Simonstown, Somerset West, Stellenbosch, Strand, The Cape, Wellington, Wynberg and the Local Municipality of Overstrand; and
- (2) The manufacture and erection of gravestones and cemetery memorials of all types in the Magisterial Districts of Bellville, Goodwood, Kuils River, Malmesbury, Mitchells Plain, Paarl, Simonstown, Somerset West, Stellenbosch, Strand, The Cape, Wellington, Wynberg and the Local Municipality of Overstrand.

"Building Industry", means, subject to the provisions of any demarcation determination made in terms of section 76 of the Labour Relations Act, 1956, and without in any way limiting the ordinary meaning of the expression, the industry in which employers and their employees are associated for the purpose of erecting, completing, renovating, repairing, maintaining or altering buildings or structures and/or making articles for use in the erection, completion or alteration of buildings or structures, whether the work is performed, the material is prepared of the necessary articles are made on the site of the buildings or structures or elsewhere: Provided that such manufacturing activities shall be limited to the specific manufacturing activities that are mentioned in the following trades or subdivisions thereof, and shall further be limited to the carrying out of such activities by an employer who is associated with his employees for the purpose of erecting, completing, renovating, repairing, maintaining or altering buildings or structures for use by him in the conducting of building work, and includes all work executed or carried out by persons therein who are engaged in the following trades or subdivisions thereof, including excavations and the preparation of sites for buildings as well as the demolition of buildings, unless such demolitions were not carried out for the purpose of preparing the sites for building operations, but does not include the wiring of or installation in buildings of lighting, heating or other permanent electrical fixtures and the installation, maintenance or repair of lifts in buildings:

asphalting, which includes covering floors or flat and/or sloping roofs, waterproofing or damp proofing basements or foundations, whether or not with prepared roll roofing or asphalt sheeting having glazed or unglazed surfaces, whether or not using tar, macadam, neuchatel, limmer or any other type of solid or semi-solid asphalt, mastic or emulsified asphalt or bitumen's, applied either hot or cold to such roofs, floors, basements or foundations;

bricklaying, which includes concreting and fixing glass bricks, concrete blocks, slabs or plates, tiling walls and floors, jointing brickwork, pointing, paving, mosaic work, facing work in slate, in marble and in composition, drain laying, slating, roof tiling, cement-caulking, earthenware pipes, bituminous work, asphalting and sheeting, and the erecting prefabricated concrete structures of garden walls and/or boundary walls with posts or slabs;

concrete work, which includes the supervision of concrete being places in situ and levelling the surfaces thereof;

french polishing; which includes polishing with a brush or pad, and spraying within any composition;

floor laying and wall covering, which includes laying and fixing of floors of wood, mosaic, composition, rubber or any other material; sandpapering of same, and the fixing of all types of flooring or wall coverings in tile or sheets, including resilient flooring, linoleum, inlaid linoleum, althoid, asphalt tiles or asphalt based materials, cork, rubber, carpeting, vinyl and plastic compositions; supervision of artisan's assistants engaged on floor laying and floor and wall covering.

glazing, which includes the cutting and/or fixing of all kinds of glass or other like products into the rebates formed in wooden, or metal doors, windows, frames or like fixtures, and all operations incidental thereto;

joinery, which includes the fixing of all wooden fittings and manufacture of all articles of joinery incidental to such fittings, whether or not the fixing in the building or structure is done by the person making or preparing the article used, including cupboards, kitchen dressers or other kitchen fixtures which accrue to the building as a permanent part thereof;

light-making, which includes the manufacture and/or fixing of lead and/or metal lights and display signs other than electrical lights or signs and glazing relating thereto;

mass-manufacturing section, means that sector of the building industry in which activities are carried out in connection with the mass-manufacturing in off-site workshops, using repetitive processes of articles and/or component parts for articles and/or assembly of articles which are manufactured for use in the erection, completion, renovation, repair, maintenance or alteration of building or structures and include all work executed or carried out by persons in such workshops, excluding clerical employees and administrative staff, who are engaged in the mass manufacture and/or assembly of roof trusses, laminated beams, mouldings, skirting boards, panelling, ceiling boards, hollow core floor panels, cantilevers, lintels, precast staircases, floor blocks, building blocks including those manufactured from alternative materials, windows / doors / window frames and door frames made of wood, aluminium or other material, kitchen cupboards and other kitchen fittings, partitioning, shop, office and bank fittings and other fixtures which are built in and/or affixed to buildings and structures. This section includes the manufacture of wooden components which includes but is not limited to the cutting and edging of chipboard, laminating chipboard with melamine, or any other type of laminate, the manufacture of post from tops which include, but is not limited to the cutting and edging thereof with melamine.

masonry, which includes stone masonry, stone-cutting and building (also the cutting and building of ornamental and monumental stonework), concreting and fixing or building precast or artificial stone or marble, paving, mosaic work, pointing, wall and floor tiling, operating a portable spinner and flexible cutting, finishing and other stone working machine, stone-polishing machinery, and sharpening mason's tools and drawing, designing and setting out of letters and enrichments; cutting and carving of letters by hand and pneumatic hammer; final surfacing and finishing of the material whether or not the fixing in the building or structure is done by the person making or preparing the article used;

metal work, which includes the fixing of steel ceilings, metal windows, metal doors, builder's smith work, metal frames and metal stairs and architectural metal work, together with the manufacture and/or fixing of drawn metal and sheet and extruded metal, whether or not the fixing in the building or structure is done by the person making or preparing the article used;

painting, which includes decorating, paper-hanging, glazing, distempering, lime and colour washing, staining, varnishing, graining, marbling, spraying, signwriting, wall decoration, applying primer and under-coat, enamelling, gilding, lining, stencilling, wax-polishing and woodwork preservation, and which also includes paint removal, scraping, the washing and cleaning of painted or distempered walls and washing and cleaning of woodwork when such removal, scraping, washing and cleaning are preparatory to any of the said processes;

plastering, which includes modelling, model-making, facing casts to moulds, making and fixing plaster board ceilings and fibrous plaster or other compositions, granolithic, terrazzo and composition floor-laying, composition wall covering and polishing, operating of portable spinner and flexible

cutting and finishing machine, pre-cast or artificial stone work, wall and floor tiling, paving and mosaic work, metal lathing, acoustic spraying and all processes incidental to the completion of ceilings and walls whether or not the fixing in the building or structure is done by the person making or preparing the article used;

plumbing, which includes brazing and welding, lead burning, gas fitting, sanitary and domestic engineering, drain-laying, caulking, ventilating, heating, hot and cold water fitting, fire prevention installation and the manufacture and fitting of all sheet metal work, whether or not the fixing in the building or structure is done by the person making or preparing the article used;

shop, office and bank fitting, which includes the manufacture and/or fixing of shop fronts, window enclosures, show-cases, counters, screens and interior fittings and fixtures;

steel reinforcing, which includes the making and erecting shuttering and supervising the bending, placing and fixing in position of steel;

steel construction, which includes the fixing of metal or steel roof sheeting and/or wall cladding, all classes of steel or other metal columns, girders, steel joints or metal in any other form which forms part of a building or structure: Provided that the on-site assembly, placing and fixing in position and erection of the metal or steel framework (excluding metal or steel roof sheeting and/or wall cladding) that is to form part of a building shall be excluded from this definition when such activities are carried out by the employees of an employer who manufactures such metal or steel framework;

structure, which includes walls, boundary, garden and retaining walls and monuments.

woodworking, which includes carpentry and veneer panelling and the polishing and sandpapering of same, woodworking, the manufacture of fixtures to specification for installation in specified building and the manufacture of stocks, machining, turning, carving, fixing, corrugated iron or asbestos tile, shingling and other roof covering, sound and acousting material, cork and asbestos insulation, woodlathing, composition ceiling and wall covering, plugging walls, covering flooring, including wood, linoleum, rubber compositions, asphalt-based floor covering or cork, and the sandpapering of same, operating of portable spinner and flexible cutting, finishing and polishing machine, shuttering and/or preparing forms of moulds for concrete, cork carpeting and any class or kind of linoleum when fixed in any building or structure, and the application or asphaltic saturated felt or fabrics to floors and/or walls and/or roofs, whether or not the fixing in the building or structure is done by the person making or preparing the article used.

J. T. CROUSE REGISTRAR OF LABOUR RELATIONS

DATE: 20 March 2017

ŧ.

DEPARTMENT OF LABOUR

NO. R. 288

31 MARCH 2017

OCCUPATIONAL HEALTH AND SAFETY ACT, ACT 85 of 1993

GUIDELINES FOR DRIVEN MACHINERY REGULATIONS, 2015

Rev 0

FOREWORD

This document consists of explanatory notes on the implications and application of the more important regulations concerning Driven Machinery Regulations. The notes are meant to help and guide suppliers, contractors, service providers, competent persons and users of driven machinery.

INTRODUCTION

The Driven Machinery Regulations were published on 24 June 2015 in Government Gazette No.38905 with the aim of protecting employees against the dangers associated with the use of Driven Machinery.

The aim of these guidance notes is to explain in simple language the provisions of the Driven Machinery Regulations and to stress the principle of self-regulation.

SCHEDULE

Definitions

1. In these Regulations, "the Act" means the Occupational Health and Safety Act, 1993 (Act No. 85 of 1993), and any word or expression to which a meaning has been assigned in the Act shall have the meaning so assigned, and, unless the context otherwise indicates —

"bench saw" means a circular saw working in a bench (including a rack-bench) for the purpose of ripping, deep cutting or cross cutting, but does not include a swing-saw or other saw that is moved towards the wood;

Notes:

(a) None

"block and tackle" means a lifting device consisting of one or more pulley blocks reeved with fibre ropes, used solely for the raising and lowering of a load or for moving it horizontally, but does not include chain blocks, lever hoists or steel- wire rope pullers;

Notes:

(a) It should be there for clarity to identify the difference between block and tackle, chain hoist and lever hoist because chain blocks and lever hoist were regarded as block and tackle in the old regulation.

"calender rolls" means a series of counter-rotating rollers at the end of a rolling process; Notes:

(a) These rolls are used in steel paper mills, printing industry as well as food industry.

"capstan-type hoist" means a rotating machine used to control or to apply force to move or raise loads by traction on a rope or cable;

Notes:

(a) This machine is used generally in fishing industry, harbours as well as pull rolling stock(railway vehicles). "competent person" means a person who has the knowledge, training, experience and qualifications specific to the work performed: provided that where appropriate qualifications and training are registered in terms of the provisions of the South African Qualifications Authority Act, 1995, those qualifications and that training shall be deemed to be the required qualifications and training;

Notes:

(a) None

"hand-powered lifting device" means a lifting device consisting of one or more sheave components reeved with chains, steel rope or fibre ropes, used solely for the raising and lowering of a load or for moving it horizontally and includes chain blocks, lever hoists, hand chain hoists, steel-wire rope pullers and winches, but does not include hand-powered hydraulic lifting devices;

Notes:

- (a) This definition was introduced to differentiate between lifting machine and hand powered lifting device.
- (b) Hand powered hydraulic lifting devices are amongst others hydraulic jacks.

"lifting machine" means a power-driven machine that is designed and constructed for the purpose of raising or lowering a load or moving it in suspension, but does not include an elevator, escalator or hand-powered lifting device;

Notes:

(a) The definition listed the exclusions.

Power-driven machine means that a machine is powered by any energy source excluding manpower.

"lift truck" means a mobile lifting machine, but does not include —

- (a) a vehicle designed solely for the purpose of lifting or towing another vehicle;
- (b) a mobile earth-moving machine; or
- (c) a vehicle designed solely for the removal of a waste bin;

(a) This machine is generally known as forklift.

"lifting machinery entity" means a legal entity approved and registered by the chief inspector in terms of regulation 19;

Notes:

(a) These are commonly known as LME

"lifting machinery inspector" means a person who is employed by a Lifting Machinery Entity and who is registered by the Engineering Council of South Africa in terms of the Engineering Profession Act, 2000 (Act No. 46 of 2000);

Notes:

(a) These are commonly known as LMI and are registered at ECSA on behalf of Department of Labour.

"lifting tackle" means chain slings, wire rope slings, woven webbing slings, master links, hooks, shackles and swivels, eye bolts, lifting or spreader beams, tongs, ladles, coil lifters, plate lifting clamps and drum lifting clamps used to attach a load to a lifting machine;

Notes:

(a) Coil lifters is found at steel industry for lifting hot rolled steel products.

"load path" means all the parts of the lifting machine under stress during the lifting operation;

Notes:

(a) None

"man-cage" means a platform enclosed on all sides, whether closed or open at the top, designed for the purpose of raising and lowering persons by means of a lifting machine, but does not include mobile elevated work platforms and suspended access platforms;

(a) None

"point of operation" means that place in a machine where material is positioned and where the actual work is performed;

Notes:

(a) None

"**press**" means a driven machine that shears, punches, forms or assembles metal or other material by means of cutting, shaping or combination dies attached to slides having a controlled reciprocating motion, but does not include bending brake presses, hot bending or hot metal presses, forging hammers and riveting machines or similar types of fastener applicators;

Notes:

(a) None

"safe working load" means the mass load applicable to a piece of equipment or system as determined by a competent person taking into account the environment and operating conditions;

Notes:

(a) The rigger must determine the Safe working load based on the condition at the time of lifting.

"thorough examination" means examination or inspection to determine whether the equipment is safe to use;

(a) None

"training provider" means a training provider for lifting machinery operators approved and registered by the chief inspector in terms of regulation 20;

Notes:

(a) None

"transportation plant" means apparatus used for the transportation of material by means of an elevated conveyance suspended from and travelling along a catenary rope or chain where persons may pass or work below the path of the conveyance, or any such apparatus used for the transportation of persons.

Notes:

(a) None

Scope of application

2. These Regulations shall apply to the design, manufacture, operation, repair, modification, maintenance, inspection, testing and commissioning of driven machinery.

Notes:

- (a) The aim of this regulation is to ensure the safety of operators, maintenance providers as well as inspection and testing providers operate safely.
- (b) The aim is to ensure that all driven machineries are safe for use.

Revolving machinery

- 3. Unless moving or revolving components of machinery are in such a position or of such construction that they are as safe as they would be if they were securely fenced or guarded, the user shall cause
 - (a) every shaft, pulley, wheel, gear, sprocket, coupling, collar, clutch, friction drum or similar object to be securely fenced or guarded;
 - (b) every set screw, key or bolt on revolving shafts, couplings, collars, friction drums, clutches, wheels, pulleys, gears and the like to be countersunk, enclosed or otherwise guarded;

- (c) every square projecting shaft or spindle end and every other shaft or spindle end that projects for more than a quarter of its diameter to be guarded by a cap or shroud;
- (d) every driving belt, rope or chain to be guarded; and
- (e) the underside of every overhead driving belt, rope or chain above passages or workplaces to be so guarded as to prevent a broken belt, rope or chain from falling and so injuring persons: provided that the provisions of this paragraph shall not apply where, in the opinion of an inspector, no danger exists in the case of light belts owing to the nature thereof and the speed of operation.

(a) None

Circular saws

- **4.** (1) No user may require or permit any person to operate a power-driven circular saw
 - (a) at a speed in excess of the manufacturer's rated maximum speed for the saw blade; or
 - (b) the saw blade of which is damaged in any way or that is dull or not regular or not correctly sharpened and set.
 - (2) The user of a power-driven bench saw shall cause
 - (a) the saw blade to be effectively guarded below the table; and
 - (b) the part of the saw blade above the table to be covered by a substantial guard that shall cover the saw at all times to at least the depth of the teeth and that shall automatically adjust itself to the thickness of and remain in contact with the material being cut: provided that where such a guard is impracticable, the top of the saw shall be covered by a strong manually-adjustable guard that shall be adjusted to extend downwards to a point as near as practicable to the cutting point of the saw: provided further that in the case of a breakdown saw, the guard shall effectively cover the top of the saw blade.
- (3) The user shall cause every power-driven circular saw that is used for ripping wood to be provided with a riving knife, which shall —
 - (a) be placed as close as practicable to the saw blade, but not more than 12 mm behind it, and in a direct line with the saw teeth at the level of the bench table;

- (b) have the edge nearest the saw in the form of an arc of a circle that shall have a radius not exceeding the radius of the largest saw blade that can be used on the bench by more than 3 mm;
- (c) extend to a height above the table to within 5 mm of the top of the saw blade; and
- (d) have a smooth surface and be strong, rigid and easily adjustable.
- (4) The user shall cause every tilting saw or tilting table saw to be so arranged that the adjustment of the riving knife and the guard remains effective with any position of the saw or table.
- (5) The user shall
 - (a) cause a suitable push stick to be kept available at every bench saw that is fed by hand, to enable work to be carried out without danger to persons;
 - (b) provide suitable mechanical means for holding rough timber that is to be slabbed on a bench saw; and
 - (c) provide an effective guard for the automatic feed rollers of every bench saw equipped with such rollers.
- (6) The user shall cause every swing or radial saw that is moved towards the material
 - (a) to be guarded so that only the cutting portion of the saw blade is exposed;
 - (b) to be arranged in such a manner that the saw will automatically move away from the cutting position when it is released; and
 - (c) to be fitted with a device that will oppose the thrust or tendency of the saw to pick up the timber or to throw the timber back at the operator when such saw is used for ripping timber.
- (7) The user of a portable power-driven circular saw shall provide
 - (a) a fixed guard above the slide or shoe, which shall cover the saw blade to at least the depth of the teeth; and
 - (b) a guard that shall automatically cover the portion of the saw blade below the slide or shoe while sawing is not actually being done.

(a) None

Band saws and band knives

5. The user shall —

- (a) cause all moving parts, except the working portion of the blade at the point of operation, of every band saw or band knife to be effectively guarded; and
- (b) ensure that the machine is operated by a person trained for that particular machine.

Notes:

(a) None

Wood-planing machines

- **6.** (1) The user shall cause every wood-planing machine that is used for overhand planing and that is not mechanically fed, to be fitted with a cylindrical cutter block.
 - (2) The user shall cause every planing machine used for overhand planing to be provided with a bridge guard that is capable of covering the full length and breadth of the cutting slot in the table and that can be adjusted easily in a vertical and horizontal direction.
 - (3) No user may require or permit any planing machine that is not mechanically fed to be used for the overhand planing of any piece of wood that is less than 300 mm long, unless a safe holder is used for such a piece of wood: provided that this subregulation shall not apply to the planing of the edges of flat pieces of wood.
 - (4) The user shall provide an effective guard for the feed-roller of every planing machine used for thicknessing, except in the case of a combined machine for overhand planing and thicknessing.

Notes:

(a) None

Wood-moulding and mortising machines

7. (1) Having regard to the nature of the work that is performed, the user shall cause the cutter or chain of every wood-moulding or mortising machine to be effectively guarded.

тт

(2) If work cannot be performed when the cutter of a moulding machine is guarded, the user shall cause the wood being moulded to be held in a jig or holder that is so constructed that it will ensure safe working of the machine: provided that where a jig or holder cannot be used, the user shall provide a suitable spike or push stick and shall require persons who operate the machine to use such spike or push stick when necessary.

Notes:

(a) None

Sanding machines

- 8. The user shall cause every
 - (a) drum sanding-machine to be provided with effective guards so arranged as to completely enclose the revolving drum except such portion as is necessary for the performance of the work;
 - (b) disc sanding-machine to be provided with suitable guards that shall completely enclose the periphery and back of the sanding disc and that portion of the working face of the disc under the table; and
 - (c) belt sanding-machine to be provided with guards at the trap points where the sanding belt runs onto its pulleys and cause any section of the belt not used for sanding to be effectively enclosed.

Notes:

(a) None

Grinding machines

- **9.** (1) The user of a power-driven grinding machine shall cause such machine to be marked in a conspicuous place with the manufacturer's rated speed or speeds of the spindle in revolutions per minute.
 - (2) No user may require or permit a grinding wheel of a power-driven grinding machine to be operated at a speed exceeding that stipulated by the manufacturer of such wheel: provided that a grinding wheel larger than 100 mm in diameter shall only be used if the recommended operating speeds therefor are distinctly marked on such machine.

- **32** No. 40734
 - (3) The user shall cause every grinding wheel of a power-driven grinding machine to be mounted concentrically on the spindle by means of robust metal flanges with annular peripheral bearing surfaces of adequate breadth, which shall bear upon the wheel, and a layer of suitable compressible material to be fitted between the flanges and the wheel: provided that grinding wheels for specialized application that cannot be fixed by flanges shall be so secured that displacement or rupture of the wheel in motion is eliminated as far as possible.
 - (4) Having regard to the nature of the work that is performed, the user shall cause every power-driven grinding machine to be provided with a substantial guard. which shall enclose the grinding wheel as far as practicable and shall be of sufficient strength to withstand the force of impact of a rupturing wheel.
 - (5) Having regard to the nature of the work that is performed, the user shall cause a power-driven grinding machine where the work piece is applied to the wheel by hand, to be provided with a substantial adjustable work rest, which shall be securely fixed in position and adjusted to within 3 mm from the grinding face of the wheel.
 - (6) The user shall cause every power-driven grinding machine to be provided with a strong transparent shield, which shall be kept adjusted so as to protect the operator's eyes: provided that such shield may be omitted if every operator of the machine is personally issued with suitable eye protection and is obliged to wear it.
 - (7) The user shall cause a notice to be posted in a conspicuous place at every powerdriven grinding machine prohibiting persons from carrying out, inspecting or observing grinding work without using suitable eye protection.
 - (8) The user shall ensure that the operators of machinery used for the purpose of grinding, cutting, fettling, polishing or similar applications are specifically trained for that particular machinery.

- (a) This regulation does not apply to portable electrical grinders.
- (b) In house training for operators of grinding machines is acceptable provided that there is proof thereof.

Shears, guillotines and presses

- **10.** (1)Where the opening at the point of operation of shears, a guillotine or a press is greater than 10 mm, the user shall cause such machine to be provided with
 - (a) a fixed guard that prevents hands or fingers reaching through, over, under or around the guard into the point of operation;
 - (b) a self-adjusting guard that automatically adjusts itself to the thickness of the material being worked and that prevents hands or fingers reaching through, over, under or around the guard into the point of operation;
 - (c) a manually or automatically operated moving guard that completely encloses the point of operation of such machine, is so arranged that the working stroke cannot be commenced unless the guard is closed, and cannot be opened unless the ram or blade is stationary;
 - (d) an automatic sweep-away or push-away that pushes any part of the operator's body out of the danger zone when the working stroke commences; or
 - (e) an electronic presence-sensing device that prevents or arrests a working stroke if it senses that any part of a person's body or any other foreign object is in the danger zone:

provided that any guarding provided in terms of this subregulation shall not in itself create any threat to the safety of persons.

- (2) The user may use or permit the use of shears, a guillotine or a press without the guarding referred to in subregulation (1) if the operating controls to set it in motion require the simultaneous engagement of both hands of all the operators involved in the operation of the machine, and those operating controls
 - (a) are situated at such distance from the point of operation that none of the operators has enough time to reach the danger zone with any part of their body before the working stroke is completed; or
 - (b) are so designed that the working stroke will be arrested if any one of the operators removes one of their hands from the controls:
 provided that the operating controls shall be so arranged that they cannot be bypassed.

(3) A user shall cause any full-revolution clutch shear, guillotine or press that is fed by hand to be provided with an anti-repeat device that incorporates a control system designed to limit the press to a single stroke every time even if the control that is actuating the press is held in the operating position, and that requires the actuating controls to be returned to the neutral position before another stroke can be initiated.

Notes:

(a) None

Slitting machines

- 11. (1)Having regard to the nature of the work that is performed, the user of a slitting machine shall cause
 - (a) the cutting edge of the disc cutter to be effectively guarded;
 - (b) fixed guarding or enclosures to prevent access to a slitting machine; and
 - (c) access points to be controlled by an interlocked safety device, which must prevent or arrest the motion of the machine when activated by unauthorised entry.

Notes:

(a) None

Mixing, agitating and similar machines

- 12. (1)The user shall cause all dangerous moving parts of a mixing, agitating or similar machine to be placed beyond the reach of persons by means of doors, covers, guards or any other means.
 - (2)The user shall, wherever practicable, cause every mixing, agitating or similar machine to be so arranged that it cannot be set in motion unless the doors, covers, guards or other means referred to in subregulation (1) are in position and that the machine will come to a stop if any one of them is opened, unlocked or removed, or if the dangerous moving parts of the machine are exposed for any reason whatsoever: provided that the provisions of this subregulation shall not apply to doors, covers or guards that are bolted in position or to an inspection hatch that is provided for controlling a process while the machine is in operation.

(a) None

Rolls and calender rolls

- 13. The user shall, where practicable, cause every power-driven machine consisting of calender rolls or incorporating two or more rolls rotating in opposite directions that are less than 75 mm apart and where the in-running side or nip of the rolls is within the reach of persons, to be guarded for the full length of such nip with
 - (a) a fixed guard; or
 - (b) a trip bar, a cable or an electronic sensing device not more than 300 mm from the nip that will stop or reverse the rotation of the rolls if the bar or cable is touched or if the danger area is invaded by any foreign object:

provided that where it is not practicable to install any of the specified devices an inspector may require or permit any other means of protection at the intake of the rolls.

Notes:

- (a) Rotating rolls could cause serious injury to hands and or arms and in some instances death. The objective of the tripping devices consisting of tension cables or wires tripping rods and bars as well as micro switch and optical beams protecting devices installed in closed proximity to these pinch points to prevent injuries to the persons operating these machines.
- (b) To avoid injuries persons who are not trained should be made aware of the dangers and are not allowed to operate or use this machinery.
- (c) Tripping device means a device designed to stop the machine when a foreign object comes in close proximity with a pinch point.
- (d) Nip/Pinch point is that part of the machine which can cause injury if a person comes into contact.

Washing machines, centrifugal extractors, etc.

14. The user shall, wherever practicable, cause every power-driven washing machine, centrifugal extractor or similar machine of double cylinder construction in which the inner cylinder, drum or basket rotates, to be provided with a door or lid on the outer cylinder, so interlocked that —

- (a) the inner cylinder cannot be put into motion unless the door or lid is closed; and
- (b) the door or lid cannot be opened unless the inner cylinder is stationary.

(a) This includes all industrial machines however domestic machines are also protected by a door interlocks.

Air compressors

15. The user of a positive displacement-type air compressor that is not provided with automatic means for limiting the operating temperature to a safe level shall provide a fusible plug fitted close to the outlet valves or discharge ports of every stage of compression: provided that the provisions of this regulation shall not apply to air compressors with a free air delivery of less than 8,5 cubic metres per minute or in which compression does not take place in the presence of lubricating oil.

Notes:

(a) Piston type air compressor are used in industry.

Refrigeration and air-conditioning installations

16. No user may use or permit the use of a refrigeration or an air-conditioning installation unless it complies with a safety standard with respect to its construction, installation, operation and inspection incorporated for this purpose into these Regulations under section 44 of the Act.

Notes:

(a) None

Transportation plants

17. (1)No user may use or permit the use of a transportation plant unless —

- (a) it complies with a safety standard with respect to the design, construction, installation, operation and inspection thereof incorporated for this purpose into these Regulations under section 44 of the Act; and
- (b) the user is in possession of written authorization for the use thereof from an inspector.
- (2) Any person who wishes to use a transportation plant shall apply in writing to the head of the relevant provincial office of the Department of Labour for permission for such use and shall, together with such application, submit —
 - (a) a complete set of design calculations and drawings of the proposed installation; and
 - (b) a certificate issued by a registered professional engineer certifying that they have checked the design of the installation and that such design will ensure the safe operation of the installation under all permitted loadings.
- (3) An inspector may, if they are satisfied that the provisions of this subregulation have been complied with and that the transportation plant may be safely used, grant permission in writing for the use thereof, subject to the conditions that they may determine.

Notes:

(a) Anybody who wants to install a transportation plant must be in possession of a letter authorising him or her to install and operate the plant.

- (b) Applications for permission to install and operate a transportation plant must be submitted to a DoL office in a province where a plant is installed.
 - (4) An inspector may withdraw the permission granted in terms of subregulation (3) if they deem it necessary in the interests of safety.
 - (5) The user shall cause the entire installation and all working parts of a transportation plant to be subjected to a thorough examination and a performance test, as prescribed by the standard to which the transportation plant was manufactured, by a person who has knowledge and experience of the erection and maintenance of

transportation plants or similar machinery and who shall determine the serviceability of the structures, ropes, machinery and safety devices before they are put into use and every time after they are erected, and thereafter at intervals not exceeding 12 months: provided that in the absence of such prescribed performance test the entire installation of the transportation plant shall be subjected to a load of 120% of the rated mass load, applied over the complete operation range of such plant and in such a manner that every part of the installation is stressed accordingly.

- (6) Notwithstanding the provisions of subregulation (5), the user shall cause every hoisting rope and every hook or other load-attaching device that forms part of the transportation plant to be thoroughly examined by a person referred to in subregulation (5) at intervals not exceeding six months.
- (7) The user shall cause the results of the examinations and tests prescribed by subregulations (5) and (6) to be entered and signed by the person carrying out such examinations and tests, in a record book that shall be kept on the premises at all times.

Lifting machines, hand-powered lifting devices and lifting tackle

- 18. (1) No user may use or permit the use of a lifting machine or hand- powered lifting device unless
 - (a) it has been designed and constructed in accordance with a generally accepted technical standard;
 - (b) it is conspicuously and clearly marked with the safe working load: provided that when such safe working load varies with the conditions of use of the manufacturer, a table showing the safe working load with regard to every variable condition shall be posted by the user in a conspicuous place easily visible to the operator;

- (a) WLL is an international marking that is attached to the machine when it is purchased from the manufacturer (OEM).
- (b) WLL is part of the design specification.

- (c) The end user must determine the safe working load (SWL) as per the prevailing conditions .The operator should be able to see the plate as the intention of the subregulation is for the operator to see.
- (c) the manufacturer's identification plate displaying the name of the manufacturer, the design standard, the serial or reference number and the country of origin is affixed to such machine; and

Notes:

- (a) These requirements do not apply to machines that were in use prior to the publication of these regulations.
 - (d) it has at all times at least three full turns of rope on the drum of each winch that forms part of such a machine when such winch has been run to its lowest limit, and that is controlled by an automatic cut-out device:

provided that paragraphs (b) and (d) above shall not apply to capstan-type hoists.

Notes:

- (a) An automatic cut out device is a built in safety device.
- (2) The user shall ensure that every power-driven lifting machine is fitted with a brake or other device capable of holding the safe working load should –
 - (a) the power supply or lifting effort fail;
 - (b) the load attachment point of the power-driven lifting machine reach its highest and lowest safe position; or
 - (c) the load condition be greater than the rated load condition of that machine.

- (a) This requirement only applies to power driven lifting machines.
- (3) The user shall cause every chain or rope that forms part of the load path of a lifting machine or hand-powered lifting device to have the factor of safety prescribed by the standard to which that machine was manufactured: provided that in the absence of

such prescribed factor of safety, chains, steel-wire ropes and fibre ropes shall have a factor of safety of at least four, five and 10, respectively, with regard to the safe working load of that machine.

Notes:

- (a) The objective is to maintain the integrity of the load bearing capacity of the machine.
- (b) When replacing the ropes and you know the safe working load of the machine then the factor of safety mentioned above must apply.
- (4) The user shall cause every hook or any other load-attaching device that forms part of the load path of a lifting machine or hand-powered lifting device to be so designed or proportioned that accidental disconnection of the load under working conditions cannot take place.

- (a) We must not look at the hook only but consider the load path. It is about preventing disconnection. The use of disconnecting hooks or latches is not prescribed where the design is of such a nature that accidental disconnection cannot take place. It is the user s responsibility to ensure he or she states clearly what the purpose of the machine will be when purchasing the machine.
- (5) (a) The user shall cause the entire installation and all working parts of every lifting machine or hand-powered lifting device, as well as ancillary lifting equipment used with the machine or device, excluding lifting tackle, to be subjected to a thorough examination and a performance test, as prescribed by the standard to which the lifting machine was manufactured, by a lifting machinery inspector of a lifting machinery entity, which shall determine the serviceability of the structures, ropes, machinery and safety devices before they are put into use and every time they are dismantled and re-erected, and thereafter at intervals not exceeding 12 months: provided that, in the absence of a manufacturing standard or a standard incorporated under section 44(1) of the Act, the whole installation of the lifting machine shall be tested with 110% of the safe working load applied over the complete lifting range of such machine

and in such a manner that every part of the installation is stressed accordingly.

- (b) The lifting machinery inspector of the lifting machinery entity referred to in paragraph (a) must have knowledge of the erection, load-testing and maintenance of the type of lifting machine or similar machinery involved.
- (c) Notwithstanding paragraph *(a)*, mobile cranes, self-erecting cranes and mobile elevated work platforms shall be excluded from the performance test after each re-deployment within the 12-month period referred to in that paragraph.

Notes:

(a) The lifting machinery inspector must do inspection and test on behalf of the Lifting machinery Entity.

(b) Hand powered lifting devices do not have to be tested every time they are attached to an overhead structure.

(c) Self erecting cranes includes self erecting tower cranes.

(6) Notwithstanding subregulation (5), the user shall cause all ropes, chains, hooks or other attaching devices, sheaves, brakes and safety devices forming an integral part of a lifting machine or hand-powered lifting device to be subjected to a thorough examination by a competent person at intervals not exceeding six months.

- (a) The user of a block and tackle must ensure that it is examined prior to use.
- (b) The user is free to use an in house competent person or an LME for six monthly thorough examination of a lifting machine or hand powered lifting device.
- (7) (a) Every user of a lifting machine or hand-powered lifting device shall at all times keep on their premises a register in which the user shall record or cause to be recorded full particulars of any performance test and examination referred to in subregulations (5) and (6) and any modification or repair to such lifting

machine or hand-powered lifting device, and shall ensure that the register is available on request for inspection by an inspector.

(b) Every user of a leased lifting machine or hand-powered lifting device shall at all times keep on their premises a register in which the user shall have the latest applicable performance test and service records not older than 12 months.

Notes:

- (a) A user of a leased lifting machine or hand powered lifting device is a lessee of that machine?
- (b) The owner and the lessor of leased equipment shall keep and maintain full service history records on their premises for at least 10 years.
- (8) No user shall require or permit any person to be moved or supported by means of a lifting machine unless that machine is fitted with a man-cage designed and manufactured according to an approved SANS standard approved for that purpose by an inspector and after a risk assessment has been done.

- (a) Man-cage was known as a cradle or suspended basket. The aim of this regulation is ensure that persons are lifted safely and work is done safely .The intention is to limit the use of a man-cage as far as possible. The employer must firstly consider lifting persons with machine/equipment specially designed to lift person (i.e. cherry picker) .In the event that a lifting machine other than the one designed to lift person i.e. forklift, crane can be used to lift person inside the Man-cages/cradles or suspended basket.
- (b) This use of an associated forklift or a crane with a man-cage must be also be approved for a specific site to lift person must be approved by an inspector.
- (c) The scope of such approval shall, as a minimum, include design and safe operation .
- (d) The use of cradles should in the first instance be avoided by the use of purpose made machinery.
- (e) In exceptional instances where the use of cradles cannot be avoided (occasionally) the user must apply for approval from Department of Labour.
- (f) Safe working procedure for these activities must be implemented and strictly enforced.
- (9) No user shall use or permit any person to use any power-driven lifting machine unless it is provided with —

- (a) in the case of a power-driven lifting machine with a lifting capacity of greater than 5000 kg, a load indicator capable of indicating to the operator of the machine the mass of the load being lifted: provided that such device shall not require manual adjustment, from the application of the load to the powerdriven lifting machine until the release of that load, using any motion or combination of motions permitted by the crane manufacturer to ensure safe lifting; and/or
- (b.) a load-limiting device that will automatically arrest the driving effort whenever the load being lifted is greater than the safe working load of the power-driven lifting machine at that particular radius, using any motion or combination of motions permitted by the crane manufacturer to ensure safe lifting: provided that such device shall not arrest the driving effort when the power-driven lifting machine is being operated into a safer position:

provided that power-driven lifting machines manufactured or refurbished prior to the commencement of these Regulations shall be deemed to comply with these Regulations.

- (a) This requirement only applies to a power driven lifting machine with a capacity of 5000kg and greater
- (b) The intent is that a Load limiting device is compulsory for all power driven lifting machine.
- *(c)* This requirement only applies to power driven lifting machines manufactured or refurbished after the 30 September 2015.
- (10) No user may use or allow the use of any lifting tackle unless
 - (a) every item of lifting tackle is well constructed of sound material, is strong enough, is free from defects and is constructed in accordance with a generally accepted technical standard;

- (b) every lifting assembly consisting of different items of lifting tackle is conspicuously and clearly marked with traceable identification particulars and the safe working load that it is designed to lift with safety;
- (c) the ropes, chains or woven webbing have a factor of safety with respect to the safe working load they are designed to lift; the safety factor being
 - (i) 10 for natural-fibre ropes;
 - (ii) seven for man-made fibre ropes or woven webbing;
 - (iii) six for steel-wire ropes, except for double-part spliced endless sling legs and double-part endless grommet sling legs made from steel-wire rope, in which case the factor of safety shall be at least eight;
 - (iv) five for steel chains; and
 - (v) four for high-tensile or alloy steel chains:

provided that when the load is equally shared by two or more ropes or chains the factor of safety may be calculated in accordance with the sum of the breaking strengths taking into consideration the angle of loading;

- (d) all lifting tackle is inspected and discarded if such items show any sign of damage, defect, wear or distortion that would make them unsafe for use, as per manufacturer's specification; and
- (e) such lifting tackle is examined at intervals not exceeding three months by a competent person, appointed by the user in writing for this purpose, who shall record and sign results of such examination.

- (a) Lifting tackles marked with a Working Load limit are also acceptable to be complying with requirements of this sub regulation.
- (b) In practice it is not always possible to ensure equal load sharing and persons performing this work must take into consideration the possible unequal loading in determining the capacity of the lifting tackle.
- (11) The user shall ensure that every lifting machine is operated by an operator specifically trained for that particular type of lifting machine: provided that in the case of a lifting machine listed in the National Code of Practice for Training Providers of

Lifting Machine Operators, the user shall not require or permit any person to operate such a lifting machine unless the operator is in possession of a certificate of training, issued by a training provider accredited by the Transport Seta approved for the purpose by the chief inspector.

Notes:

(a) Certificate of training here refers to certificate of competence. Training providers in possession of a valid approval certificate signed by Chief Inspector are allowed to train operators of lifting machines listed on the National Code of Practice for Training Providers of Lifting Machine Operators.

Approval and registration of lifting machinery entity

- 19.(1) The chief inspector may approve any legal entity that has the competency and operational ability and that is involved in the examination and performance-testing of lifting machines, hand-powered lifting devices and ancillary lifting equipment used with the machine or devices.
- (2) An application for approval and registration as a lifting machinery entity shall be made to the chief inspector in the form of Annexure A.
- (3) The chief inspector shall furnish an approved lifting machinery entity with the appropriate certificate of registration and shall enter such registration into the national database.
- (4) An approved lifting machinery entity shall on request produce a certificate of registration to an inspector or to any person to whom it intends to render an examination or performance test.
- (5) An approved lifting machinery entity shall inform the chief inspector of any change affecting its approval and registration under these Regulations within 14 days of such change.

Notes:

(a) None

Approval and registration of training providers

- 20. (1)The chief inspector may approve and register any training provider that has been accredited by the Transport Education and Training Authority as an approved training provider.
- (2) An application for approval and registration as a training provider must be made to the chief inspector in writing and must be accompanied by -
 - (a) a certified copy of the accreditation letter issued by the Transport Education and Training Authority; and
 - (b) a cancelled company letterhead.
- (3) The chief inspector shall furnish an approved training provider with the appropriate certificate of registration and enter such registration into the national database.
- (4) An approved training provider shall inform the chief inspector of any change affecting its approval and registration under these Regulations within 14 days of such change.

Notes:

(a) None

Withdrawal of approval and registration of lifting machinery entity or training provider

- 21. (1) Subject to subregulation (2), the approval and registration of a lifting machinery entity or training provider may be withdrawn if
 - (a) a lifting machinery entity no longer has the necessary competency or operational ability;
 - (b) a training provider is no longer accredited by the Transport Education and Training Authority; or
 - (c) they are convicted of an offence referred to in regulation 22.
 - (2) The chief inspector may not withdraw an approval and registration unless
 - (a) the holder of such approval and registration has been informed of the intended withdrawal and of the grounds upon which it is based; and

- *(b)* such holder has been afforded a reasonable opportunity to make representations.
- (3) The chief inspector shall inform the holder concerned in writing of the reasons for the decision.
- Any holder adversely affected by a decision of the chief inspector may appeal in writing to the Director-General: Labour against such decision.
- (5) An appeal referred to in subregulation (4) shall
 - (a) be lodged within 60 days from the date on which the decision was made known; and
 - (b) set out the grounds for appeal.
- (6) After considering the grounds for appeal and the chief inspector's reasons for their decision, the Director-General: Labour shall confirm, set aside or amend the decision as soon as practicable.

Notes:

(a) Appeals must be lodged to Labour Court

Offences and penalties

22. Any person who contravenes or fails to comply with any of the provisions of regulations 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17(1), 17(2), 17(5), 17(6), 17(7), 18, 19(4), 19(5), 20(4) and 20(5) shall be guilty of an offence and liable upon conviction to a fine or to imprisonment for a maximum of 12 months and, in case of a continuous offence, to an additional fine not exceeding R200,00 or to additional imprisonment of one day for each day on which the offence continues: provided that the period of such additional imprisonment shall not exceed 90 days.

Repeal of regulations and transitional provisions

- (1) The Driven Machinery Regulations, 1988, and subsequent amendments are hereby repealed.
 - (2) A user of a goods hoist as provided for in regulation 17 of the Regulations referred to in subregulation (1) above shall within five years of the publication

of these Driven Machinery Regulations comply with the provisions of the Lift, Escalator and Passenger Conveyor Regulations, 2010, in which "Access Goods only Lift" is defined.

Short title and commencement

24. These Regulations shall be called the Driven Machinery Regulations, 2015, and shall come into effect on 30 September 2015

AMENDMENT OF SCHEDULE NO. 1 (NO. 1/1/1567)

In terms of section 48 of the Customs and Excise Act, 1964, Part 1 of Schedule No. 1 to the said Act is hereby amended to the extent set out in the Schedule hereto.



MERCOSUR

ш
Ξ
5
Ξ
ㅎ
õ

By the substitutiv	on of the	e following:					
Heading /	CD	Article Description	Statistical			Rate of Duty	
Subheading			Unit	General	EU	EFTA	SADC
2933.69.30	6	Atrazine	kg	free	free	free	free

SOUTH AFRICAN REVENUE SERVICE

31 MARCH 2017

SUID-AFRIKAANSE INKOMSTEDIENS

31 MAART 2017

M JONAS ADJUNKMINISTER VAN FINANSIES

Kragtens artikel 48 van die Doeane- en Aksynswet, 1964, word Deel 1 van Bylae No. 1 by bogenoemde Wet hiermee gewysig in die mate in die Bylae hierby aangetoon.

DOEANE- EN AKSYNSWET, 1964. WYSIGING VAN BYLAE NO. 1 (NO. 1/1/1567)

Deur die vervan	iging van	n die volgende:						
Pos /	TS	Artikel Beskrywing	Statistiese			Skaal van Reg		
Subpos			Eenheid	Algemeen	EU	EFTA	SAOG	MERCOSUR
2933.69.30	6	Atrasien	kg	vry	vry	vry	vry	vry

BYLAE

This gazette is also available free online at www.gpwonline.co.za

In terms of section 48 of the Customs and Excise Act, 1964, Schedule No. 1 to the said Act is hereby amended, with retrospective effect from 1 January 2017, to the extent set out in the Schedule hereto.

M JOMAS M JOMAS DEPUTY MINISTER OF FINANCE

SCHEDULE

By the substitution of Table 1 in paragraph 3.1 to Note IJ of the following:

	Swaziland TRQ Allocation in ton	25		15	17		348
	South Africa TRQ Allocation in ton	1 250		130	350		5 285
	Namibia TRQ Allocation in ton	140		24	8		1014
	Lesotho TRQ Allocation in ton	25		3	10		190
	Botswana TRQ Allocation in ton	60		28	43		713
into force of the EPA	Quota (ton)	1 500		200	500		7 550
he First Year after entry	Description	Hams, shoulders and cuts thereof, with bone in	Other	Pig fat	Butter, in immediate packaging of a content of 20 kg or more	Other	Fresh (unripened or uncured) cheese, including whey cheese, and curd Grated or powdered cheese, of all kinds
Table 1: SACU TRQ Allocation for the First Year after entry into force of the EPA	HS Code	02032200	02032990	02091000	04051010	04059000	04061000 04062000

SOUTH AFRICAN REVENUE SERVICE

31 MARCH 2017

	2						
04064000	Blue-veined cheese and other cheese containing veins produced by <i>Penicillium</i> <i>Roqueforti</i>						
04069099	Other						
10019	Other	300 000	13 300	10 000	27 180	248 495	1 025
100300	Barley	10 000	10	15	1 000	8 970	Q
16010020	Mortadella bologna	100	2	2	23	70	б
19019040	Other, in immediate packaging of a content of 5 kg or more	2 300	296	43	86	1 610	265
2105000	Ice Cream	150	17	4	18	105	9

52 No. 40734

Kragtens artikel 48 van die Doeane- en Aksynswet, 1964, word Bylae No. 1 by bogenoemde Wet hiermee gewysig, met terugwerkende krag vanaf 1 Januarie 2017, in die mate in die Bylae hierby aangetoon.

BYLAE

WYSIGING VAN BYLAE NO. 1 (NO. 1/1/1569)

DOEANE- EN AKSYNSWET, 1964.

M JONAS ADJUNKMINISTER VAN FINANSIES

AAA

SUID-AFRIKAANSE INKOMSTEDIENS

TSK Toekenning Swaziland in ton 348 25 15 17 TSK Toekenning Suid Afrika in ton 5 285 1 250 130 350 **TSK Toekenning** Namibië in ton 1014 140 24 8 TSK Toekenning Lesotho in ton 190 25 9 ო TSK Toekenning Botswana in ton 713 00 43 28 Tabel 1: SADU TSK Toekenning vir die Eerste Jaar na inwerkingtreding van die EPA Kwota (ton) 7 550 1 500 200 500 Deur Tabel 1 in paragraaf 3.1 by Opmerking IJ deur die volgende te vervang: Г snitte daarvan, met onbeleë) kaas, met verpakkings met 'n verpoeierde kaas, van alle soorte Hamme, blaaie en minstens 20 kg Gerasperde of Vars (onryp of Beskrywing onmiddellike inbegrip van weikaas, en inhoud van Botter, in Varkvet been in wrongel Ander Ander 02091000 04059000 04061000 HS Kode 02032200 02032990 04051010 04062000

31 MAART 2017

	04064000	Blougeaarde kaas en ander kaas wat are bevat wat deur <i>Penicillium</i> <i>Roqueforti</i> geproduseer is						
0	04069099	Ander						
1	10019	Koring	300 000	13 300	10 000	27 180	248 495	1 025
~	100300	Gars	10 000	10	15	1 000	8 970	5
16	16010020	Mortadella Bologna	100	2	2	23	20	3
15	19019040	Ander, in onmiddelilike verpakkings met 'n inhoud van minstens 5 kg	2 300	296	43	8	1 610	265
2.	210500	Roomys	150	17	4	18	105	9

54 No. 40734

AMENDMENT OF SCHEDULE NO. 1 (NO. 1/1/1571)

NO. R. 291

In terms of section 48 of the Customs and Excise Act, 1964, Part 1 of Schedule No. 1 to the said Act is hereby amended to the extent set out in the Schedule hereto.

DEPUTY MINISTER OF FINANCE

SCHEDULE

. follog C 414 -1

By the substitution of the following:	on of the	e followi	:6u						
Heading /	C	Article	Article Description	Statistical			Rate of Duty		
Subheading				Unit	General	EU	EFTA	SADC	MERCOSUR
7217.10	4		Not plated or coated, whether or not polished	kg	10%	free	free	free	10%
7217.20	6		Plated or coated with zinc	kg	10%	free	free	free	10%
7318.11	9	:	Coach screws	kg	15%	free	free	free	15%
7318.13	6	:	Screw hooks and screw rings	kg	15%	free	10%	free	15%
7318.15.26	5		Socket screws	kg	30%	free	free	free	30%
7318.15.35	4		Other screws and bolts (including bolt ends, screw studs and screw studding), of stainless steel (excluding those that are fully threaded with hexagon heads)	kg	30%	free	free	free	30%
7318.15.39	7		Other screws, fully threaded with hexagon heads (excluding those of stainless steel)	kg	30%	free	free	free	30%
7318.15.41	0		Bolt ends, screw studs and screw studding (excluding those of stainless steel and those identifiable for aircraft)	kg	30%	free	free	free	30%
7318.15.43	5		Other bolts (excluding bolt ends, screw studs and screw studding) with hexagon heads	kg	30%	free	free	free	30%
7318.15.90	7	:	Other	kg	30%	free	free	free	30%
7318.16.30	9	:	Other, hexagon nuts	kg	30%	free	10%	free	30%
7318.16.90	с	:	Other	kg	30%	free	10%	free	30%
7318.19	7	:	Other	kg	15%	free	free	free	15%
7318.23	ю	:	Rivets	kg	30%	free	free	free	30%
7318.24	7	:	Cotters and cotter-pins	kg	30%	free	free	free	30%
7318.29	-	:	Other	kg	15%	free	free	free	15%

SOUTH AFRICAN REVENUE SERVICE

31 MARCH 2017

SUID-AFRIKAANSE INKOMSTEDIENS

31 MAART 2017

Pos /	TS	Artikel	Artikel Beskrywing	Statistiese			Skaal van Reg		
Subpos				Eenheid	Algemeen	EU	EFTA	SAOG	MERCOSUR
7217.10	4	,	Nie geplateer of bestryk nie, hetsy gepoleer al dan nie	kg	10%	vry	vry	vry	10%
7217.20	6		Met sink geplateer of bestryk	kg	10%	vry	vry	vry	10%
7318.11	9	:	Spoorskroewe	kg	15%	vry	vry	vry	15%
7318.13	6	;	Skroefhake en skroefringe	kg	15%	vry	10%	vry	15%
7318.15.26	2	:	Sokskroewe	kg	30%	vry	vry	vry	30%
7318.15.35	4	:	Ander skroewe en boute (met inbegrip van bout-ente, skroefpenne en tapskroewe), van vlekvrye staal (uitgesonderd dié met volledige skroefdraad met seskantige koppe)	kg	30%	vry	vry	٨IJ	30%
7318.15.39	7	1	Ander skroewe, met volledige skroefdraad met seskantige koppe (uitgesonderd dié van vlekvrye staal)	kg	30%	vry	vry	VIJ	30%
7318.15.41	6	1	Bout-ente, skroefpenne en tapskroewe (uitgesonderd dié van vlekvrye staal en dié uitkenbaar as vir gebruik met vliegtuie)	kg	30%	vry	vry	VIJ	30%
7318.15.43	5	1	Ander boute (uitgesonderd bout-ente, skroefpenne en tapskroewe) met seskantige koppe	kg	30%	vry	vry	VIJ	30%
7318.15.90	7	:	Ander	kg	30%	vry	vry	vry	30%
7318.16.30	9	:	Ander, seskantige moere	kg	30%	vry	10%	vry	30%
7318.16.90	S	:	Ander	kg	30%	vry	10%	vry	30%
7318.19	7	:	Ander	kg	15%	vry	vry	vry	15%
7318.23	ŝ	:	Klinknaels	kg	30%	vry	vry	vry	30%
7318.24	7	;	Spye en dwarsspye	kg	30%	vry	vry	vry	30%
7318.29	-	:	Ander	kg	15%	vry	vry	vry	15%

Kragtens artikel 48 van die Doeane- en Aksynswet, 1964, word Deel 1 van Bylae No. 1 by bogenoemde Wet hiermee gewysig in die mate in die Bylae hierby aangetoon.

DOEANE- EN AKSYNSWET, 1964. WYSIGING VAN BYLAE NO. 1 (NO. 1/1/1571)

BYLAE

ADJUNKMINISTER VAN FINANSIES

	tule No. 6 to the said Act is hereby amended, with effect from 5 April 2017, to the extent set or
	nt se
	xter
	ee
	o th
	7, t
	201
	ri
_	Ā
45	22
3/3/	fro
4 ~	ect
ΰS	eff
<u>, </u> 9	/ith
δo	d, v
ΔZ	nde
IL IS	mei
Ωd	v a
ᅇᄪ	ereb
	she
A	ct i
SN 0	id A
ōΞ	e sa
CUSTOMS AND EXCISE ACT, 1964. AMENDMENT OF SCHEDULE NO. 6 (NO. 6/3/45)	the
ភគ្ម	6 to
Ē	0
AN	e P
-	문

out in the Schedule hereto. In terms of section 75 of the Customs and Excise Act, 1964, Part 3 of Schedule No. 6 to

M JONAS

DEPUTY MINISTER OF FINANCE

SCHEDULE

Farming, forestry or mining on land is, 120 cents per litre fuel levy on 80 per cent of eligible purchases, plus 163 cents per litre Road Accident Fund levy on 80 per cent of eligible purchases equalling 283 cents per litre on 80 per cent of the total eligible purchases. By the substitution of Note 6(b)(i) in Part 3 of Schedule No. 6 with the following Mode of calculation of refund is as follows: Ξ

Mode of calculation of refund is as follows: (aa) For 1 000 litres eligible purchases

- For 1 000 litres eligible purchases 1 000 x 80 per cent equals 800 litres on which a refund of 283 cent per litre may be claimed;
- (bb) For 1 000 litres purchased of which 300 litres represent non-eligible purchases, for example, carriage of goods for reward
- 1 000 litres less 300 litres equals 700 litres eligible purchases X 80 per cent equals 560 litres on which a refund of 283 cents per litre may be claimed.

By the substitution of Note 6(b)(ii)(gg) in Part 3 of Schedule No. 6 with the following:

(66)

- vessels employed to service fibre optic telecommunication cables along the coastline of Southern Africa, is 300 cents per litre fuel levy, plus 163 cents per litre.
 - ouu cents per litte ruei levy, **pius** roo cents per litte Koad Accident Fund levy equaliting 400 cents j

By the substitution of Note 6(b)(iii)(bb) in Part 3 of Schedule No. 6 with the following:

- (bb) vessels used by in-port bunker barge operators,
 - 163 cents per litre Road Accident Fund levy.

By the substitution of Note 6(b)(iv) in Part 3 of Schedule No. 6 with the following:

Locomotives used for rail freight other than those used in farming, forestry or mining, as provided in these Notes is 163 cents per litre Road Accident Fund levy. 2

By the substitution of Note 6(b)(v) in Part 3 of Schedule No. 6 with the following:

Distillate fuel used solely as fuel in electricity generation plants with a capacity exceeding 200 megawatt per plant, generating electricity for the national distribution network, is 150 cents per litre fuel levy, **plus** 163 cents per litre Road Accident Fund levy equalling 313 cents per litre. Σ

SOUTH AFRICAN REVENUE SERVICE

31 MARCH 2017

DOEANE- EN AKSYNSWET, 1964. WYSIGING VAN BYLAE NO. 6 (NO. 6/3/45)	1. 292
Kragtens artikel 75 van die Doeane- en Aksynswet, 1964, word Deel 3 van Bylae No. 6 by bogenoemde Wet hiermee gewysig, met ingang vanaf 5 April 2017, in die mate in die Bylae hierby aangetoon.	
MARTIN M JONAS M JONAS ADJUNKMINISTER VAN FINANSIES	
BYLAE	
Deur Opmerking 6(b)(i) in Deel 3 van Bylae No. 6 met die volgende te vervang:	
(i) Landbou, bosbou of mynbou op land, is 120 sent per liter brandstofhefing op 80 persent van geskikte aankope, plus 163 sent per liter Padongelukfondsheffing op 80 persent van geskikte aankope is gelyk aan 283 sent per liter op 80 persent van die totale geskikte aankope. Metode van berekening van terugbetalling is as volg:	
(aa) Vir 1 000 liter geskikte aankope -	
1 000 x 80 persent is gelyk aan 800 liter waarvoor 'n terugbetaling van 283 sent per liter geëis mag word;	
(bb) Vir 1000 liter aangekoop waarvan 300 liter ongeskikte aankope verteenwoordig, byvoorbeeld, vervoer van goedere teen vergoeding -	
1 000 liter min 300 liter is gelyk aan 700 liter geskikte aankope x 80 persent is gelyk aan 560 liter waarop 'n terugbetaling van 283 sent per liter geëis mag	
. Deur Opmerking 6(b)(ii)(gg) in Deel 3 van Bylae No. 6 met die volgende te vervang:	
(gg) vaartuie aangewend vir die diens van veseloptiese-telekommunikasiekabels langs die kuslyn van Suider-Afrika,	
is 300 sent per liter brandstofheffing, plus 163 sent per liter Padongelukfondsheffing is gelyk aan 463 sent per liter.	
Deor Onmerking Kh)(iii\(hh) in Deel 3 van Bvlae No. 6 mer die volgende te vervang.	
(bb) vaartuie deur in-hawe bunkervragskuitoperateurs gebruik,	
el J /	
(w) Lokomotewe vir spoorvrag gebruik uitgesonderd die gebruik vir landbou, bosbou of mynbou, soos in hierdie Opmerkings bepaal, is 163 sent per liter Padongeluktiondshefting.	
Deur Opmerking 6(b)(v) in Deel 3 van Bylae No. 6 die volgende te vervang:	

SUID-AFRIKAANSE INKOMSTEDIENS

GOVERNMENT GAZETTE, 31 MARCH 2017

31 MAART 2017

Distillantbrandstof vir gebruik uitsluitlik as brandstof deur elektrisiteitsopwekkingsaanlegte met 'n kapasiteit van meer as 200 megawatt per aanleg, wat krag opwek vir die nasionale verspreidingsnetwerk, is 150 sent per liter brandstoffng, plus 163 sent per liter.

Ξ

CUSTOMS AND EXCISE ACT, 1964.

AMENDMENT OF SCHEDULE NO. 1 (NO. 1/5A/162)

In terms of section 48 of the Customs and Excise Act, 1964, Part 5A of Schedule No. 1 to the said Act is hereby amended, with effect from 5 April 2017, to the extert set out in the Schedule hereto.

Marth Monas M Jonas Deputy Minister of Finance

SCHEDULE

By the substitution of the following:	the following:		
Fuel	Tariff Heading	Article Description	Rate of
Levy Item			Fuel Levy
195.10.03	2710.12.02	Petrol, as defined in Additional Note 1(b) to Chapter 27	315c/li
195.10.15	2710.12.26	Illuminating kerosene, as defined in Additional Note 1(f) to Chapter 27, unmarked	300c/li
195.10.17	2710.12.30	Distillate fuel, as defined in Additional Note 1(g) to Chapter 27	300c/li
195.10.21	2710.12.39	Specified aliphatic hydrocarbons solvents, as defined in Additional Note 1(ij) to Chapter 27, unmarked	300c/li
195.20.01	3826.00.10	Biodiesel as specified in Additional Note 1(a) to Chapter 38	150c/li
195.20.03	3826.00.90	Other biodiesel	300c/li

SOUTH AFRICAN REVENUE SERVICE

No. 40734 59

Kragtens artikel 48 van die Doeane- en Aksynswet, 1964, word Deel 5A van Bylae No. 1 by bogenoemde Wet hiermee gewysig, met ingang vanaf 5 April 2017, in die mate in die Bylae hierby aangetoon.

M JONAS M JONAS ADJUNKMINISTER VAN FINANSIES

BYLAE

Deur die vervanging van die volgende:	an die volgende:		
Brandstof-	Tariefpos	Artikel Beskrywing	Skaal van
heffingitem			Brandstofheffing
195.10.03	2710.12.02	Petrol, soos omskryf in Addisionele Opmerking 1(b) by Hoofstuk 27	315c/li
195.10.15	2710.12.26	Verhittingskeroseen, soos omskryf in Addisionele Opmerking 1(f) by Hoofstuk 27, ongemerk	300c/li
195.10.17	2710.12.30	Distillaatbrandstof, soos omskryf in Addisionele Opmerking 1(g) by Hoofstuk 27	300c/li
195.10.21	2710.12.39	Gespesifiseerde alifatiese koolwaterstofoplosmiddels, soos omskryf in Addisionele Opmerking 1(ij) by Hoofstuk 27, ongemerk	300c/li
195.20.01	3826.00.10	Biodiesel soos omskryf in Addisionele Opmerking 1(a) by Hoofstuk 38	150c/li
195.20.03	3826.00.90	Ander biodiesel	300c/li

SUID-AFRIKAANSE INKOMSTEDIENS

GOVERNMENT GAZETTE, 31 MARCH 2017

NO. R. 293

AMENDMENT OF SCHEDULE NO. 1 (NO. 1/5B/163)

In terms of section 48 of the Customs and Excise Act, 1964, Part 5B of Schedule No. 1 to the said Act is hereby amended, with effect from 5 April 2017, to the extent set out in the Schedule hereto. theat. M JONAS DEPUTY MINISTER OF FINANCE

SCHEDULE

By the substitution of the following:	owing:		
Road Accident Fund	Tariff Heading	Article Description	Rate of
Fuel Levy Item			Road Accident Fund Levy
197.10.03	2710.12.02	Petrol, as defined in Additional Note 1(b) to Chapter 27	163c/li
197.10.15	2710.12.26	Illuminating kerosene, as defined in Additional Note 1(f) to Chapter 27, unmarked	163c/li
197.10.17	2710.12.30	Distillate fuel, as defined in Additional Note 1(g) to Chapter 27	163c/li
197.10.21	2710.12.39	Specified aliphatic hydrocarbon solvents, as defined in Additional Note 1(ij) to Chapter 27, unmarked	163c/li
197.20.01	3826.00.10	Biodiesel, as defined in Additional Note 1(a) to Chapter 38	163c/li
197.20.03	3826.00.90	Other biodiesel	163c/li

31 MARCH 2017

WYSIGING VAN BYLAE NO. 1 (NO. 1/5B/163)

è Kragtens artikel 48 van die Doeane- en Aksynswet, 1964

die bylae nierby aangetoon.	
õ	
2	
ײ	
ĕ	
ਗ	
ω	(
>	1
6	
Ð	
Ē	
d)	
ສັ	
⋝	
'n	
a	
₹.	
~	
mate In	
Φ	
a	
É	
-	
≝	
2	
ID die	
, met ingang vanat 5 April 2017, I	
2	
ò	
Ň	
=	
2	
7	
2	
0	
a	
č.	
m	
>	
Б	
=	
<u>m</u>	
ຬ	
=	
ž	
č.	
-	
5	
×	
≥	
e,	
2,2	
Ψ.	
Ĕ	
E	
niermee gewysig	
ы	
¥	
>	
Φ	
p	
₽.	
g	
Z	
by pogenoemde wet r	
g	
S.	
-	
õ	
_	
ġ	
<	
ae	
U	
ñ	
-	
a	
Deel 5B van Bylae	
'n	
G	
-	
Å	
Ľ	
_	
word	
õ	
\$	
1964	
ົ	

M JONAS ADJUNKMINISTER VAN FINANSIES

BYLAE

Deur die vervanging van die volgende:	olgende:		
Padongelukfondsheffing	Tariefpos	Artikel Beskrywing	Skaal van
item			Padongelukfondsheffing
197.10.03	2710.12.02	Petrol, soos omskryf in Addisionele Opmerking 1(b) by Hoofstuk 27	163c/li
197.10.15	2710.12.26	Verhittingskeroseen, soos omskryf in Addisionele Opmerking 1(f) by Hoofstuk 27, ongemerk	163c/li
197.10.17	2710.12.30	Distillaatbrandstof, soos omskryf in Addisionele Opmerking 1(g) by Hoofstuk 27	163c/li
197.10.21	2710.12.39	Gespesifiseerde alifatiese koolwaterstofoplosmiddels, soos omskryf in Addisionele Opmerking 1(ij) by Hoofstuk 27, 163c/li ongemerk	163c/li
197.20.01	3826.00.10	Bio-diesel soos omskryf in Addisionele Opmerking 1(a) by Hoofstuk 38	163c/li
197.20.03	3826.00.90	Ander bio-diesel	163c/li

NO. R. 294

SUID-AFRIKAANSE INKOMSTEDIENS

31 MAART 2017

AMENDMENT OF SCHEDULE NO. 1 (NO. 1/1/1570)

In terms of section 48 of the Customs and Excise Act, 1964, Part 1 of Schedule No. 1 to the said Act is hereby amended to the extent set out in the Schedule hereto

M JONAS

SCHEDULE

following
of the 1
substitution (
By the

By the substitution of the following:	n of the	e followir.	1g:						
Heading /	CD	Article	CD Article Description	Statistical			Rate of Duty		
Subheading				Unit	General	EU	EFTA	SADC	MERCOSUR
1001.91	e	;	Seed	kg	119,02c/kg	119,02c/kg	119,02c/kg	free	119,02c/kg
1001.99	0	;	Other	kg	119,02c/kg	119,02c/kg	119,02c/kg	free	119,02c/kg
1101.00.10	~	I	Brown wheaten meal produced by the milling of whole grains (the bran, germ and endosperm) (excluding separated wheat bran, separated wheat germ or separated wheat semolina or endosperm)	kg	178,53c/kg	178,53 <i>c</i> /kg	178,53c/kg	free	178,53c/kg
1101.00.90	5		Other	kg	178,53c/kg	178,53c/kg	178,53c/kg	free	178,53c/kg

SOUTH AFRICAN REVENUE SERVICE

31 MARCH 2017

SUID-AFRIKAANSE INKOMSTEDIENS

31 MAART 2017

DOEANE- EN AKSYNSWET, 1964. WYSIGING VAN BYLAE NO. 1 (NO. 1/1/1570)

Kragtens artikel 48 van die Doeane- en Aksynswet, 1964, word Deel 1 van Bylae No. 1 by bogenoemde Wet hiermee gewysig in die mate in die Bylae hierby aangetoon.

BYLAE

M " UNT M TONAS ADJUNKMINISTER VAN FINANSIES

Deur die vervanging van die volgende:

Pos /	TS	Artikel	TS Artikel Beskrywing	Statistiese			Skaal van Reg		
Subpos			2	Eenheid	Algemeen	EU	EFTA	SAOG	MERCOSUR
1001.91	e	:	Saad	kg	119,02c/kg	119,02c/kg	119,02c/kg	vry	119,02c/kg
1001.99	0	;	Ander	kg	119,02c/kg	119,02c/kg	119,02c/kg	vry	119,02c/kg
1101.00.10	~		Bruin koringmeelblom deur die maal van heel graan geproduseer (die semels, kieme en kiemwit) (uitigesonderd geskeide koringsemels, geskeide koringkieme of geskeide koring griesmeel of kiemwit)	g	178,53c/kg	178,53c/kg	178,53c/kg	vry	178,53c/kg
1101.00.90	5		Ander	kg	178,53c/kg	178,53c/kg	178,53c/kg	vry	178,53c/kg

This gazette is also available free online at www.gpwonline.co.za

WARNING!!!

To all suppliers and potential suppliers of goods to the Government Printing Works

The Government Printing Works would like to warn members of the public against an organised syndicate(s) scamming unsuspecting members of the public and claiming to act on behalf of the Government Printing Works.

One of the ways in which the syndicate operates is by requesting quotations for various goods and services on a quotation form with the logo of the Government Printing Works. Once the official order is placed the syndicate requesting upfront payment before delivery will take place. Once the upfront payment is done the syndicate do not deliver the goods and service provider then expect payment from Government Printing Works.

Government Printing Works condemns such illegal activities and encourages service providers to confirm the legitimacy of purchase orders with GPW SCM, prior to processing and delivery of goods.

To confirm the legitimacy of purchase orders, please contact:

Renny Chetty (012) 748-6375 (Renny.Chetty@gpw.gov.za),

Anna-Marie du Toit (012) 748-6292 (Anna-Marie.DuToit@gpw.gov.za) and

Siraj Rizvi (012) 748-6380 (Siraj.Rizvi@gpw.gov.za)

Printed by and obtainable from the Government Printer, Bosman Street, Private Bag X85, Pretoria, 0001 Contact Centre Tel: 012-748 6200. eMail: info.egazette@gpw.gov.za Publications: Tel: (012) 748 6053, 748 6061, 748 6065