



Government Gazette Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID-AFRIKA

Vol. 459

Pretoria, 26 September 2003

No. 25502



AIDS HELPLINE: 0800-0123-22 Prevention is the cure

CONTENTS**INHOUD**

No.	Page No.	Gazette No.	No.	Bladsy No.	Koerant No.
GOVERNMENT NOTICES			GOEWERMENSKENNISGEWINGS		
Transport, Department of			Vervoer, Departement van		
<i>Government Notices</i>			<i>Goewermenskennisgewings</i>		
1349			1349		
South African National Road Agency Limited and National Road Act (7/1998): South African National Road Agency Limited: Amendment: Portion of National Route 2, Section 26, at Mount Edgecombe Interchange, Province of KwaZulu-Natal.....	3	25502	Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet (7/1998): Suid-Afrikaanse Nasionale Padagentskap Beperk: Wysiging: Gedeelte van Nasionale Roete 2, Seksie 26, by Mount Edgecombe-wisselaar, provinsie KwaZulu-Natal	4	25502
1350			1350		
do.: do.: Declaration of existing Provincial Main Road 439 between Hluhluwe and Mozambique Border at the Farazela Border Post, as National Road R22, Section 1 to 5: Districts of Hlabisa, Umbombo and Ngwavuma	7	25502	do.: do.: Verkaring van bestaande Provinsiale Grootpad 439 tussen Hluhluwe- en Mosambiekgrens by Farazela-grenspas as Nasionale Pad R22, Seksie 1 tot 5, distrikte van Hlabisa, Umbombo en Ngwavuma	8	25502
1352			1352		
South African National Road Agency Limited and National Road Act (7/1998): South African National Road Agency Limited: Declaration of existing Provincial Main Road 678 as National Road N2, Section 32: Districts of Ngotshe and Simdlangentsha.....	48	25502	Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet (7/1998): Suid-Afrikaanse Nasionale Padagentskap Beperk: Verklaring van bestaande Provinsiale Hoofpad 678 as Nasionale Roete N2, Seksie 32: Distrikte van Ngotshe en Simdlangentsha	49	25502
1353			1353		
do.: do.: Declaration of existing Provincial Main Road 720 as National Road P720: District of Simdlangentsha ..	50	25502	do.: do.: Verklaring van bestaande Provinsiale Hoofpad 720 as Nasionale Roete P720: Distrik van Simdlangentsha ..	51	25502

GOVERNMENT NOTICES GOEWERMENTSKENNISGEWINGS

DEPARTMENT OF TRANSPORT DEPARTEMENT VAN VERVOER

No. 1349

26 September 2003

THE SOUTH AFRICAN NATIONAL ROAD AGENCY LIMITED


AMENDMENT OF DECLARATION 4672 OF 2000, A PORTION OF NATIONAL ROUTE 2 SECTION 26, AT MOUNT EDGECOMBE INTERCHANGE, PROVINCE OF KWAZULU NATAL

By virtue of Section 40(1) (B) of the South African National Road Agency Limited and National Road Act 1998 (Act No. 7 of 1998), I hereby amend declaration No 4672 of 2000 by substituting the subjoined sheets 1B and 4C for sheet 1A and 4B respectively of plan P214/73



Act Minister of Transport

DIE SUID AFRIKAANSE NASIONALE PADAGENTSKAP BEPERK**WYSIGING VAN VERKLARING NR 4672 VAN 2000, 'NN GEDEELTE VAN NASIONALE ROETE 2
SEKSIE 26 BY MOUNT EDGECOMBE WISSELAAR, PROVINSIE KWAZULU NATAL**

Kragtens artikel 40(1) (b) van die Suid Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee verklaring Nr 4672 van 200 deur velle 1A en 4B te vervang met velle 1B en 4C onderskeidelik.



Wre Minister van Vervoer



Suid-Afrikaanse Padagentskap Bpk. South African National Roads Agency Ltd.	Die figuur getoon The figure shown		stelt die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	N2	Seksie Section	26	Vel Sheet	18 of	5
							P	214/73	

PADRESERWE KOÖRDINATE				/	ROAD RESERVE CO-ORDINATES			
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE			
	Y	X	Lo 31°			Y	X	
L1	-4 663.48	3 290 802.37			R1	-4 749.72	3 290 866.09	
L2	-4 880.19	3 290 624.67			R2	-4 942.23	3 290 699.99	
L3	-4 991.96	3 290 508.07			R3	-5 281.83	3 290 405.66	
L4	-5 202.02	3 290 337.43			R4	-5 473.68	3 290 083.91	
L5	-5 402.19	3 290 009.62			R5	-5 603.58	3 289 696.86	
L6	-5 517.94	3 289 529.85			R5a	-5 700.00	3 289 476.00	
L7	-5 442.46	3 289 161.17			R5b	-5 815.50	3 289 420.00	
L8	-5 472.69	3 288 733.87			R5c	-5 866.50	3 289 444.50	
L9	-5 436.91	3 288 662.32			R5d	-5 993.00	3 289 595.50	
L10	-5 474.47	3 288 643.53			R5e	-6 004.82	3 289 627.56	
L11	-5 563.50	3 288 820.50			R9	-6 162.40	3 289 770.29	
L12	-5 613.50	3 288 796.00			R10	-6 219.07	3 289 713.82	
L13	-5 695.44	3 288 704.58			R11	-6 051.31	3 289 543.30	
L14	-5 838.69	3 288 651.57			R11a	-6 001.38	3 289 487.24	
L15	-6 063.11	3 288 343.45			R11b	-5 900.60	3 289 372.80	
L16	-6 232.69	3 288 029.82			R11c	-5 851.40	3 289 309.00	
L17	-6 375.94	3 287 703.74			R11d	-5 822.30	3 289 269.50	
L18	-6 436.32	3 287 430.01			R11e	-5 827.25	3 289 225.10	
L19	-6 500.21	3 287 240.42			R12	-5 858.50	3 289 203.10	
L20	-6 549.25	3 287 173.16			R12a	-5 877.50	3 289 169.80	
L21	-6 680.78	3 286 795.36			R12b	-5 879.00	3 289 054.00	
L22	-6 723.88	3 286 644.77			R12c	-5 888.50	3 288 939.00	
L23	-6 855.23	3 286 461.28			R13	-5 902.00	3 288 864.80	
L24	-7 029.11	3 286 275.80			R13a	-5 912.00	3 288 809.00	
L25	-7 456.89	3 285 970.41			R13b	-5 944.70	3 288 756.00	
L26	-7 538.79	3 285 878.65			R13c	-5 969.19	3 288 713.22	
L27	-7 814.79	3 285 714.47			R14	-5 975.18	3 288 687.26	
L28	-8 111.78	3 285 461.00			R15	-6 135.54	3 288 387.93	
L29	-8 425.18	3 285 013.71			R16	-6 303.33	3 288 111.14	
L30	-8 613.62	3 284 660.42			R17	-6 380.84	3 287 968.73	
L31	-9 022.12	3 283 976.59			R18	-6 475.78	3 287 744.93	
L32	-9 122.22	3 283 716.80			R19	-6 629.20	3 287 388.64	
L33	-9 258.20	3 283 493.41			R20	-6 731.11	3 287 196.97	
L34	-9 337.12	3 283 243.21			R21	-6 879.50	3 286 703.44	
L35	-9 521.57	3 282 843.73			R22	-7 059.11	3 286 417.58	
L36	-9 546.25	3 282 727.51			R23	-7 275.66	3 286 198.35	
L37	-9 514.55	3 282 572.06			R24	-7 831.70	3 285 806.88	
L38	-9 364.59	3 282 416.62			R25	-8 017.13	3 285 680.42	
L39	-9 295.00	3 282 391.00			R26	-8 260.34	3 285 459.60	
L40	-9 320.00	3 282 253.00			R27	-8 457.51	3 285 125.86	
					R28	-8 605.68	3 284 934.69	
					R29	-8 665.75	3 284 784.30	
					R30	-9 054.24	3 284 128.16	
					R31	-9 237.02	3 283 726.54	
					R32	-9 309.61	3 283 583.87	
					R33	-9 394.68	3 283 402.86	
					R34	-9 478.12	3 283 265.29	
					R35	-9 651.89	3 282 904.98	
					R36	-9 830.93	3 282 727.51	
					R37	-10 081.50	3 282 571.00	
					R38	-10 121.00	3 282 581.00	
					R39	-10 159.60	3 282 703.00	
					R40	-10 253.50	3 282 725.00	
					Vel	van	P	
					Sheet	of		
					4C	5		214/73

No. 1350

26 September 2003

THE SOUTH AFRICAN NATIONAL ROAD AGENCY LIMITED**DECLARATION OF EXISTING PROVINCIAL MAIN ROAD 439 BETWEEN HLUHLUWE AND MOZAMBIQUE BORDER AT THE FARAZELA BORDER POST, AS NATIONAL ROAD R22 SECTION 1 TO 5: DISTRICTS OF HLABISA, UMBOMBO AND NGWAVUMA.**

By virtue of Section 40(1) (a) of the South African National Road Agency Limited and National Road Act 1998 (Act No. 7 of 1998), I hereby declare (i) the section of Provincial Main Road 439 also known as R22 as declared by Administrative Notice 214 of 1997 and all other Administrative Notices which are relevant to this section of road, commencing from its junction with National Road N2 section 30 as declared by National Road declaration 236 of 1972 near Hluhluwe, proceeding in a general north-north easterly direction up to a point on the common boundary between portion 12 of Erf H108 No. 13419 and portion 19 of Erf H109 No. 14109, and (ii) the surveyed route between the common boundary of portion 12 of Erf H108 No. 13419 and portion 19 of Erf H109 No. 14109 to the Farazela border post at the Mozambique border as depicted on the subjoined plans P482/01 sheets 1 to 12, P483/01 sheets 1 to 13 and P484/01 sheets 1 to 16 to be a National Road.

(National Route R22 Hluhluwe to Mozambique Border)

J. Radtke
Act Minister of Transport

No. 1350

26 September 2003


DIE SUID AFRIKAANSE NASIONALE PADAGENTSKAP BEPERK**VERKLARING VAN BESTAANDE PROVINSIALE GROOTPAD 439 TUSSEN HLUHLUWE EN MOSAMBIEK GRENS BY FARAZELA GRENSPOS AS NASIONALE PAD R22 SEKSIE 1 TOT 5: DISTRIKTE VAN HLABISA, UMBOMBO EN NGWAVUMA.**

Kragtens artikel 40(1) (a) van die Suid Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), verklaar ek hiermee (i) die gedeelte Provinsiale Grootpad 439, ook bekend as R22, soos verklaar in Administrateurs Kennisgewing 214 van 1997 en enige ander Administrateurs Kennisgewings wat van krag op hierdie gedeelte pad mag wees, vanaf sy aansluiting met Nasionale Pad N2 seksie 30, naby Hluhluwe, soos verklaar deur Nasionale Pad verklaring 236 van 1972, strekkende in 'n algemene noord-noord oostelike rigting tot by 'n punt op die gesamentlike grens tussen gedeelte 12 van Erf H108 No. 13419 en gedeelte 19 van Erf H109 No. 14109, en (ii) die opgemete roete tussen die gesamentlike grens tussen gedeelte 12 van Erf H108 No. 13419 en gedeelte 19 van Erf H109 No. 14109 tot by die Farazela Grenspos op die Mosambiekgrens soos aangetoon op die aangehegte planne P482/01 velle 1 tot 12, P483/01 velle 1 tot 13 en P484/01 velle 1 tot 16 as 'n Nasionale Pad.


(Nasionale Pad: R22 Hluhluwe tot Mosambiekgrens)



Wnê Minister van Vervoer



Suid-Afrikaanse Nasionale Padagentskap Beperk South African National Roads Agency Limited	Die figuur vertoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route R22 Seksie Section 2	Vel. Sheet 1 van 12 P No. 482/01
--	--	--	--



Suid-Afrikaanse Nasionale Padagentskap Beperk
South African National Roads Agency Limited


Die figuur vertoon
The figure shown



stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route R22

Seksie 2
Section 2

Vel 2 van 12
Sheet 2 of 12
P No. 482/01




Suid-Afrikaanse Nasionale Padagentskap Beperk
South African National Roads Agency Limited

Die figuur vertoon
The figure shown



stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route R22
Seksie
Section 2

Vel van
Sheet 4 of 12
P No. 482/01



Suid-Afrikaanse Nasionale Padagentskap Beperk
South African National Roads Agency Limited

Die figuur vertoon
The figure shown




stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route

R22

Seksie 2
Section 2

Vel
Sheet 5 van 12

P No. 482/01




Suid-Afrikaanse Nasionale Padagentskap Beperk
South African National Roads Agency Limited

Die figuur vertoon
The figure shown



stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R22 Seksie 2
of National Route R22 Section 2

Vel van
Sheet 6 of 12
P No. 482/01



Suid-Afrikaanse Nasionale Padagentskap Beperk South African National Roads Agency Limited	Die figuur vertoon The figure shown 	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route R22 Seksie 2 Section 2	Vel van Sheet 7 of 12 P No. 482/01
--	---	---	--

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES**LINKERKANT / LEFT HAND SIDE**

	Y	X
CONSTANT	0,00 +3 000 000,00	
L 1	+67 293,52	+96 014,87
L 2	+67 490,64	+94 460,16
L 3	+67 495,37	+94 407,98
L 4	+67 495,76	+94 384,82
L 5	+67 496,25	+94 355,59
L 6	+67 488,32	+94 303,74
L 7	+67 435,13	+93 728,87
L 8	+67 429,49	+93 678,28
L 9	+67 421,75	+93 627,96
L 10	+67 411,93	+93 578,01
L 11	+67 303,84	+93 077,83
L 12	+67 295,26	+93 029,52
L 13	+67 290,51	+92 980,09
L 14	+67 289,68	+92 930,45
L 15	+67 307,23	+92 119,50
L 16	+67 310,11	+92 019,79
L 17	+67 315,26	+91 920,18
L 18	+67 322,67	+91 820,70
L 19	+67 368,87	+91 317,96
L 20	+67 370,63	+91 260,24
L 21	+67 366,42	+91 202,65
L 22	+67 356,29	+91 145,79
L 23	+67 340,36	+91 090,28
L 24	+67 318,81	+91 036,71
L 25	+67 291,85	+90 985,64
L 26	+67 259,77	+90 937,62
L 27	+67 222,92	+90 893,15
L 28	+67 181,68	+90 852,72
L 29	+67 136,50	+90 816,75
L 30	+67 087,86	+90 785,62
L 31	+67 036,26	+90 759,70
L 32	+65 572,15	+90 115,54
L 33	+65 444,82	+90 058,48
L 34	+65 318,81	+89 998,78
L 35	+65 192,97	+89 935,85
L 36	+63 621,75	+89 136,44
L 37	+63 486,16	+89 068,54
L 38	+63 040,32	+88 848,89
L 39	+63 006,94	+88 829,92
L 40	+62 976,03	+88 807,13

WG33°

REGTERKANT / RIGHT HAND SIDE

	Y	X
KONSTANT	0,00 +3 000 000,00	
R 1	+67 252,48	+96 020,57
R 2	+67 278,46	+95 815,64
R 3	+67 304,86	+95 607,46
R 4	+67 329,85	+95 410,34
R 5	+67 353,65	+95 222,63
R 6	+67 376,40	+95 043,19
R 7	+67 398,23	+94 870,99
R 8	+67 450,95	+94 455,13
R 9	+67 455,42	+94 405,85
R 10	+67 455,71	+94 388,89
R 11	+67 456,26	+94 356,37
R 12	+67 458,44	+94 306,50
R 13	+67 405,26	+93 731,63
R 14	+67 399,75	+93 682,24
R 15	+67 392,19	+93 633,12
R 16	+67 382,61	+93 584,35
R 17	+67 274,55	+93 084,76
R 18	+67 265,53	+93 033,55
R 19	+67 260,56	+92 981,79
R 20	+67 259,68	+92 929,80
R 21	+67 277,22	+92 118,85
R 22	+67 280,14	+92 018,54
R 23	+67 285,32	+91 918,33
R 24	+67 292,77	+91 818,25
R 25	+67 329,00	+91 314,70
R 26	+67 330,64	+91 261,10
R 27	+67 326,73	+91 207,62
R 28	+67 317,32	+91 154,83
R 29	+67 302,53	+91 103,28
R 30	+67 282,52	+91 053,53
R 31	+67 257,48	+91 006,11
R 32	+67 227,70	+90 961,52
R 33	+67 193,52	+90 920,29
R 34	+67 155,19	+90 882,69
R 35	+67 113,23	+90 849,29
R 36	+67 068,07	+90 820,38
R 37	+67 020,15	+90 796,31
R 38	+65 556,04	+90 152,15
R 39	+65 428,03	+90 094,79

** PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

	Y	X
CONSTANT	0,00	+3 000 000,00
L 41	+62 948,03	+88 780,85
L 42	+62 923,33	+88 751,45
L 43	+62 774,07	+88 550,96
L 44	+62 746,36	+88 510,66
L 45	+62 721,82	+88 468,33
L 46	+62 700,62	+88 424,25
L 47	+62 491,32	+87 943,50
L 48	+62 469,35	+87 881,93
L 49	+62 454,14	+87 818,55
L 50	+62 452,08	+87 780,20
L 51	+62 455,58	+87 685,88
L 52	+62 467,92	+87 626,93
L 53	+62 499,83	+87 511,89
L 54	+62 614,54	+87 098,46
L 55	+62 638,78	+86 994,66
L 56	+62 653,63	+86 889,27
L 57	+62 659,24	+86 782,99
L 58	+62 655,52	+86 676,63
L 59	+62 587,40	+85 806,94
L 60	+62 586,11	+85 755,88
L 61	+62 590,27	+85 704,96
L 62	+62 599,83	+85 654,79
L 63	+62 823,10	+84 747,33
L 64	+62 835,85	+84 672,21
L 65	+62 837,47	+84 596,02
L 66	+62 827,94	+84 520,42
L 67	+62 807,46	+84 447,02
L 68	+62 776,45	+84 377,41
L 69	+62 432,71	+83 736,13
L 70	+62 405,95	+83 691,06
L 71	+62 375,36	+83 648,50
L 72	+62 341,18	+83 608,77
L 73	+61 826,75	+83 061,29
L 74	+61 795,18	+83 024,05
L 75	+61 767,54	+82 983,80
L 76	+61 744,14	+82 940,95
L 77	+61 031,73	+81 462,10
L 78	+60 994,13	+81 394,13
L 79	+60 949,12	+81 330,81
L 80	+60 768,16	+81 104,45

REGTERKANT / RIGHT HAND SIDE

	Y	X
KONSTANT	0,00	+3 000 000,00
R 40	+65 301,35	+90 034,77
R 41	+65 174,84	+89 971,51
R 42	+63 603,61	+89 172,09
R 43	+63 468,48	+89 104,41
R 44	+63 022,64	+88 884,77
R 45	+62 985,15	+88 863,46
R 46	+62 950,43	+88 837,87
R 47	+62 918,98	+88 808,36
R 48	+62 891,24	+88 775,34
R 49	+62 741,98	+88 574,85
R 50	+62 712,54	+88 532,02
R 51	+62 686,47	+88 487,06
R 52	+62 663,95	+88 440,22
R 53	+62 454,65	+87 959,47
R 54	+62 430,84	+87 892,77
R 55	+62 416,34	+87 823,45
R 56	+62 412,33	+87 804,13
R 57	+62 411,77	+87 753,87
R 58	+62 416,54	+87 684,78
R 59	+62 430,15	+87 614,33
R 60	+62 442,01	+87 571,73
R 61	+62 577,43	+87 085,94
R 62	+62 599,45	+86 987,35
R 63	+62 613,81	+86 885,42
R 64	+62 619,24	+86 782,63
R 65	+62 615,64	+86 679,75
R 66	+62 547,52	+85 810,07
R 67	+62 546,12	+85 754,74
R 68	+62 550,63	+85 699,59
R 69	+62 560,99	+85 645,23
R 70	+62 784,26	+84 737,77
R 71	+62 796,03	+84 668,43
R 72	+62 797,52	+84 598,10
R 73	+62 788,72	+84 528,32
R 74	+62 769,82	+84 460,56
R 75	+62 741,20	+84 396,31
R 76	+62 397,45	+83 755,03
R 77	+62 372,48	+83 712,96
R 78	+62 343,93	+83 673,24

WG33°

** PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

Y	X
CONSTANT 0,00	+3 000 000,00
L 81	+60 718,75 +81 029,06
L 82	+60 684,30 +80 945,77
L 83	+60 666,04 +80 857,51
L 84	+60 543,20 +79 745,63
L 85	+60 521,86 +79 634,06
L 86	+60 483,23 +79 527,23
L 87	+60 428,29 +79 427,82
L 88	+60 358,39 +79 338,27
L 89	+60 275,29 +79 260,84
L 90	+60 181,04 +79 197,44
L 91	+60 077,99 +79 149,65
L 92	+59 997,89 +79 119,98
L 93	+59 937,44 +79 093,55
L 94	+59 880,38 +79 060,43
L 95	+59 827,45 +79 021,03
L 96	+59 584,55 +78 817,82
L 97	+59 465,55 +78 699,52
L 98	+59 368,46 +78 562,66
L 99	+58 772,08 +77 547,53
L 100	+58 693,92 +77 433,08
L 101	+58 600,97 +77 330,29
L 102	+58 494,94 +77 241,05
L 103	+57 004,67 +76 150,75
L 104	+56 898,94 +76 056,34
L 105	+56 813,44 +75 943,27
L 106	+56 751,41 +75 815,82
L 107	+56 715,18 +75 678,77
L 108	+56 592,73 +74 925,47
L 109	+56 571,53 +74 840,79
L 110	+56 536,47 +74 760,85
L 111	+56 488,54 +74 687,90
L 112	+55 537,63 +73 476,18
L 113	+55 501,66 +73 435,01
L 114	+55 461,58 +73 397,84
L 115	+55 417,81 +73 365,08
L 116	+55 074,05 +73 135,01
L 117	+54 995,93 +73 069,71
L 118	+54 933,33 +72 989,41
L 119	+54 889,07 +72 897,71
L 120	+54 865,16 +72 798,74

REGTERKANT / RIGHT HAND SIDE

Y	X
KONSTANT 0,00	+3 000 000,00
R 79	+62 312,03 +83 636,16
R 80	+61 797,60 +83 088,68
R 81	+61 763,39 +83 048,34
R 82	+61 733,46 +83 004,73
R 83	+61 708,11 +82 958,31
R 84	+60 995,69 +81 479,47
R 85	+60 960,27 +81 415,43
R 86	+60 917,87 +81 355,78
R 87	+60 736,91 +81 129,42
R 88	+60 683,38 +81 047,75
R 89	+61 646,07 +80 957,52
R 90	+60 626,28 +80 861,90
R 91	+60 503,44 +79 750,02
R 92	+60 483,28 +79 644,65
R 93	+60 446,81 +79 543,76
R 94	+60 394,92 +79 449,86
R 95	+60 328,90 +79 365,30
R 96	+60 250,41 +79 292,16
R 97	+60 161,40 +79 232,28
R 98	+60 064,07 +79 187,15
R 99	+59 983,98 +79 157,49
R 100	+59 919,35 +79 129,23
R 101	+59 858,36 +79 093,82
R 102	+59 801,78 +79 051,71
R 103	+59 558,88 +78 848,50
R 104	+59 435,02 +78 725,37
R 105	+59 333,98 +78 582,92
R 106	+58 737,59 +77 567,79
R 107	+58 573,19 +77 359,08
R 108	+58 471,32 +77 273,33
R 109	+56 981,05 +76 183,04
R 110	+56 869,53 +76 083,45
R 111	+56 779,346 +75 964,19
R 112	+56 713,92 +75 829,75
R 113	+56 675,70 +75 685,19
R 114	+56 553,24 +74 931,89
R 115	+56 533,68 +74 853,72
R 116	+56 501,32 +74 779,93
R 117	+56 457,07 +74 712,60

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

Y	X
CONSTANT 0,00	+3 000 000,00
L 121	+54 862,66 +72 696,96
L 122	+54 884,19 +72 434,65
L 123	+54 890,36 +72 317,54
L 124	+54 889,72 +72 200,26
L 125	+54 882,28 +72 083,23
L 126	+54 848,65 +71 721,12
L 127	+54 835,93 +77 645,42
L 128	+54 812,21 +71 572,41
L 129	+54 778,01 +71 503,69
L 130	+53 781,15 +69 824,59
L 131	+53 781,15 +69 824,59
L 131	+53 737,98 +69 759,97
L 132	+53 688,23 +69 700,37
L 133	+53 167,18 +69 139,61
L 134	+53 107,86 +69 066,13
L 135	+53 059,29 +68 985,14
L 136	+52 789,33 +68 454,58
L 137	+52 739,05 +68 324,03
L 138	+52 716,54 +68 185,96
L 139	+52 722,77 +68 046,20
L 140	+52 757,46 +67 910,68
L 141	+52 819,16 +67 785,13
L 142	+53 198,81 +67 179,22
L 143	+53 240,74 +67 100,24
L 144	+53 270,88 +67 016,05
L 145	+53 357,57 +66 704,59
L 146	+53 387,89 +66 616,44
L 147	+53 428,51 +66 532,54
L 148	+53 592,44 +66 240,12
L 149	+53 629,05 +66 173,96
L 150	+53 665,02 +66 107,41
L 151	+53 760,91 +65 927,58
L 152	+53 796,42 +65 856,68
L 153	+53 828,18 +65 784,03
L 154	+53 863,50 +65 696,97
L 155	+53 914,90 +65 581,25
L 156	+53 973,59 +65 469,07
L 157	+54 039,59 +65 352,29
L 158	+54 069,88 +65 289,01
L 159	+54 091,38 +65 222,22

REGTERKANT / RIGHT HAND SIDE

Y	X
KONSTANT 0,00	+3 000 000,00
R 118	+55 506,16 +73 500,88
R 119	+55 472,96 +73 462,87
R 120	+55 435,96 +73 428,56
R 121	+55 395,56 +73 398,32
R 122	+55 051,80 +73 168,25
R 123	+54 967,16 +73 097,51
R 124	+54 899,35 +73 010,52
R 125	+54 851,41 +72 911,18
R 126	+54 825,50 +72 803,96
R 127	+54 822,79 +72 693,69
R 128	+54 844,32 +72 431,39
R 129	+54 850,37 +72 316,60
R 130	+54 849,74 +72 201,64
R 131	+54 842,45 +72 086,93
R 132	+54 808,82 +71 724,81
R 133	+54 797,08 +71 654,93
R 134	+54 775,19 +71 587,54
R 135	+54 745,56 +71 527,42
R 136	+53 746,75 +69 845,01
R 137	+53 705,95 +69 783,93
R 138	+53 658,93 +69 727,59
R 139	+53 137,88 +69 166,84
R 140	+53 075,07 +69 089,04
R 141	+53 023,64 +69 003,28
R 142	+52 753,67 +68 472,72
R 143	+52 700,44 +68 334,49
R 144	+52 676,61 +68 188,30
R 145	+52 683,21 +68 040,32
R 146	+52 719,94 +67 896,83
R 147	+52 785,26 +67 763,89
R 148	+53 164,93 +67 157,97
R 149	+53 204,15 +67 084,08
R 150	+53 232,34 +67 005,32
R 151	+53 319,03 +66 693,86
R 152	+53 350,91 +66 601,19
R 153	+53 393,61 +66 512,99
R 154	+53 557,54 +66 220,57
R 155	+53 593,96 +66 154,77
R 156	+53 629,73 +66 088,57

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES


LINKERKANT / LEFT HAND SIDE

	Y	X
CONSTANT	0,00	+3 000 000,00
L 160	+54 103,69	+65 153,15
L 161	+54 128,80	+64 923,29
L 162	+54 140,22	+64 859,29
L 163	+54 160,19	+64 797,41
L 164	+54 188,34	+64 738,81
L 165	+54 402,96	+64 360,03
L 166	+54 500,68	+64 215,02
L 167	+54 649,61	+64 086,83
L 168	+54 756,89	+63 978,51
L 169	+54 909,24	+63 892,67
L 170	+55 073,01	+63 831,36
L 171	+55 330,94	+63 757,00
L 172	+55 420,68	+63 741,64
L 173	+55 511,61	+63 746,47
L 174	+55 599,22	+63 771,24
L 175	+55 679,21	+63 814,74
L 176	+55 835,82	+63 924,08
L 177	+55 944,66	+63 983,33
L 178	+56 063,87	+64 017,19
L 179	+56 187,613	+64 024,01
L 180	+56 309,82	+64 003,44
L 181	+56 424,51	+63 956,50
L 182	+56 526,07	+63 885,48
L 183	+56 609,53	+63 793,87
L 184	+56 670,79	+63 676,14
L 185	+57 402,52	+61 984,91
L 186	+57 431,21	+61 895,40
L 187	+57 442,28	+61 802,07
L 188	+57 435,32	+61 708,33
L 189	+57 410,60	+61 617,65
L 190	+57 383,49	+61 532,94
L 191	+57 338,27	+61 407,42
L 192	+57 328,48	+61 368,43
L 193	+57 301,36	+61 293,17
L 194	+57 284,04	+61 256,89
L 1	+57 229,82	+61 106,36

WG33°

REGTERKANT / RIGHT HAND SIDE

	Y	X
KONSTANT	0,00	+3 000 000,00
R 157	+53 725,62	+65 908,74
R 158	+53 760,20	+65 839,70
R 159	+53 791,13	+65 768,96
R 160	+53 826,44	+65 681,90
R 161	+53 878,88	+65 563,85
R 162	+53 938,75	+65 449,40
R 163	+54 004,75	+65 332,63
R 164	+54 032,71	+65 274,21
R 165	+54 052,56	+65 212,56
R 166	+54 063,93	+65 148,80
R 167	+54 089,03	+64 918,94
R 168	+54 101,41	+64 849,60
R 169	+54 123,05	+64 782,58
R 170	+54 153,54	+64 719,09
R 171	+54 368,16	+64 340,31
R 172	+54 469,34	+64 190,17
R 173	+54 592,48	+64 057,43
R 174	+54 734,62	+63 945,28
R 175	+54 892,36	+63 856,40
R 176	+55 061,92	+63 792,93
R 177	+55 319,86	+63 718,56
R 178	+55 418,36	+63 701,71
R 179	+55 518,15	+63 707,01
R 180	+55 614,31	+63 734,20
R 181	+55 702,10	+63 781,94
R 182	+55 585,71	+63 891,28
R 183	+55 959,78	+63 946,30
R 184	+56 070,48	+63 977,74
R 185	+56 185,38	+63 984,07
R 186	+56 298,86	+63 964,97
R 187	+56 405,36	+63 921,38
R 188	+56 499,66	+63 855,44
R 189	+56 577,16	+63 770,37
R 190	+56 634,04	+63 670,34
R 191	+57 365,77	+61 969,10
R 192	+57 392,12	+61 886,90
R 193	+57 402,29	+61 801,19
R 194	+57 395,90	+61 715,10
R 195	+57 373,20	+61 631,83
R 196	+57 345,87	+61 546,50
R 197	+57 293,87	+61 402,16
R 198	+57 283,32	+61 384,70
R 199	+57 256,20	+61 309,44
R 200	+57 246,41	+61 270,45
R 1	+57 181,64	+61 102,46



Suid-Afrikaanse Nasionale Padagentskap Beperk
South African National Roads Agency Limited


Die figuur vertoon
The figure shown



stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R22 Seksie 3
of National Route Section

Vel van
Sheet 2 of 16

P No. 484/01



Suid-Afrikaanse Nasionale Padagentskap Bepark
South African National Roads Agency Limited


Die figuur vertoon
The figure shown



stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R22 Seksie 3
of National Route Section

Vel van
Sheet 4 of 16

P 484/01



Suid-Afrikaanse Nasionale Padagentskap Beperk South African National Roads Agency Limited	Die figuur vertoon The figure shown 	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R22 Seksie 4 of National Route Section	Vel van Sheet 6 of 16 P 484/01
--	---	---	---

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

Y X
CONSTANT 0,00 +2 900 000,00

L 193	+57 285,19	+160 993,19
L 194	+57 267,87	+160 956,91
L 1	+57 213,65	+160 806,38
L 2	+57 210,63	+160 786,21
L 3	+57 197,07	+160 748,58
L 4	+57 179,76	+160 712,30
L 5	+57 159,89	+160 657,16
L 6	+57 140,53	+160 599,77
L 7	+57 123,90	+160 542,96
L 8	+57 109,55	+160 485,52
L 9	+57 097,51	+160 427,57
L 10	+57 087,80	+160 369,17
L 11	+57 082,62	+160 330,05
L 12	+57 083,47	+160 290,34
L 13	+57 075,41	+160 251,45
L 14	+57 072,76	+160 192,32
L 15	+57 072,30	+160 152,85
L 16	+57 073,17	+160 104,99
L 17	+57 076,23	+160 015,47
L 18	+57 079,27	+159 954,26
L 19	+57 084,02	+159 895,05
L 20	+57 088,14	+159 855,99
L 21	+57 111,97	+159 649,65
L 22	+57 115,34	+159 616,69
L 23	+57 119,29	+159 555,86
L 24	+57 120,32	+159 494,92
L 25	+57 118,43	+159 433,99
L 26	+57 116,47	+159 404,65
L 27	+57 064,25	+158 738,92
L 28	+57 060,02	+158 695,12
L 29	+57 051,55	+158 634,72
L 30	+57 040,07	+158 574,82
L 31	+57 025,61	+158 515,56
L 32	+57 008,21	+158 457,11
L 33	+56 994,99	+158 418,65
L 34	+56 980,50	+158 380,64
L 35	+56 318,58	+156 728,30
L 36	+56 316,72	+156 707,51
L 37	+56 286,97	+156 633,24
L 38	+56 266,52	+156 598,34
L 39	+55 996,79	+155 925,02
L 40	+55 982,24	+155 892,05

REGTERKANT / RIGHT HAND SIDE

Y X
KONSTANT 0,00 +2 900 000,00

R 199	+57 240,03	+161 009,46
R 200	+57 230,24	+160 970,47
R 1	+57 176,01	+160 819,94
R 2	+57 165,47	+160 802,48
R 3	+57 151,92	+160 764,84
R 4	+57 135,34	+160 707,04
R 5	+57 122,26	+160 670,72
R 6	+57 102,38	+160 611,77
R 7	+57 085,30	+160 553,43
R 8	+57 070,56	+160 494,44
R 9	+57 058,19	+160 434,92
R 10	+57 048,22	+160 374,95
R 11	+57 040,65	+160 314,62
R 12	+57 035,50	+160 254,05
R 13	+57 032,77	+160 193,31
R 14	+57 032,30	+160 152,78
R 15	+57 033,19	+160 103,63
R 16	+57 036,25	+160 014,11
R 17	+57 039,35	+159 951,66
R 18	+57 044,20	+159 891,25
R 19	+57 048,41	+159 851,40
R 20	+57 072,23	+159 645,06
R 21	+57 075,50	+159 613,14
R 22	+57 079,33	+159 554,23
R 23	+57 080,32	+159 495,20
R 24	+57 078,49	+159 436,20
R 25	+57 076,59	+159 407,78
R 26	+57 024,37	+158 742,05
R 27	+57 020,28	+158 699,69
R 28	+57 012,09	+158 641,27
R 29	+57 000,98	+158 583,33
R 30	+56 987,00	+158 526,01
R 31	+56 970,17	+158 469,47
R 32	+56 957,38	+158 432,28
R 33	+56 943,37	+158 395,52
R 34	+55 959,66	+155 939,89
R 35	+55 946,23	+155 909,46
R 36	+55 918,11	+155 859,23
R 37	+55 896,11	+155 827,77
R 38	+55 880,17	+155 807,94
R 39	+53 792,34	+153 345,92
R 40	+53 762,88	+153 311,97

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

Y X
CONSTANT 0,00 +2 900 000,00

L 41	+55 951,78	+155 837,63
L 42	+55 927,94	+155 803,55
L 43	+55 910,68	+155 782,07
L 44	+53 822,84	+153 320,05
L 45	+53 792,79	+153 285,42
L 46	+53 751,88	+153 240,71
L 47	+53 709,65	+153 197,25
L 48	+53 687,27	+153 175,24
L 49	+53 120,47	+152 626,49
L 50	+53 195,90	+152 594,36
L 51	+53 081,53	+152 580,45
L 52	+53 034,25	+152 543,02
L 53	+51 723,86	+151 274,37
L 54	+51 570,38	+151 125,79
L 55	+51 539,15	+151 096,27
L 56	+51 493,84	+151 055,91
L 57	+51 447,18	+151 017,12
L 58	+51 399,21	+150 979,95
L 59	+51 349,99	+150 944,45
L 60	+51 299,59	+150 910,65
L 61	+51 271,23	+150 892,71
L 62	+51 242,92	+150 875,17
L 63	+51 216,15	+150 857,33
L 64	+51 185,86	+150 833,74
L 65	+51 157,55	+150 807,81
L 66	+51 131,41	+150 779,70
L 67	+51 107,59	+150 749,59
L 68	+51 087,06	+150 718,99
L 69	+51 018,59	+150 607,92
L 70	+51 001,27	+150 581,07
L 71	+50 977,39	+150 547,67
L 72	+50 951,77	+150 515,58
L 73	+50 924,47	+150 484,91
L 74	+50 897,93	+150 458,00
L 75	+47 845,20	+147 510,89
L 76	+47 806,20	+147 464,90
L 77	+47 620,33	+147 283,09
L 78	+47 590,37	+147 256,54
L 79	+47 557,42	+147 233,07
L 80	+45 672,48	+145 413,35
L 81	+45 590,32	+145 325,68
L 82	+45 489,59	+145 228,45

REGTERKANT / RIGHT HAND SIDE

Y X
KONSTANT 0,00 +2 900 000,00

R 41	+53 722,78	+153 268,15
R 42	+53 681,39	+153 225,55
R 43	+53 659,45	+153 203,98
R 44	+53 092,64	+152 655,23
R 45	+53 059,73	+152 631,72
R 46	+53 030,99	+152 603,89
R 47	+53 006,43	+152 571,76
R 48	+52 575,35	+152 154,42
R 49	+52 542,44	+152 130,91
R 50	+52 513,70	+152 103,08
R 51	+52 460,40	+152 043,13
R 52	+51 653,07	+151 261,52
R 53	51 542,56	+151 154,53
R 54	+51 512,03	+151 125,68
R 55	+51 467,75	+151 086,22
R 56	+51 422,14	+151 048,31
R 57	+51 375,25	+151 011,98
R 58	+51 327,15	+150 977,28
R 59	+51 277,89	+150 944,25
R 60	+51 250,17	+150 926,72
R 61	+51 221,86	+150 909,18
R 62	+51 192,86	+150 889,85
R 63	+51 160,05	+150 864,30
R 64	+51 129,38	+150 836,21
R 65	+51 101,05	+150 805,75
R 66	+51 075,25	+150 773,13
R 67	+51 053,01	+150 739,98
R 68	+50 984,54	+150 628,91
R 69	+50 968,12	+150 603,46
R 70	+50 945,48	+150 571,79
R 71	+50 921,19	+150 541,37
R 72	+50 895,31	+150 512,29
R 73	+50 870,15	+150 486,78
R 74	+47 817,42	+147 539,67
R 75	+47 723,44	+147 464,24
R 76	+47 709,47	+147 449,91
R 77	+47 644,75	+147 372,98
R 78	+47 597,42	+147 335,62
R 79	+47 583,03	+147 321,73
R 80	+47 558,42	+147 289,63
R 81	+45 025,98	+144 844,81
R 82	+44 993,03	+144 821,34

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

Y X
CONSTANT 0,00 +2 900 000,00

L 83	+45 456,65	+145 204,98
L 84	+45 413,48	+145 163,31
L 85	+45 388,87	+145 131,21
L 86	+45 360,09	+145 103,43
L 87	+45 312,76	+145 066,07
L 88	+45 024,98	+144 788,25
L 89	+45 014,76	+144 770,04
L 90	+44 928,43	+144 686,70
L 91	+44 909,87	+144 677,12
L 92	+44 306,48	+144 094,61
L 93	+41 675,06	+141 554,22
L 94	+41 646,17	+141 523,79
L 95	+41 622,16	+141 493,83
L 96	+41 600,63	+141 462,05
L 97	+41 581,70	+141 428,65
L 98	+41 565,50	+141 393,85
L 99	+41 548,76	+141 347,07
L 100	+41 543,02	+141 307,02
L 101	+41 526,53	+141 270,50
L 102	+41 475,99	+141 103,56
L 103	+41 483,63	+141 059,50
L 103a	+41 477,87	+141 040,34
L 104	+41 447,20	+141 007,79
L 104a	+41 440,91	+140 972,91
L 105	+41 425,60	+140 935,93
L 106	+41 384,12	+140 799,36
L 106a	+41 404,24	+140 760,66
L 106b	+41 395,60	+140 731,93
L 106c	+41 358,24	+140 711,83
L 107	+41 339,16	+140 642,52
L 107a	+41 330,93	+140 602,72
L 107b	+41 355,18	+140 579,08
L 108	+41 376,07	+140 583,07
L 109	+41 380,02	+140 553,48
L 110	+41 350,69	+140 547,36
L 111	+41 316,58	+140 510,31
L 112	+41 316,42	+140 339,01
L 113	+41 322,98	+140 280,59
L 114	+41 333,03	+140 222,66
L 115	+41 346,53	+140 165,44
L 116	+41 363,45	+140 109,14
L 117	+41 374,36	+140 078,16

REGTERKANT / RIGHT HAND SIDE

Y X
KONSTANT 0,00 +2 900 000,00

R 83	+44 935,48	+144 765,78
R 84	+44 896,48	+144 719,79
R 85	+44 363,42	+144 205,17
R 86	+41 647,27	+141 583,00
R 87	+41 615,98	+141 550,03
R 88	+41 589,97	+141 517,58
R 89	+41 566,64	+141 483,15
R 90	+41 546,14	+141 446,97
R 91	+41 528,59	+141 409,26
R 92	+41 510,45	+141 358,58
R 93	+41 497,39	+141 334,13
R 94	+41 491,21	+141 313,54
R 95	+41 487,81	+141 281,85
R 96	+41 437,79	+141 116,86
R 97	+41 407,01	+141 082,52
R 98	+41 401,26	+141 063,37
R 99	+41 408,90	+141 019,09
R 100	+41 339,12	+140 787,16
R 101	+41 320,26	+140 776,48
R 102	+41 315,93	+140 762,10
R 103	+41 325,73	+140 744,05
R 104	+41 300,31	+140 651,13
R 105	+41 287,75	+140 588,53
R 106	+41 253,75	+140 553,17
R 107	+41 249,92	+140 521,88
R 108	+41 276,62	+140 497,70
R 109	+41 276,55	+140 335,74
R 110	+41 283,38	+140 274,93
R 111	+41 293,84	+140 214,64
R 112	+41 307,90	+140 155,09
R 113	+41 325,50	+140 096,48
R 114	+41 336,85	+140 064,24
R 115	+41 708,09	+139 063,82
R 116	+42 327,14	+137 395,57
R 117	+42 331,96	+137 354,69
R 118	+42 361,93	+137 301,81
R 119	+42 466,29	+137 020,55
R 120	+42 481,54	+136 962,22
R 121	+42 479,22	+136 940,02
R 122	+42 508,04	+136 908,05
R 123	+42 535,87	+136 833,05
R 124	+42 538,16	+136 791,23

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

Y X
CONSTANT 0,00 +2 900 000,00

L 118	+41 501,85	+139 734,56
L 119	+41 521,39	+139 699,15
L 120	+41 549,23	+139 624,15
L 121	+41 571,43	+139 547,06
L 122	+41 732,90	+139 111,92
L 123	+42 357,68	+137 428,23
L 124	+42 378,25	+137 393,20
L 125	+42 384,18	+137 374,07
L 126	+42 385,51	+137 353,23
L 127	+42 441,17	+137 203,23
L 128	+42 480,63	+137 132,54
L 129	+42 538,58	+136 940,72
L 130	+42 698,62	+136 509,45
L 131	+42 719,85	+136 474,66
L 132	+42 726,99	+136 455,98
L 133	+42 740,36	+136 396,95
L 134	+42 964,43	+135 793,12
L 135	+42 982,77	+135 793,13
L 136	+43 747,18	+133 742,17
L 137	+43 725,48	+133 742,19
L 138	+44 257,19	+132 309,30
L 139	+44 278,61	+132 274,59
L 140	+44 287,44	+132 256,53
L 141	+44 298,94	+132 196,80
L 142	+44 384,99	+131 964,90
L 143	+44 401,31	+131 912,66
L 144	+44 409,98	+131 871,98
L 145	+44 429,77	+131 812,87
L 146	+44 426,16	+131 792,30
L 147	+44 436,82	+131 753,28
L 148	+44 435,81	+131 674,75
L 149	+44 440,47	+131 656,48
L 150	+44 452,88	+131 620,89
L 151	+44 467,11	+131 590,89
L 152	+44 488,32	+131 551,46
L 153	+44 522,02	+131 501,46
L 154	+44 545,14	+131 445,77
L 155	+44 584,77	+131 372,07
L 156	+44 611,00	+131 321,59
L 157	+44 637,37	+131 267,03
L 158	+44 662,09	+131 211,71
L 159	+44 685,14	+131 155,66

Lo33°

REGTERKANT / RIGHT HAND SIDE

Y X
KONSTANT 0,00 +2 900 000,00

R 125	+42 570,66	+136 739,29
R 126	+43 558,69	+134 076,70
R 127	+43 566,98	+134 037,11
R 128	+43 594,81	+133 962,11
R 129	+43 598,02	+133 941,97
R 130	+43 615,68	+133 905,86
R 131	+43 628,27	+133 889,19
R 132	+43 682,80	+133 742,23
R 133	+44 347,49	+131 950,98
R 134	+44 362,55	+131 902,76
R 135	+44 374,15	+131 840,39
R 136	+44 378,13	+131 806,76
R 137	+44 381,57	+131 726,60
R 138	+44 380,89	+131 684,76
R 139	+44 390,47	+131 642,19
R 140	+44 410,38	+131 603,29
R 141	+44 424,57	+131 586,29
R 142	+44 431,88	+131 571,95
R 143	+44 472,03	+131 497,29
R 144	+44 485,69	+131 459,22
R 145	+44 495,16	+131 441,60
R 146	+44 549,54	+131 353,13
R 147	+44 575,25	+131 303,65
R 148	+44 601,10	+131 250,17
R 149	+44 625,33	+131 195,94
R 150	+44 647,92	+131 141,01
R 151	+44 661,06	+131 106,71
R 152	+44 997,22	+130 204,40
R 153	+45 006,93	+130 143,98
R 154	+45 013,91	+130 125,24
R 155	+45 046,10	+130 073,20
R 156	+45 507,00	+128 836,07
R 157	+45 523,90	+128 797,56
R 158	+45 545,17	+128 761,05
R 159	+45 570,47	+128 727,19
R 160	+45 599,47	+128 696,44
R 161	+45 631,78	+128 669,20
R 162	+45 666,99	+128 645,82
R 163	+45 704,63	+128 626,61
R 164	+45 740,46	+128 613,00
R 165	+46 625,55	+128 328,41
R 166	+46 655,55	+128 317,13

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

Y X
CONSTANT 0,00 +2 900 000,00

L 160	+44 698,55	+131 120,67
L 161	+44 776,36	+130 911,80
L 162	+44 805,18	+130 858,51
L 163	+44 835,45	+130 784,41
L 164	+44 832,22	+130 761,87
L 165	+44 971,87	+130 387,03
L 166	+11 997,08	+130 353,74
L 167	+45 006,78	+130 293,33
L 168	+45 544,49	+128 850,04
L 169	+45 559,56	+128 815,69
L 170	+45 578,53	+128 783,12
L 171	+45 601,09	+128 752,93
L 172	+45 626,95	+128 725,50
L 173	+45 655,77	+128 701,21
L 174	+45 687,17	+128 680,36
L 175	+45 720,75	+128 663,22
L 176	+45 752,71	+128 651,08
L 177	+46 574,97	+128 386,69
L 178	+46 617,39	+128 687,94
L 179	+46 731,53	+128 330,41
L 180	+46 777,05	+128 284,70
L 181	+46 806,24	+128 254,14
L 182	+46 831,76	+128 220,45
L 183	+46 853,27	+128 184,07
L 184	+46 870,49	+128 145,47
L 185	+46 883,20	+128 105,17
L 186	+46 891,23	+128 063,67
L 187	+46 894,47	+128 021,54
L 188	+46 893,47	+127 980,35
L 189	+46 902,39	+127 919,95
L 190	+46 898,08	+127 699,94
L 191	+46 875,70	+127 540,71
L 192	+46 871,01	+127 424,66
L 193	+46 870,27	+127 374,73
L 194	+46 871,96	+127 214,66
L 195	+46 872,04	+127 181,52
L 196	+46 870,77	+127 120,94
L 197	+46 867,80	+127 062,41
L 197a	+46 853,51	+127 045,35
L 197b	+46 853,73	+127 033,69
L 198	+46 864,09	+127 013,96
L 199	+46 841,84	+126 761,19
L 200	+46 835,03	+126 700,52
L 201	+46 825,32	+126 640,34

REGTERKANT / RIGHT HAND SIDE

Y X
KONSTANT 0,00 +2 900 000,00

R 167	+46 689,24	+128 300,22
R 168	+46 720,77	+128 279,57
R 169	+46 749,75	+128 255,46
R 170	+46 775,79	+128 228,21
R 171	+46 798,55	+128 198,16
R 172	+46 817,73	+128 165,71
R 173	+46 833,09	+128 131,29
R 174	+46 844,42	+128 095,34
R 175	+46 851,58	+128 058,33
R 176	+46 846,48	+128 001,24
R 177	+46 839,79	+127 762,34
R 178	+46 825,60	+127 702,87
R 179	+46 824,72	+127 582,81
R 180	+46 834,12	+127 502,36
R 181	+46 831,05	+127 426,27
R 182	+46 830,27	+127 374,31
R 183	+46 831,96	+127 214,24
R 184	+46 832,04	+127 181,75
R 185	+46 830,80	+127 122,37
R 186	+46 827,78	+127 063,05
R 187	+46 824,44	+127 019,68
R 188	+46 802,00	+126 764,70
R 189	+46 795,40	+126 705,94
R 190	+46 786,00	+126 647,66
R 191	+46 773,77	+126 589,73
R 192	+46 718,66	+126 356,46
R 193	+46 709,67	+126 317,01
R 191	+46 697,42	+126 257,79
R 195	+46 686,60	+126 198,29
R 196	+46 680,04	+126 157,62
R 197	+46 532,95	+125 194,89
R 198	+46 522,83	+125 133,77
R 199	+46 371,89	+124 288,02
R 200	+46 364,62	+124 244,52
R 201	+46 356,18	+124 184,51
R 202	+46 351,60	+124 144,87
R 203	+46 240,94	+123 094,94
R 204	+46 236,99	+123 049,66
R 205	+46 234,57	+123 001,55
R 206	+46 220,33	+122 546,69
R 207	+46 219,02	+122 509,36
R 208	+46 216,35	+122 449,66

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

Y X
CONSTANT 0,00 +2 900 000,00

L 202	+46 812,70	+125 580,53
L 203	+46 757,59	+127 347,27
L 204	+46 748,74	+126 308,44
L 205	+46 736,69	+126 250,16
L 206	+46 726,03	+126 191,60
L 207	+46 719,58	+126 151,57
L 208	+46 572,49	+125 188,85
L 209	+46 562,20	+125 126,74
L 210	+46 411,27	+124 280,99
L 211	+46 404,14	+124 238,35
L 212	+46 395,87	+124 179,54
L 213	+46 391,38	+124 140,68
L 214	+46 280,72	+123 090,75
L 215	+46 276,89	+123 046,89
L 216	+46 274,55	+123 000,30
L 217	+46 260,31	+122 545,43
L 218	+46 258,99	+122 507,81
L 219	+46 256,29	+122 447,63
L 220	+46 252,87	+122 387,48
L 221	+46 249,13	+122 332,70
L 222	+46 217,12	+121 899,38
L 223	+46 214,75	+121 868,54
L 224	+46 209,58	+121 808,52
L 225	+46 203,69	+121 748,57
L 226	+46 197,09	+121 688,70
L 227	+46 189,76	+121 628,90
L 228	+46 181,77	+121 569,53
L 229	+45 933,79	+119 807,59
L 230	+45 925,68	+119 747,35
L 231	+45 918,43	+119 688,04
L 232	+45 911,89	+119 628,63
L 233	+45 906,07	+119 569,16
L 234	+45 900,96	+119 509,62
L 235	+45 897,74	+119 466,96
L 236	+45 803,73	+118 145,61
L 237	+45 801,20	+118 113,09
L 238	+45 796,90	+118 067,04
L 239	+45 757,24	+117 680,86
L 240	+45 752,33	+117 635,04
L 241	+45 745,26	+117 575,21
L 242	+45 737,48	+117 515,48
L 243	+45 728,99	+117 455,84

REGTERKANT / RIGHT HAND SIDE

Y X
KONSTANT 0,00 +2 900 000,00

R 209	+46 212,95	+122 389,99
R 210	+46 209,24	+122 335,65
R 211	+46 177,23	+121 902,33
R 212	+46 174,88	+121 871,73
R 213	+46 169,75	+121 812,19
R 214	+46 163,91	+121 752,72
R 215	+46 157,36	+121 693,32
R 216	+46 150,09	+121 634,01
R 217	+46 142,16	+121 575,10
R 218	+45 894,18	+119 813,17
R 219	+45 886,01	+119 752,44
R 220	+45 878,70	+119 692,65
R 221	+45 872,11	+119 632,77
R 222	+45 866,24	+119 572,82
R 223	+45 861,09	+119 512,80
R 224	+45 857,84	+119 469,79
R 225	+45 763,83	+118 148,45
R 226	+45 761,34	+118 116,45
R 227	+45 757,11	+118 071,12
R 228	+45 717,45	+117 684,95
R 229	+45 712,57	+117 639,49
R 230	+45 705,57	+117 580,14
R 231	+45 697,85	+117 520,88
R 232	+45 689,42	+117 461,72
R 233	+45 680,29	+117 402,66
R 234	+45 670,44	+117 343,72
R 235	+45 663,48	+117 304,49
R 236	+45 657,72	+117 273,30
R 237	+45 624,27	+117 095,42
R 238	+45 615,80	+117 048,78
R 239	+45 605,88	+116 989,28
R 240	+45 596,90	+116 929,63
R 241	+45 588,89	+116 869,85
R 242	+45 581,83	+116 809,94
R 243	+45 577,65	+116 769,95
R 244	+45 573,00	+116 719,41
R 245	+45 464,48	+115 448,48
R 246	+45 461,49	+115 414,78
R 247	+45 455,65	+115 355,31
R 248	+45 449,09	+115 295,91
R 249	+45 441,82	+115 236,60
R 250	+45 433,84	+115 177,37

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

Y X
CONSTANT 0,00 +2 900 000,00

L 286 +44 645,39 +105 078,57
L 287 +44 646,99 +105 018,83
L 288 +44 649,30 +104 959,11
L 289 +44 650,63 +104 931,09
L 290 +44 664,87 +104 648,66
L 291 +44 666,06 +104 619,26
L 292 +44 666,73 +104 558,46
L 293 +44 666,02 +104 523,66
L 294 +44 625,35 +103 249,15
L 295 +44 623,21 +103 198,30
L 296 +44 619,33 +103 137,95
L 297 +44 616,21 +103 100,67
L 298 +44 448,91 +101 266,15
L 299 +44 443,59 +101 205,75
L 300 +44 438,69 +101 146,07
L 301 +44 434,15 +101 086,37
L 302 +44 429,97 +101 026,63
L 303 +44 426,15 +100 966,87
L 304 +44 422,68 +100 907,09
L 305 +44 419,58 +100 847,29
L 306 +44 416,83 +100 787,48
L 307 +44 414,45 +100 727,65
L 308 +44 412,62 +100 674,32
L 309 +44 385,91 +99 827,12
L 310 +44 383,69 +99 768,01
L 311 +44 380,58 +99 705,20
L 312 +44 211,80 +96 685,48
L 313 +44 240,07 +96 653,81

L 1 +44 287,76 +96 611,01
L 2 +43 480,66 +96 657,37


REGTERKANT / RIGHT HAND SIDE

Y X
KONSTANT 0,00 +2 900 000,00

R 293 +44 379,63 +100 849,25
R 294 +44 376,87 +100 789,19
R 295 +44 374,47 +100 729,12
R 296 +44 372,64 +100 675,58
R 297 +44 345,93 +99 828,38
R 298 +44 343,73 +99 769,74
R 299 +44 340,64 +99 707,43
R 300 +44 171,86 +96 687,78
R 301 +44 140,24 +96 659,55


R 1 +44 289,99 +96 650,94
R 2 +43 482,96 +96 697,31

Lo33°




Suid-Afrikaanse Nasionale Padagentskap Beperk
South African National Roads Agency Limited

Die figuur vertoon
The figure shown



stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R22 Sektie 5
of National Route Section

Vel 1 van 13
Sheet of
P 483/01



Suid-Afrikaanse Nasionale Padagentskap Beperk
South African National Roads Agency Limited


Die figuur vertoon
The figure shown



stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R22 Seksie 5
of National Route Section

Vel van
Sheet 2 of 13

P 483/01




Suid-Afrikaanse Nasionale Padagentskap Beperk
South African National Roads Agency Limited


Die figuur vertoon
The figure shown



stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R22 Sektie 5
of National Route Section

Vel 3 van 13
Sheet of
P 483/01





Suid-Afrikaanse Nasionale Padagentskap Beperk
South African National Roads Agency Limited

Die figuur vertoon
The figure shown



stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R22 Seksie 5
of National Route Section

Vel 5 van 13
Sheet of
P 483/01

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

Y X
CONSTANT 0,00 +2 900 000,00

L 1	+44 287,76	+96 611,01
L 1A	+44 137,92	+96 619,65
L 1B	+44 166,20	+96 687,98
L 1C	+44 206,13	+96 585,59
L 1D	+44 237,81	+96 613,87
L 313	+44 240,07	+96 653,81
L 2	+43 480,66	+96 657,37
L 3	+43 369,13	+96 660,98
L 4	+43 250,23	+96 658,68
L 5	+43 131,62	+96 650,05
L 6	+43 013,65	+96 635,11
L 7	+42 896,64	+96 613,89
L 8	+42 780,92	+96 586,48
L 9	+42 666,83	+96 552,93
L 10	+42 572,36	+96 520,03
L 11	+39 612,70	+95 414,35
L 12	+39 502,81	+95 369,93
L 13	+39 395,08	+95 319,56
L 14	+39 290,19	+95 263,52
L 15	+39 205,74	+95 212,97
L 16	+37 742,97	+94 292,84
L 17	+37 514,71	+94 144,87
L 18	+37 285,68	+93 987,29
L 19	+36 371,22	+93 339,11
L 20	+36 273,49	+93 268,95
L 21	+36 177,05	+93 197,95
L 22	+36 081,47	+93 125,79
L 23	+35 986,76	+93 052,49
L 24	+35 900,38	+92 984,02
L 25	+34 217,66	+91 635,18
L 26	+34 131,18	+91 563,53
L 27	+34 041,89	+91 484,40
L 28	+33 955,36	+91 402,26
L 29	+33 905,41	+91 352,18
L 30	+33 506,70	+90 944,21
L 31	+33 420,99	+90 861,01
L 32	+33 329,79	+90 781,41
L 33	+33 234,47	+90 706,78
L 34	+33 135,32	+90 637,34
L 35	+33 032,60	+90 573,29
L 36	+32 936,16	+90 519,77
L 37	+32 870,34	+90 485,31

REGTERKANT / RIGHT HAND SIDE

Y X
KONSTANT 0,00 +2 900 000,00

R 1	+44 289,99	+96 650,94
R 301	+44 140,24	+96 659,55
R 2	+43 482,96	+96 697,31
R 3	+43 369,42	+96 700,98
R 4	+43 248,39	+96 698,64
R 5	+43 127,66	+96 689,85
R 6	+43 007,57	+96 674,64
R 7	+42 888,45	+96 653,05
R 8	+42 770,66	+96 625,14
R 9	+42 654,53	+96 590,99
R 10	+42 558,36	+96 557,50
R 11	+39 598,70	+95 451,82
R 12	+39 486,84	+95 406,60
R 13	+39 377,18	+95 355,33
R 14	+39 270,41	+95 298,29
R 15	+39 184,45	+95 246,83
R 16	+37 721,67	+94 326,70
R 17	+37 492,49	+94 178,13
R 18	+37 262,55	+94 019,92
R 19	+36 348,09	+93 371,75
R 20	+36 249,96	+93 301,30
R 21	+36 153,14	+93 230,01
R 22	+36 057,18	+93 157,57
R 23	+35 962,09	+93 083,97
R 24	+35 875,36	+93 015,23
R 25	+34 192,65	+91 666,39
R 26	+34 105,17	+91 593,92
R 27	+34 014,85	+91 513,88
R 28	+33 927,32	+91 430,79
R 29	+33 876,81	+91 380,14
R 30	+33 478,10	+90 972,17
R 31	+33 393,89	+90 890,43
R 32	+33 304,30	+90 812,23
R 33	+33 210,66	+90 738,92
R 34	+33 113,25	+90 670,71
R 35	+33 012,35	+90 607,79
R 36	+32 917,61	+90 555,21
R 37	+32 851,79	+90 520,75
R 38	+32 695,14	+90 440,49
R 39	+32 533,83	+90 361,43
R 40	+32 371,12	+90 285,29
R 41	+32 249,12	+90 230,52

PADRESERVE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

Y X
CONSTANT 0,00 +2 900 000,00

L 38	+32 713,06	+90 404,73
L 39	+32 551,11	+90 325,36
L 40	+32 387,75	+90 248,91
L 41	+32 265,25	+90 193,92
L 42	+31 740,68	+89 962,62
L 43	+31 583,59	+89 891,73
L 44	+31 421,19	+89 814,96
L 45	+31 293,58	+89 752,11
L 46	+30 058,86	+89 132,96
L 47	+29 952,75	+89 083,14
L 48	+29 840,62	+89 037,51
L 49	+29 726,23	+88 997,92
L 50	+29 609,88	+88 964,49
L 51	+29 481,39	+88 935,20
L 52	+28 671,59	+88 775,18
L 53	+28 551,84	+88 748,07
L 54	+28 437,45	+88 715,57
L 55	+28 324,95	+88 677,02
L 56	+28 214,67	+88 632,52
L 57	+28 106,92	+88 582,21
L 58	+28 027,95	+88 540,75
L 59	+27 941,88	+88 490,81
L 60	+27 579,90	+88 269,81
L 61	+27 491,98	+88 213,26
L 62	+27 395,31	+88 144,01
L 63	+27 302,47	+88 069,69
L 64	+27 235,51	+88 010,77
L 65	+27 167,38	+87 945,65
L 66	+26 273,89	+87 054,78
L 67	+26 232,73	+87 017,89
L 68	+26 181,89	+86 981,78
L 69	+26 127,09	+86 952,01
L 70	+26 069,12	+86 929,02
L 71	+25 998,58	+86 911,19
L 72	+25 958,34	+86 909,05
L 73	+25 665,56	+86 856,51
L 74	+25 644,90	+86 851,83
L 75	+25 618,22	+86 842,76
L 76	+25 592,81	+86 830,56
L 77	+25 569,05	+86 815,41
L 78	+25 547,27	+86 797,52
L 79	+25 527,80	+86 777,15

REGTERKANT / RIGHT HAND SIDE

Y X
KONSTANT 0,00 +2 900 000,00

R 42	+31 724,54	+89 999,22
R 43	+31 566,83	+89 928,05
R 44	+31 403,77	+89 850,97
R 45	+31 275,65	+89 787,87
R 46	+30 040,93	+89 168,72
R 47	+29 936,69	+89 119,77
R 48	+29 826,54	+89 074,95
R 49	+29 714,16	+89 036,06
R 50	+29 599,86	+89 003,21
R 51	+29 473,64	+88 974,44
R 52	+28 663,84	+88 814,42
R 53	+28 541,94	+88 786,83
R 54	+28 425,50	+88 753,74
R 55	+28 310,98	+88 714,50
R 56	+28 198,72	+88 669,21
R 57	+28 089,04	+88 617,99
R 58	+28 008,65	+88 575,78
R 59	+27 921,04	+88 524,95
R 60	+27 559,06	+88 303,95
R 61	+27 469,56	+88 246,39
R 62	+27 371,16	+88 175,89
R 63	+27 276,65	+88 100,24
R 64	+27 208,49	+88 040,26
R 65	+27 139,14	+87 973,98
R 66	+26 245,64	+87 083,10
R 67	+26 207,66	+87 049,06
R 68	+26 160,73	+87 015,72
R 69	+26 110,14	+86 988,24
R 70	+26 056,63	+86 967,02
R 71	+25 991,51	+86 950,56
R 72	+25 953,05	+86 938,58
R 73	+25 660,26	+86 886,04
R 74	+25 636,97	+86 880,76
R 75	+25 606,88	+86 870,54
R 76	+25 578,23	+86 856,78
R 77	+25 551,43	+86 839,69
R 78	+25 526,88	+86 819,52
R 79	+25 504,91	+86 796,55
R 80	+25 480,19	+86 762,15
R 81	+25 467,41	+86 738,30
R 82	+25 424,29	+86 646,93
R 83	+25 418,65	+86 636,25

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

Y X
CONSTANT 0,00 +2 900 000,00

L 80	+25 505,88	+86 746,65
L 81	+25 494,54	+86 725,50
L 82	+25 451,42	+86 634,12
L 83	+25 444,53	+86 621,07
L 84	+25 432,17	+86 602,89
L 85	+25 417,51	+86 586,52
L 86	+25 400,79	+86 572,24
L 87	+25 382,33	+86 560,30
L 88	+25 352,39	+86 547,36
L 89	+24 433,26	+86 253,89
L 90	+24 391,93	+86 238,58
L 91	+24 339,81	+86 212,76
L 92	+24 291,15	+86 180,89
L 93	+24 246,67	+86 143,42
L 94	+24 206,98	+86 100,89
L 95	+24 172,68	+86 053,92
L 96	+24 153,04	+86 020,47
L 97	+24 139,43	+85 992,95
L 98	+24 027,70	+85 747,70
L 99	+24 001,80	+85 694,11
L 100	+23 972,93	+85 640,73
L 101	+23 941,99	+85 589,32
L 102	+23 897,52	+85 519,10
L 103	+23 879,35	+85 487,65
L 104	+23 862,90	+85 452,64
L 105	+23 849,54	+85 416,33
L 106	+23 840,81	+85 385,09
L 107	+23 824,03	+85 315,34
L 108	+23 810,55	+85 261,96
L 109	+23 794,39	+85 203,79
L 110	+23 784,21	+85 169,72
L 111	+23 763,55	+85 102,44
L 112	+23 748,23	+85 050,69
L 113	+23 732,49	+84 993,13
L 114	+23 723,69	+84 958,53
L 115	+23 687,09	+84 810,67
L 116	+23 677,57	+84 778,85
L 117	+23 661,32	+84 740,35
L 118	+23 640,52	+84 704,10
L 119	+23 616,23	+84 671,49
L 120	+23 569,59	+84 616,04
L 121	+23 552,52	+84 594,32

REGTERKANT / RIGHT HAND SIDE

Y X
KONSTANT 0,00 +2 900 000,00

R 84	+25 408,54	+86 621,37
R 85	+25 396,54	+86 607,98
R 86	+25 382,87	+86 596,29
R 87	+25 367,76	+86 586,53
R 88	+25 343,26	+86 575,94
R 89	+24 424,14	+86 282,46
R 90	+24 380,24	+86 266,22
R 91	+24 324,90	+86 238,80
R 92	+24 273,24	+86 204,95
R 93	+24 226,00	+86 165,16
R 94	+24 183,86	+86 120,00
R 95	+24 147,43	+86 070,13
R 96	+24 126,58	+86 034,61
R 97	+24 112,13	+86 005,38
R 98	+24 000,40	+85 760,14
R 99	+23 975,10	+85 707,77
R 100	+23 946,88	+85 655,61
R 101	+23 916,65	+85 605,37
R 102	+23 872,17	+85 535,15
R 103	+23 852,78	+85 501,58
R 104	+23 835,22	+85 464,21
R 105	+23 820,96	+85 425,46
R 106	+23 811,64	+85 392,10
R 107	+23 794,86	+85 322,36
R 108	+23 781,55	+85 269,63
R 109	+23 765,59	+85 212,18
R 110	+23 755,53	+85 178,53
R 111	+23 734,87	+85 111,25
R 112	+23 719,38	+85 058,91
R 113	+23 703,47	+85 000,72
R 114	+23 694,57	+84 965,74
R 115	+23 657,97	+84 817,88
R 116	+23 649,28	+84 788,83
R 117	+23 634,44	+84 753,67
R 118	+23 615,45	+84 720,57
R 119	+23 593,27	+84 690,80
R 120	+23 546,63	+84 635,35
R 121	+23 528,33	+84 612,06
R 122	+23 505,44	+84 577,59
R 123	+23 485,85	+84 541,14
R 124	+23 469,00	+84 501,03
R 125	+23 435,22	+84 408,16

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

Y	X
CONSTANT 0,00 +2 900 000,00	
L 122 +23 531,18 +84 562,17	
L 123 +23 512,91 +84 528,18	
L 124 +23 497,19 +84 490,78	
L 125 +23 463,41 +84 397,90	
L 126 +23 442,74 +84 342,29	
L 127 +23 420,95 +84 286,15	
L 128 +23 409,33 +84 257,14	
L 129 +23 383,18 +84 192,57	
L 130 +23 360,27 +84 137,66	
L 131 +23 335,91 +84 082,48	
L 132 +23 322,57 +84 053,51	
L 133 +23 292,97 +83 990,18	
L 134 +23 265,05 +83 919,05	
L 135 +23 247,13 +83 849,23	
L 136 +23 232,04 +83 771,44	
L 137 +23 221,31 +83 724,79	
L 138 +23 202,92 +83 666,31	
L 139 +23 185,90 +83 623,90	
L 140 +23 120,95 +83 476,27	
L 141 +23 108,93 +83 445,75	
L 142 +23 097,94 +83 408,76	
L 143 +23 090,42 +83 370,91	
L 144 +23 086,68 +83 336,05	
L 145 +23 078,74 +83 213,99	
L 146 +23 075,00 +83 172,09	
L 147 +23 066,01 +83 111,72	
L 148 +23 055,54 +83 062,91	
L 149 +23 038,69 +82 994,01	
L 150 +23 023,89 +82 916,96	
L 151 +23 017,22 +82 846,91	
L 152 +23 008,05 +82 664,40	
L 153 +23 003,43 +82 617,67	
L 154 +22 990,48 +82 557,16	
L 155 +22 975,91 +82 513,52	
L 156 +22 906,43 +82 334,16	
L 157 +22 881,96 +82 266,11	
L 158 +22 859,61 +82 192,93	
L 159 +22 825,00 +82 068,24	
L 160 +22 817,00 +82 044,59	
L 161 +22 808,09 +82 025,11	
L 162 +22 797,36 +82 006,57	
L 163 +22 784,92 +81 989,14	

REGTERKANT / RIGHT HAND SIDE

Y	X
KONSTANT 0,00 +2 900 000,00	
R 126 +23 414,69 +84 352,94	
R 127 +23 393,06 +84 297,21	
R 128 +23 381,52 +84 268,40	
R 129 +23 355,37 +84 203,84	
R 130 +23 332,71 +84 149,49	
R 131 +23 308,60 +84 094,89	
R 132 +23 295,39 +84 066,21	
R 133 +23 265,79 +84 002,88	
R 134 +23 236,49 +83 928,23	
R 135 +23 217,68 +83 854,95	
R 136 +23 202,59 +83 777,16	
R 137 +23 192,32 +83 732,52	
R 138 +23 174,73 +83 676,56	
R 139 +23 158,44 +83 635,98	
R 140 +23 093,49 +83 488,35	
R 141 +23 080,61 +83 455,62	
R 142 +23 068,81 +83 415,96	
R 143 +23 060,76 +83 375,37	
R 144 +23 056,74 +83 337,99	
R 145 +23 048,81 +83 215,94	
R 146 +23 045,20 +83 175,47	
R 147 +23 036,51 +83 117,17	
R 148 +23 026,40 +83 070,03	
R 149 +23 009,55 +83 001,13	
R 150 +22 994,18 +82 921,14	
R 151 +22 987,25 +82 848,41	
R 152 +22 978,09 +82 665,91	
R 153 +22 973,75 +82 622,06	
R 154 +22 961,60 +82 565,30	
R 155 +22 947,94 +82 524,36	
R 156 +22 878,46 +82 345,00	
R 157 +22 853,50 +82 275,59	
R 158 +22 830,70 +82 200,96	
R 159 +22 796,10 +82 076,26	
R 160 +22 789,16 +82 055,77	
R 161 +22 781,44 +82 038,89	
R 162 +22 772,14 +82 022,82	
R 163 +22 761,35 +82 007,71	
R 164 +22 749,18 +81 993,69	
R 165 +22 735,73 +81 980,89	
R 166 +22 721,13 +81 969,43	
R 167 +22 705,50 +81 959,41	

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

Y	X	Lo33°
CONSTANT	0,00 +2 900 000,00	
L 164	+22 770,87	+81 972,96
L 165	+22 755,35	+81 958,20
L 166	+22 738,50	+81 944,98
L 167	+22 720,47	+81 933,42
L 168	+22 701,42	+81 923,62
L 169	+22 680,15	+81 915,22
L 170	+22 165,90	+81 741,66
L 171	+22 133,96	+81 729,02
L 172	+22 100,12	+81 711,18
L 173	+22 068,52	+81 689,59
L 174	+22 039,60	+81 664,54
L 175	+22 013,72	+81 636,35
L 176	+21 991,22	+81 605,40
L 177	+21 972,41	+81 572,08
L 178	+21 957,51	+81 536,83
L 179	+21 947,46	+81 503,20
L 180	+21 802,75	+80 906,45
L 181	+21 788,59	+80 857,85
L 182	+21 765,46	+80 800,72
L 183	+21 743,50	+80 758,84
L 184	+21 698,56	+80 681,34
L 185	+21 679,64	+80 643,34
L 186	+21 666,82	+80 607,28
L 187	+21 658,20	+80 570,00
L 188	+21 653,89	+80 531,98
L 189	+21 654,65	+80 483,93
L 190	+21 679,61	+80 200,25
L 191	+21 685,92	+80 135,89
L 192	+21 696,19	+80 051,43
L 193	+21 743,08	+79 704,13
L 194	+21 750,36	+79 639,84
L 195	+21 754,69	+79 579,39
L 196	+21 756,60	+79 518,83
L 197	+21 756,08	+79 458,23
L 198	+21 754,81	+79 425,79
L 199	+21 727,23	+78 874,18
L 200	+21 723,94	+78 798,89
L 201	+21 721,62	+78 724,63
L 202	+21 717,14	+78 545,38
L 203	+21 717,71	+78 480,19
L 204	+21 722,03	+78 421,28
L 205	+21 727,04	+78 381,28

REGTERKANT / RIGHT HAND SIDE

Y	X
KONSTANT	0,00 +2 900 000,00
R 168	+22 688,99 +81 950,93
R 169	+22 670,55 +81 943,64
R 170	+22 156,31 +81 770,08
R 171	+22 121,51 +81 756,32
R 172	+22 084,63 +81 736,87
R 173	+22 050,21 +81 713,35
R 174	+22 018,70 +81 686,05
R 175	+21 990,50 +81 655,34
R 176	+21 965,99 +81 621,62
R 177	+21 945,48 +81 585,32
R 178	+21 929,25 +81 546,91
R 179	+21 918,31 +81 510,27
R 180	+21 773,59 +80 913,52
R 181	+21 760,20 +80 867,55
R 182	+21 738,32 +80 813,51
R 183	+21 717,55 +80 773,89
R 184	+21 672,61 +80 696,38
R 185	+21 651,99 +80 654,98
R 186	+21 638,03 +80 615,70
R 187	+21 628,63 +80 575,08
R 188	+21 623,93 +80 533,65
R 189	+21 624,77 +80 481,30
R 190	+21 649,73 +80 197,63
R 191	+21 656,10 +80 132,66
R 192	+21 666,46 +80 047,41
R 193	+21 713,35 +79 700,11
R 194	+21 720,49 +79 637,09
R 195	+21 724,73 +79 577,85
R 196	+21 726,60 +79 518,48
R 197	+21 726,09 +79 459,09
R 198	+21 724,85 +79 427,29
R 199	+21 697,27 +78 875,68
R 200	+21 693,96 +78 800,01
R 201	+21 691,63 +78 725,38
R 202	+21 687,15 +78 546,13
R 203	+21 687,74 +78 478,92
R 204	+21 692,19 +78 418,17
R 205	+21 697,36 +78 376,93
R 206	+21 716,05 +78 249,47
R 207	+21 721,43 +78 200,62
R 208	+21 723,24 +78 141,95
R 209	+21 721,37 +78 098,88

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

Y	X
CONSTANT 0,00 +2 900 000,00	
L 206 +21 745,73 +78 253,82	
L 207 +21 751,35 +78 202,83	
L 208 +21 753,24 +78 141,59	
L 209 +21 751,29 +78 096,63	
L 210 +21 741,38 +77 964,53	
L 211 +21 734,53 +77 900,49	
L 212 +21 724,33 +77 840,46	
L 213 +21 710,55 +77 781,15	
L 214 +21 699,39 +77 742,11	
L 215 +21 666,45 +77 634,97	
L 216 +21 654,59 +77 589,85	
L 217 +21 645,05 +77 532,21	
L 218 +21 641,89 +77 490,08	
L 219 +21 630,19 +77 178,23	
L 220 +21 626,06 +77 132,32	
L 221 +21 618,26 +77 091,66	
L 222 +21 606,69 +77 051,92	
L 223 +21 591,42 +77 013,44	
L 224 +21 570,08 +76 972,19	
L 225 +21 269,50 +76 459,46	
L 226 +21 230,58 +76 389,46	
L 227 +21 199,79 +76 328,10	
L 228 +21 142,48 +76 208,09	
L 229 +21 108,33 +76 137,97	
L 230 +21 075,43 +76 072,92	
L 231 +20 956,18 +75 841,37	
L 232 +20 930,96 +75 799,54	
L 233 +20 905,18 +75 766,78	
L 234 +20 875,84 +75 737,17	
L 235 +20 843,30 +75 711,09	
L 236 +20 816,99 +75 694,20	
L 237 +20 788,96 +75 679,11	
L 238 +20 184,25 +75 390,36	
L 239 +20 137,63 +75 370,57	
L 240 +20 078,87 +75 352,15	
L 241 +20 037,11 +75 343,11	
L 242 +20 004,20 +75 337,26	
L 243 +19 942,38 +75 323,06	
L 244 +19 886,80 +75 304,51	
L 245 +19 833,16 +75 280,92	
L 246 +19 781,93 +75 252,49	
L 247 +19 746,86 +75 229,22	

REGTERKANT / RIGHT HAND SIDE

Y	X
KONSTANT 0,00 +2 900 000,00	
R 210 +21 711,47 +77 966,77	
R 211 +21 704,82 +77 904,63	
R 212 +21 694,92 +77 846,37	
R 213 +21 681,54 +77 788,81	
R 214 +21 670,72 +77 750,93	
R 215 +21 637,77 +77 643,79	
R 216 +21 625,28 +77 596,27	
R 217 +21 615,24 +77 535,57	
R 218 +21 611,91 +77 491,21	
R 219 +21 600,22 +77 179,35	
R 220 +21 596,36 +77 136,57	
R 221 +21 589,10 +77 098,69	
R 222 +21 578,31 +77 061,65	
R 223 +21 564,09 +77 025,80	
R 224 +21 544,20 +76 987,36	
R 225 +21 243,62 +76 474,64	
R 226 +21 204,03 +76 403,44	
R 227 +21 172,72 +76 341,03	
R 228 +21 115,41 +76 221,02	
R 229 +21 081,46 +76 151,32	
R 230 +21 048,76 +76 086,66	
R 231 +20 929,51 +75 855,10	
R 232 +20 906,37 +75 816,72	
R 233 +20 882,70 +75 786,64	
R 234 +20 855,77 +75 759,47	
R 235 +20 825,91 +75 735,54	
R 236 +20 801,76 +75 720,03	
R 237 +20 776,03 +75 706,18	
R 238 +20 171,32 +75 417,43	
R 239 +20 127,13 +75 398,67	
R 240 +20 071,44 +75 381,21	
R 241 +20 031,86 +75 372,65	
R 242 +19 998,95 +75 366,80	
R 243 +19 934,21 +75 351,92	
R 244 +19 876,00 +75 332,50	
R 245 +19 819,83 +75 307,80	
R 246 +19 766,17 +75 278,02	
R 247 +19 729,45 +75 253,65	
R 248 +19 614,95 +75 172,07	
R 249 +19 568,89 +75 141,17	
R 250 +19 517,99 +75 111,16	
R 251 +19 465,38 +75 084,25	

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

Y X
CONSTANT 0,00 +2 900 000,00

L 248 +19 632,36 +75 147,64
L 249 +19 584,89 +75 115,80
L 250 +19 532,44 +75 084,87
L 251 +19 478,23 +75 057,14
L 252 +19 441,21 +75 040,49
L 253 +19 398,73 +75 023,51
L 254 +19 022,72 +74 882,98
L 255 +18 975,39 +74 862,08
L 256 +18 925,61 +74 832,29
L 257 +18 894,33 +74 808,58
L 258 +18 788,21 +74 720,52
L 259 +18 759,21 +74 693,40
L 260 +18 734,49 +74 664,19
L 261 +18 713,26 +74 632,35
L 262 +18 695,81 +74 598,30
L 263 +18 682,34 +74 562,48
L 264 +18 673,05 +74 525,36
L 265 +18 668,06 +74 487,43
L 266 +18 668,18 +74 436,42
L 267 +18 699,20 +74 042,48
L 268 +18 700,93 +73 989,65
L 269 +18 696,81 +73 928,21
L 270 +18 690,28 +73 886,96
L 271 +18 643,75 +73 649,04
L 272 +18 634,39 +73 611,74
L 273 +18 619,87 +73 572,66
L 274 +18 600,99 +73 535,49
L 275 +18 578,00 +73 500,71
L 276 +18 551,18 +73 468,79
L 277 +18 520,91 +73 440,13
L 278 +18 487,56 +73 415,11
L 279 +18 451,57 +73 394,05
L 280 +18 425,16 +73 381,86
L 281 +18 035,67 +73 220,60
L 282 +17 950,62 +73 187,62
L 283 +17 855,07 +73 155,72
L 284 +17 758,04 +73 128,63
L 285 +17 694,68 +73 113,72
L 286 +17 271,93 +73 021,42
L 287 +17 232,65 +73 010,29
L 288 +17 197,32 +72 995,60
L 289 +17 163,89 +72 976,98

REGTERKANT / RIGHT HAND SIDE

Y X
KONSTANT 0,00 +2 900 000,00

R 252 +19 429,45 +75 068,09
R 253 +19 388,23 +75 051,61
R 254 +19 012,21 +74 911,08
R 255 +18 961,69 +74 888,77
R 256 +18 908,57 +74 856,98
R 257 +18 875,17 +74 831,67
R 258 +18 769,05 +74 743,60
R 259 +18 737,46 +74 714,05
R 260 +18 710,52 +74 682,23
R 261 +18 687,40 +74 647,54
R 262 +18 668,37 +74 610,44
R 263 +18 653,70 +74 571,42
R 264 +18 643,58 +74 530,97
R 265 +18 638,14 +74 489,64
R 266 +18 638,27 +74 434,07
R 267 +18 669,29 +74 040,12
R 268 +18 670,93 +73 990,05
R 269 +18 667,02 +73 931,82
R 270 +18 660,84 +73 892,72
R 271 +18 614,31 +73 654,80
R 272 +18 605,72 +73 620,57
R 273 +18 592,39 +73 584,70
R 274 +18 575,06 +73 550,58
R 275 +18 553,96 +73 518,66
R 276 +18 529,35 +73 489,36
R 277 +18 501,56 +73 463,06
R 278 +18 470,95 +73 440,09
R 279 +18 437,93 +73 420,77
R 280 +18 413,69 +73 409,58
R 281 +18 024,19 +73 248,32
R 282 +17 940,41 +73 215,83
R 283 +17 846,28 +73 184,40
R 284 +17 750,70 +73 157,72
R 285 +17 688,28 +73 143,03
R 286 +17 265,53 +73 050,73
R 287 +17 222,73 +73 038,61
R 288 +17 184,23 +73 022,60
R 289 +17 147,81 +73 002,31
R 290 +17 113,95 +72 977,99
R 291 +17 083,07 +72 949,98
R 292 +17 055,59 +72 918,62
R 293 +17 031,87 +72 884,34

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

	Y	X
CONSTANT	0,00	+2 900 000,00
L 290	+17 132,80	+72 954,66
L 291	+17 104,47	+72 928,95
L 292	+17 079,25	+72 900,17
L 293	+17 059,43	+72 868,96
L 295	+17 025,35	+72 799,38
L 296	+17 017,64	+72 771,74
L 297	+17 011,80	+72 741,79
L 298	+16 940,35	+72 244,76

Lo33°

REGTERKANT / RIGHT HAND SIDE

	Y	X
KONSTANT	0,00	+2 900 000,00
R 294	+17 012,21	+72 847,57
R 295	+16 996,87	+72 808,81
R 296	+16 988,47	+72 778,69
R 297	+16 982,10	+72 746,06
R 298	+16 910,12	+72 245,35


No. 1352

26 September 2003

THE SOUTH AFRICAN NATIONAL ROAD AGENCY LIMITED**DECLARATION OF EXISTING PROVINCIAL MAIN ROAD 678 AS NATIONAL ROAD N2 SECTION 32 - DISTRICTS OF NGOTSHE AND SIMDLANGENTSHA.**

By virtue of Section 40(1) (a) of the South African National Road Agency Limited and National Road Act 1998 (Act No. 7 of 1998), I hereby declare the section of Provincial Main Road 678, previously known as P78-1 as declared by Administrative Notice 415 of 1996 and all other Administrative Notices which are relevant to this section of road, commencing from the Pongola River where National Road N2 Section 31, as declared by National Road declaration No. 81 of 1981 and 1739 of 1994 ends, hence proceeding in a general north westerly direction through the town of Pongola up to a point on the western boundary of the farm Belgrade 27 HU, being the Mpumalanga border, to be a National Road.

(National Road N2: Pongola River to Mpumalanga Border)



Act Minister of Transport


No. 1352

26 September 2003

DIE SUID AFRIKAANSE NASIONALE PADAGENTSKAP BEPERK**VERKLARING VAN BESTAANDE PROVINSIALE HOOFPAD 678 AS NASIONALE ROETE N2
SEKSIE 32 - DISTRIKTE VAN NGOTSHE EN SIMDLANGENTSHA.**

Kragtens artikel 40(1) (a) van die Suid Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), verklaar ek hiermee daardie seksie van Provinsiale Hoofpad 678, voorheen bekend as P78-1 soos verklaar onder Administratiewe Kennisgewing 415 van 1996 en alle ander Administratiewe Kennisgewings wat relevant is to hierdie seksie van die pad, wat begin vanaf die Pongola Rivier waar Nasionale Pad N2 Seksie 31, soos verklaar deur Nasionale Pad verklaring No. 81 van 1981 en 1739 van 1994, eindig, vanwaar dit in 'n algemene noord westelike rigting voortgaan deur die dorp Pongola tot 'n punt op die westelike grens van die plaas Belgrade 27 HU, wat ook die Mpumalanga grens is, tot 'n Nasionale Pad.

(Nasionale Roete N2: Pongola Rivier tot Mpumalanga Grens)


Wre Minister van Vervoer

No. 1353

26 September 2003

THE SOUTH AFRICAN NATIONAL ROAD AGENCY LIMITED**DECLARATION OF EXISTING PROVINCIAL MAIN ROAD 720 AS NATIONAL ROAD P720 -
DISTRICT OF SIMDLANGENTSHA.**

By virtue of Section 40(1) (a) of the South African National Road Agency Limited and National Road Act 1998 (Act No. 7 of 1998), I hereby declare the section of Provincial Main Road 720, previously known as road P78-2, as declared by Administrative Notice 415 of 1996 and all other Administrative Notices which are relevant to this section of road, commencing from its junction with Main Road 678, also known as National Road N2 Section 32 on the farm Tamboti Ridge 81 HU, proceeding in a general north easterly direction over the farm Gollel 73 HU to terminate at the Spoornet railway level-crossing at Golela, to be a National Road.

(National Road P720; N2 - Golela to Swaziland Border)


Act Minister of Transport


No. 1353

26 September 2003

DIE SUID AFRIKAANSE NASIONALE PADAGENTSKAP BEPERK**VERKLARING VAN BESTAANDE PROVINSIALE HOOFPAD 720 AS NASIONALE ROETE P720 -
DISTRIK VAN SIMDLANGENTSHA.**

Kragtens artikel 40(1) (a) van die Suid Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), verklaar ek hiermee daardie seksie van Provinsiale Hoofpad 720, voorheen bekend as pad P78-2, soos verklaar onder Administratiewe Kennisgewing 415 van 1996 en alle ander Administratiewe Kennisgewings wat relevant is tot hierdie seksie van die pad, wat begin vanaf die interseksie met Hoofpad 678, ook bekend as Nasionale Roete N2 Seksie 32 op die plaas Tamboti Ridge 81 HU, vanwaar dit in 'n algemene noord oostelike rigting voortgaan oor die plaas Gollel 73 HU waar dit termineer by die Spoornet spoorroorgang by Golela, as 'n Nasionale Pad.

(Nasionale Pad P720; N2 - Golela na Swaziland Grens)



Vnde Minister van Vervoer

**Dog ate your Gazette?
... read it online**



www.SA Gazettes.co.za
.....

A new information Portal keeping you up to date with news, legislation, the Parliamentary programme and which is the largest pool of SA Gazette information available on the Web.

- Easily accessible through the www!
 - Government Gazettes - from January 1994
 - Compilations of all Indexes pertaining to the past week's Government Gazettes
 - All Provincial Gazettes - from September 1995
 - Parliamentary Bills - as of January 1999
- Available in full-text, with keyword searching
- Sabinet Online scans, formats, edits and organize information for you. Diagrams and forms included as images.
- No stacks of printed gazettes - all on computer. Think of the storage space you save.
- Offers Bill Tracker - complementing the SA Gazettes products.

For easy electronic access to full-text gazette info, subscribe to the SA Gazettes from Sabinet Online. Please visit us at www.sagazettes.co.za

Sabinet
 *Online*



*Looking for back copies and out of print issues of
the Government Gazette and Provincial Gazettes?*

The National Library of SA has them!

Let us make your day with the information you need ...

National Library of SA, Pretoria Division
PO Box 397
0001 PRETORIA
Tel.: (012) 321-8931, Fax: (012) 325-5984
E-mail: infodesk@nlsa.ac.za




*Soek u ou kopieë en uit druk uitgawes van die
Staatshoerant en Provinsiale Koerante?*

Die Nasionale Biblioteek van SA het hulle!

Met ons hoef u nie te sukkel om inligting te bekom nie ...

Nasionale Biblioteek van SA, Pretoria Divisie
Posbus 397
0001 PRETORIA
Tel.: (012) 321-8931, Faks: (012) 325-5984
E-pos: infodesk@nlsa.ac.za

Wetlands are wonderlands!



Department of Environmental Affairs and Tourism

THE WEATHER BUREAU HELPS FARMERS
TO PLAN THEIR CROP



THE WEATHER BUREAU: DEPARTMENT OF ENVIRONMENTAL AFFAIRS & TOURISM
DIE WEERBURO: DEPARTEMENT VAN OMGEWINGSAKE EN TOERISME

Printed by and obtainable from the Government Printer, Bosman Street, Private Bag X85, Pretoria, 0001

Publications: Tel: (012) 334-4508, 334-4509, 334-4510

Advertisements: Tel: (012) 334-4673, 334-4674, 334-4504

Subscriptions: Tel: (012) 334-4735, 334-4736, 334-4737

Cape Town Branch: Tel: (021) 465-7531

Gedruk deur en verkrygbaar by die Staatsdrukker, Bosmanstraat, Privaatsak X85, Pretoria, 0001

Publikasies: Tel: (012) 334-4508, 334-4509, 334-4510

Advertensies: Tel: (012) 334-4673, 334-4674, 334-4504

Subskripsies: Tel: (012) 334-4735, 334-4736, 334-4737

Kaapstad-tak: Tel: (021) 465-7531