

CONTENTS

No.	Page No.	Gazette No.
-----	----------	-------------

GOVERNMENT NOTICE**Transport, Department of***Government Notice*

751 South African National Roads Agency Limited and the National Roads Act (7/1998): The South African National Roads Agency Limited: Declaration amendment of National Road N4 Section 16: Amendment of Declaration No. 1010 of 1998 .. 3 30200

INHOUD

No.	Bladsy No.	Koerant No.
-----	------------	-------------

GOEWERMENTSKENNISGEWING**Vervoer, Departement van***Goewernentskennisgewing*

751 Suid-Afrikaanse Nasionale Padagentskap Beperken die Nasionale Paaie Wet (7/1998): Die Suid-Afrikaanse Nasionale Padagentskap Beperk: Verklaring wysiging van Nasionale Pad N4 Seksie 16: Wysiging van Verklaring No. 1010 van 1998 .. 4 30200

GOVERNMENT NOTICE GOEWERMENTSKENNISGEWING

DEPARTMENT OF TRANSPORT
OEPARTEMENT VAN VERVOER

No. 751

24 August 2007

THE SOUTH AFRICAN NATIONAL ROADS AGENCY LIMITED

Registration No: **98/09584/06**

DECLARATION AMENDMENT OF NATIONAL ROAD N4 SECTION 16

AMENDMENT OF DECLARATION No. 1010 OF 1998

By virtue of section 40 (1)(b) of the South African National Roads Agency Limited and the National Roads Act. 1998 (Act NO.7 of 1998), I hereby amend Declaration No. 1010 of 1998, by substituting the descriptive section from the farm Kameeldoorn 271 • JP up to the entrance of the operational area of the Skilpads Gate Border Post with the subjoined sheets 1 to 12 of Plan P579/06.

(National Road N4 Section 16: Kameeldoorn 271 - JP to Skilpads Gate Border Post)



MINISTER OF TRANSPORT

No. 751

24 Augustus 2007

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAPBEPERK**
Registrasie No: 98/09584/06

VERKLARING WYSIGING VAN NASIONALE PAD N4 SEKSIE 16.


WYSIGING VAN VERKLARING NO. 1010 VAN 1998

Kragtens Artikel40(1)(b) van die Suid Afrikaanse Nasionale Padagentskap Beperk en die Nasionale Paaie Wet, 1998 (Wet No.7 van 1998), wysig ek hiermee Verklaring No.1010 van 1998, deur die beskrywende gedeelte vanaf die plaas Kameeldoorn 271 - JP tol by die ingang van die operasionele area van die Skilpadshek Grenspos, te vervang met meegaande velie 1 tot 12 van Plan No. P579/06.

(Nationale Pad N4 Seksie 16: Kameeldoorn 271 - JP tot Skilpadshek Grenspos)



MINISTER VAN VERVOER



Die Suid Afrikaanse Nasionale Padagentskaps Beperk

The South African National Roads Agency Limited

Die figuur getoon

The figure shown



stel die padreservé voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route

N4


Seksie
Section

16

Vel
Sheet 1 van
of 12

Plan P579/06

D.O.9.A



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited


Die figuur getoon
The figure shown



stel die padreservewe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N4 Seksie
of National Route Section 16


Vel Sheet 2 van 12
Plan P579/06

D.O.9.A



Die Suid Afrikaanse Nasionale Padagentskapp Beperk
The South African National Roads Agency Limited


Die figuur getoon
The figure shown



stel die padreservé voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N4 Seksie
of National Route Section

Vel Sheet 3 van 12
Plan P579/06

D.O.9.A



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown




stel die padreservé voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N4 Seksie
of National Route Section

Vel Sheet 4 van 12
Plan P579/06

16

D.O.9.A



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown




stel die padreservew voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N4 Seksie
of National Route Section

Vel Sheet 5 van 12
Plan P579/06


16

D.O.9.A



Die Suid Afrikaanse Nasionale Padagentskaps Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



stel die padreservé voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route


N4

Seksie
Section

16

Vel
Sheet 6 van
of 12
Plan P579/06

D.O.9.A



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited


Die figuur getoon
The figure shown



'stel die padreservé voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route N4 Seksie
Section 16

Vel Sheet 7 van 12
Plan P579/06

D.O.9.A



Die Suid Afrikaanse Nasionale Padagentskaps Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



stel die padreservé voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route

Vel Sheet 8 van 12
Plan P579/06

D.O.9.A

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES			
L1NKERKANT LEFT HAND SIDE		REGTERKANT/RIGHT HAND SIDE	
	Y	X	WG27°
L1	94207.480	2828506.400	R1
L2	94443.530	2 828 241.670	R2
L3	94498.221	2828174.830	R3
L4	94547.400	2 828 102.260	R4
L5	94572.790	2828 058.480	R5
L6	94612.910	2 827 980.050	R6
L7	94643.00	2 827 905.140	R7
L8	94656.340	2 827 865.250	R8
L9	94732.760	2827637.760	R9
L10	94760.090	2827 578.300	R10
L11	94761.720	2 827 575.660	R11
L12	94829.560	2 827 465.460	R12
L13	94835.690	2827455.500	R13
L14	94895.380	2827379.890	R14
L15	94947.470	2827322.790	R15
L16	95008.980	2 827 268.640	R16
L17	95177.190	2 827 136.870	R17
L18	95607.400	2826799.840	R18
L19	95975.810	2 826 511.230	R19
L20	96262.860	2 826 286.360	R20
L21	96345.850	2826226.850	R21
L22	96414.490	2826186.690	R22
L23	96486.230	2826 152.190	R23
L24	96528.640	2826134.770	R24
L25	96634.640	2 826 101.320	R25
L26	97470.450	2825890.720	R26
L27	97565.160	2 825 863.390	R27
L28	97666.970	2825837.660	R28
L29	97789.450	2 825 753.970	R29
L30	97860.940	2 825 703.320	R30
L31	98167.760	2825470.180	R31
L32	98211.910	2 825 436.640	R32
L33	98260.980	2825399.350	R33
L34	98393.270	2 825298.840	R34
L35	98431.860	2825285.700	R35
L36	98437.190	2825305.810	R36
L37	98461.350	2 825 299.400	R37
L38	98454.520	2 825 273.640	R38
L39	98484.830	2 825 229.260	R39
L40	98593.410	2 825 146.770	R40
L41	99067.530	2 824 786.520	R41
L42	100439.310	2823743.650	R42
L43	100530.500	2823666.400	R43
L44	100621.160	2 823 588.610	R44
L45	100712.020	2823502.610	R45
L46	100883.470	2823328.320	R46
L47	101 249.916	2 822 955.359	R47
L48	101 670.520	2 822 528.350	R48
L49	101 745.190	2822463.060	R49
L50	101 831.560	2822412.010	R50
L51	101 927.130	2 822 373.600	R51
		Vel 9 Sheet	Van 12 of
			P579/06

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES					
L1NKERKANT/LEFT HAND SIDE		REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG27	Y	X
L52	102021.316	2822351.169	R52	102127.620	2 822 305.550
L53	102105.036	2822341.834	R53	102169.760	2 822287.230
L54	102219.490	2822331.990	R54	102215.150	2 822 289.022
L55	106033.660	2822003.930	R55	102242.180	2 822 295.500
L56	106271.720	2 821 898.890	R56	104 716.270	2822 078.780
L57	106694.739	2821 674.368	R57	104 759.790	2 822 059.910
L58	106817.213	2 821 609.359	R58	104757.330	2822031.890
L59	107053.335	2821 471.757	R59	104782.240	2822029.710
L60	108211.521	2820742.610	R60	104784.690	2822057.730
L61	108335.780	2820658.714	R61	104830.830	2822068.750
L62	108947.893	2820208.740	R62	105935.280	2821 972.000
			R63	105955.280	2821 966.860
			R64	105991.380	2821 943.550
			R65	105982.620	2821 928.320
			R66	106004.300	2821 915.860
			R67	106 015.070	2 821 934.600
			R68	106066.660	2 821 938.220
			R69	106083.800	2 821 933.820
			R70	106266.210	2 821 859.020
			R71	106676.009	2821641.552
			R72	106765.650	2 821 592.472
			R73	106864.799	2821 532.263
			R74	108149.184	2820734.502
			R75	108313.787	2820626.799
			R76	108931.240	2820171.454
				Vel 10 Van 12 Sheet of	
				P579/06	

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES					
L1NKERKANT/LEFT HAND SIDE		REGTERKANT/RIGHT HAND SIDE			
	y	X	WG25	Y	X
L62	- 92159.360	2 820 082.650	R76	- 91 305.860	2819383.080
L63	- 91 967.550	2819937.154	R77	- 91 305.860	2819383.080
L64	- 91 689.460	2819726.210	R78	- 91 221.910	2819318.530
L65	- 91 281.550	2819414.850	R79	- 90 136.480	2818478.490
L66	- 91 197.480	2 819 350.200	R80	- 89 509.190	2817992.910
L67	- 90 110.780	2818508.920	R81	- 89 353.600	2817872.300
L68	- 88 881.120	2817562.890	R82	- 89 307.560	2817836580
L69	- 88166.670	2817003.760	R83	- 89 236.190	2817782.290
L70	- 88 087.970	2816940.200	R84	- 88 905.630	2817531.280
L71	- 88 009.620	2816869.630	R85	- 88 772.170	2817426.830
L72	- 87 957.230	2816818.300	R86	- 88 745.520	2817386.590
L73	- 87 818.920	2816676.670	R87	- 88 785.780	2817329.120
L74	- 87 743.480	2816604.040	R88	- 88 765.310	2817314.780
L75	- 86 845.400	2815889.970	R89	- 88 725.500	2817371.600
L76	- 86 749.060	2 815 833.800	R90	- 88681.610	2817355.960
L77	- 86 703.650	2815810.670	R91	- 88 191.480	2816972.380
L78	- 86 032.460	2815479.160	R92	- 88113.940	2816909.760
L79	- 85 985.470	2815472.680	R93	- 88 037.010	2816840.480
L80	- 85 978.180	2815487420	R94	- 87 985.540	2816790.040
L81	- 85 955.770	2815476.350	R95	- 87 847.010	2816648.190
L82	- 85 963.060	2815461.610	R96	- 87 774440	2816579.300
L83	- 85 928.360	2815428.240	R97	- 87751.330	2816558.460
L84	- 85 692.030	2815311.020	R98	- 86 981.720	2815951060
L85	- 85 645.540	2815287460	R99	- 86 950.950	2815903.990
L86	- 85598.830	2815260.180	R100	- 86 954.980	2 815 876.520
L87	- 85 554.740	2815232.780	R101	- 86 930.250	2815872.890
L88	- 84 397.660	2814427.840	R102	- 86 927.360	2815892.620
L89	- 83 976.020	2814134.520	R103	- 86 891.590	2815879.630
L90	- 83 803.180	2814013.080	R104	- 86 860.730	2815855.170
L91	- 83 083.670	2813508.240	R105	- 86 813.240	2815824.330
L92	- 82 614.250	2813165.130	R106	- 86 768.040	2815798.590
L93	- 82 477.090	2813064.850	R107	- 86 721.590	2815774.920
L94	- 82343.900	2812940.590	R108	- 86 401.830	2815617.310
L95	- 82 015.170	2812622.600	R109	- 86 218.300	2815527.670
L96	- 81 685.600	2812307.850	R110	- 85 743.720	2 815 291.940
L97	- 80 827.300	2811 475.450	R111	- 85 569.360	2 815 194.840
L98	- 80 548.880	2 811 190.020	R112	- 84 888.290	2 814 718.000
L99	- 79 266.420	2809317.350	R113	- 84 298.610	2 814 303470
L100	- 77 818.470	2 807 372.540	R114	- 84 237.430	2814260.470
L101	- 77 723.200	2 807 225.090	R115	- 84111.440	2814172.200
L102	- 77 586.970	2807007.840	R116	- 84 086.080	2814137.980
L103	- 77540.280	2806912.870	R117	- 84 096.330	2814129.880
L104	- 77 469.190	2 806 770.580	R118	- 84 080.830	2814110.260
L105	- 77 412.490	2806591.130	R119	- 84 067.150	2814121.070
L106	- 77148.760	2 803 889.550	R120	- 84 017.270	2814 106.220
L107	- 77120.900	2 803 772.760	R121	- 83 512.580	2 813 752.620
L108	- 76 849.160	2 802 852.460	R122	- 83 073.600	2 813 443.970
L109	- 76 820.860	2802749.660	R123	- 82 628.270	2 813 130.200
L110	- 76 805.390	2802674.790	R124	- 82 372.820	2 812 913.060
L111	- 76 689.860	2 801 878.840	R125	- 81 777.050	2812336.580
L112	- 76 665.320	2801 749.790	R126	- 81657.660	2812221.060
			Vel Sheet	11 of	P579/06

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES					
L1NKERKANT/LEFT HAND SIDE REGTERKANT/RIGHT HAND SIDE					
	y	X	WG25	Y	X
L113	- 76628.720	2 801 621.030	R127	- 80 856.600	2 811 443.270
L114	- 76537.080	2 801 352.540	R128	- 80 639.120	2811 221.970
L115	- 76 446.770	2 801 075.160	R129	- 79 522.150	2 809 586.360
L116	- 76395.070	2 800 949.920	R130	- 77 837.070	2 807 296.820
L117	- 76 328.170	2800832.190	R131	- 77 577.380	2 806 886.380
L118	- 76242.830	2800727.140	R132	- 77445.610	2 806 401.850
L119	- 76144.900	2800633.160	R133	- 77 203.210	2 803 947.360
L120	- 76023.930	2 800 546.750	R134	- 77 183.470	2 803 857.960
L121	- 73 480.440	2799009.830	R135	- 77 158.840	2 803758.790
L122	- 73 413.710	2 798 965.880	R136	- 76 894.930	2802867.920
L123	- 73 353.770	2798919.580	R137	- 76 896.820	2 802 820.840
L124	- 73 266.210	2798837.300	R138	- 76 908.550	2802817.670
L125	- 73193.240	2 798 750.480	R139	- 76905.080	2802792.720
L126	- 73130.060	2798655.730	R140	- 76 890.310	2802796.700
L127	- 73 072.820	2 798 544.080	R141	- 76 864.120	2802757.160
L128	- 72 586.860	2 797 428.440	R142	- 76855.820	2 802 726.400
L129	- 72 546.720	2797347.270	R143	- 76 729.410	2 801 873.220
L130	- 72 498.490	2 797 268.850	R144	- 76 704.450	2801741.260
L131	- 72 443.230	2797195.030	R145	- 76 666.660	2 801 608.350
L132	- 72 372.740	2797118.870	R146	- 76575.440	2 801 335.280
L133	- 72277.390	2797037.500	R147	- 76484.400	2801 062.150
L134	- 72 135.340	2 796 943.560	R148	- 76430.860	2 800 932.390
L135	- 72074.710	2796912.110	R149	- 76365.120	2800819.890
L136	- 71 955.860	2 796 842.850	R150	- 76 272.260	2 800 700.160
			R151	- 76221.160	2 800 644.180
			R152	- 76147.590	2 800 578.910
			R153	- 76 044.570	2 800 512.450
			R154	- 75099.140	2799941.770
			R155	- 75 092.230	2799925.750
			R156	- 75 077.980	2799916.970
			R157	- 75 063.400	2799919.710
			R158	- 73 500.920	2798975.610
			R159	- 73 436.800	2798933.120
			R160	- 73381.180	2 798 890.290
			R161	- 73295.350	2798809.860
			R162	- 73 224.990	2798726.160
			R163	- 73164.120	2 798 634.860
			R164	- 73109.490	2798528.150
			R165	- 72 688.720	2 797 562.440
			R166	- 72 684.080	2797510.550
			R167	- 72 697.740	2 797 499.660
			R168	- 72 682.150	2797480.120
			R169	- 72 671.550	2 797 488.570
			R170	- 72 642.440	2797456.210
			R171	- 72 623.320	2797412.330
			R172	- 72 581.570	2797327.790
			R173	- 72 531.650	2 797246.430
			R174	- 72 473.390	2797 168.930
			R175	- 72 400.910	2 797 090.600
			R176	- 72 289.570	2796996.160
R178	- 71 973.340	2796812.640	R177	- 72 153.840	2 796 911.540
			Vel Sheet	12 Van of	P579/06