



Government Gazette Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID AFRIKA

Vol. 676

5 October
Oktober 2021

No. 45251

PART 1 OF 2



N.B. The Government Printing Works will
not be held responsible for the quality of
“Hard Copies” or “Electronic Files”
submitted for publication purposes

ISSN 1682-5845



9 771682 584003

4 5 2 5 1

AIDS HELPLINE: 0800-0123-22 Prevention is the cure

IMPORTANT NOTICE:

THE GOVERNMENT PRINTING WORKS WILL NOT BE HELD RESPONSIBLE FOR ANY ERRORS THAT MIGHT OCCUR DUE TO THE SUBMISSION OF INCOMPLETE / INCORRECT / ILLEGIBLE COPY.

NO FUTURE QUERIES WILL BE HANDLED IN CONNECTION WITH THE ABOVE.

Contents

No.	Gazette No.	Page No.
GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS		
Transport, Department of / Vervoer, Departement van		
977	The South African National Roads Agency Limited and National Roads Act (7/1998): Declaration Amendment of National Road R35 Section 1: Amendment of Declaration No's 922 of 2010 and 553 of 2015.....	45251 3
977	Die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie (7/1998): Verklaring wysiging van Nasionale Pad R35 Seksie 1: Wysiging van Verklaring No's 922 of 2010 and 553 of 2015	45251 4
978	The South African National Roads Agency Limited and National Roads Act (7/1998): Declaration Amendment of National Road R36 Section 6: Amendment of Declaration No. 538 of 2014.....	45251 30
978	Die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie (7/1998): Verklaring wysiging van Nasionale Pad R36 Seksie 6: Wysiging van Verklaring No. 538 van 2014.....	45251 31
979	The South African National Roads Agency Limited and National Roads Act (7/1998): Declaration Amendment of National Road R24 Section 1: Amendment of Declaration No. 784 of 2012.....	45251 45
979	Die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie (7/1998): Verklaring wysiging van Nasionale Pad 24 Seksie 1: Wysiging van Verklaring No. 784 van 2012	45251 46
980	The South African National Roads Agency Limited and National Roads Act (7/1998): Declaration Amendment of National Road R30 Section 1: Amendment of Declaration No. 554 of 2015.....	45251 69
980	Die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie (7/1998): Verklaring wysiging van Nasionale Pad R30 Seksie 1: Wysiging van Verklaring No. 554 van 2015.....	45251 70
981	The South African National Roads Agency Limited and National Roads Act (7/1998): Declaration Amendment of National Road R33 Section 13: Amendment of Declaration No. 538 of 2014.....	45251 81
981	Die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie (7/1998): Verklaring wysiging van Nasionale Pad R33 Seksie 13: Wysiging van Verklaring No. 538 van 2014.....	45251 82
982	The South African National Roads Agency Limited and National Roads Act (7/1998): Declaration Amendment of National Road R33 Section 14: Amendment of Declaration No. 538 of 2014.....	45251 101
982	Die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie (7/1998): Verklaring wysiging van Nasionale Pad R33 Seksie 14: Wysiging van Verklaring No. 538 van 2014.....	45251 102
983	The South African National Roads Agency Limited and National Roads Act (7/1998): Declaration Amendment of National Road R40 Section 6: Amendment of Declaration No. 1229 of 2004	45251 124
983	Die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie (7/1998): Verklaring wysiging van Nasionale Pad R40 Seksie 6: Wysiging van Verklaring No. 1229 van 2004	45251 125
984	The South African National Roads Agency Limited and National Roads Act (7/1998): Declaration Amendment of National Road R36 Section 9: Amendment of Declaration No. 801 of 2008	45251 139
984	Die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie (7/1998): Verklaring wysiging van Nasionale Pad R36 Seksie 9: Wysiging van Verklaring No. 801van 2008	45251 140
985	The South African National Roads Agency Limited and National Roads Act (7/1998): Declaration Amendment of National Road R37 Section 1: Amendment of Declaration No's 619 of 2006 and 776 of 2007	45251 146
985	Die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie (7/1998): Verklaring wysiging van Nasionale Pad R37 Seksie 1: Wysiging van Verklaring No's 619 of 2006 and 776 van 2007	45251 147
986	The South African National Roads Agency Limited and National Roads Act (7/1998): Declaration Amendment of National Road R37 Section 2: Amendment of Declaration No. 301 of 2009	45251 180
986	Die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie (7/1998): Verklaring wysiging van Nasionale Pad R37 Seksie 2: Wysiging van Verklaring No. 301 van 2009	45251 181

GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS**DEPARTMENT OF TRANSPORT**

NO. 977

5 October 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R35 SECTION 1

AMENDMENT OF DECLARATION No.'s 922 OF 2010 AND 553 OF 2015.

- i) By virtue of Section 40 (1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend, Declaration No.'s 922 of 2010 and 553 of 2015 by substituting it in its entirety, with the accompanying sheets 1 to 25 of Plan No. P1010/17.

In the town of Morgenzon the R35 Section 1 enters the town from the South and follows the streets known as Rail Street, De Jager Street, Steyn Street and Louis Street at the time of declaration.

- ii) By virtue of Section 40 (1)(a) of The South African National Road Agency Limited and National Roads Act 1998 (Act No. 7 of 1998), I hereby declare the section of the road, commencing from its junction with National Road N11 Section 5, and from there continuing in a general south westerly direction along the street known as Helm Street in Amersfoort, at time of declaration up to the junction with National Road R35 Section 1, as a National Road.

(National Road R35 Section 1: Amersfoort (N11 Junction) – Bethal (N17 Junction))

**MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER**NO. 977****5 Oktober 2021****DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK****Registrasie No: 1998/009584/30**


VERKLARING WYSIGING VAN NASIONALE PAD R35 SEKSIE 1**WYSIGING VAN VERKLARING No.'s 922 VAN 2010 EN 553 VAN 2015.**


- i) Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No.'s 922 van 2010 en 553 van 2015 deur dit in sy geheel te vervang, met bygaande velle 1 tot 25 van Plan No. P1010/17.


In die dorp Morgenzon kom die R35 Seksie 1 die dorp binne van uit die Suide en volg die strate bekend as Railstraat, De Jagerstraat, Steynstraat en Louisstraat tydens datum van verklaring.


- ii) Kragtens Artikel 40(1)(a) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), verklaar ek hiermee die gedeelte van die pad, beginnende vanaf die aansluiting met Nasionale Pad N11 Seksie 5, en daarvandaan in 'n algemene suid westelike rigting langs die straat bekend as Helmstraat in Amersfoort, tydens datum van verklaring tot by die aansluiting met Nasionale Pad R35 Seksie 1, tot 'n Nasionale Pad.


(Nasionale Pad R35 Seksie 1: Amersfoort (N11 Aansluiting) – Bethal (N17 Aansluiting))



MINISTER VAN VERVOER















































PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X	
L1	-84 782.61	2 989 370.69		R1	-84 770.86	2 989 335.59
L2	-84 466.23	2 989 476.80		R2	-84 767.70	2 989 341.94
L3	-84 366.28	2 989 507.71		R3	-84 737.38	2 989 352.10
L4	-84 291.65	2 989 525.07		R4	-84 693.25	2 989 366.90
L5	-84 208.19	2 989 536.09		R5	-84 649.18	2 989 381.67
L6	-84 098.63	2 989 539.59		R6	-84 647.33	2 989 376.15
L7	-84 008.33	2 989 533.06		R7	-84 427.24	2 989 449.96
L8	-83 917.57	2 989 517.33		R8	-84 354.37	2 989 471.98
L9	-83 818.82	2 989 487.08		R9	-84 282.24	2 989 488.34
L10	-83 712.68	2 989 447.47		R10	-84 192.61	2 989 499.69
L11	-83 466.17	2 989 311.44		R11	-84 105.77	2 989 502.39
L12	-83 174.60	2 989 138.91		R12	-84 015.79	2 989 495.94
L13	-83 148.66	2 989 133.56		R13	-83 927.89	2 989 480.88
L14	-83 129.25	2 989 129.56		R14	-83 870.91	2 989 465.06
L15	-83 068.65	2 989 094.70		R15	-83 841.55	2 989 457.08
L16	-83 036.39	2 989 057.94		R16	-83 757.67	2 989 424.27
L17	-83 011.74	2 989 043.52		R17	-83 674.84	2 989 381.61
L18	-82 475.09	2 988 729.63		R18	-83 519.81	2 989 292.04
L19	-82 396.14	2 988 671.70		R19	-83 226.90	2 989 122.37
L20	-82 347.81	2 988 629.64		R20	-83 150.38	2 989 078.10
L21	-82 289.91	2 988 571.24		R21	-83 017.04	2 989 000.88
L22	-81 984.92	2 988 231.62		R22	-82 735.23	2 988 837.67
L23	-81 786.67	2 988 014.46		R23	-82 533.53	2 988 720.43
L24	-81 366.20	2 987 544.17		R24	-82 478.77	2 988 685.75
L25	-81 325.62	2 987 521.29		R25	-82 420.44	2 988 642.72
L26	-81 284.06	2 987 542.32		R26	-82 375.25	2 988 603.72
L27	-81 258.42	2 987 525.64		R27	-82 316.78	2 988 544.52
L28	-81 280.56	2 987 480.95		R28	-82 012.25	2 988 206.47
L29	-81 261.01	2 987 436.58		R29	-81 648.42	2 987 800.70
L30	-80 777.41	2 986 898.71		R30	-81 389.23	2 987 513.46
L31	-80 647.46	2 986 744.11		R31	-81 372.90	2 987 472.97
L32	-80 466.46	2 986 542.78		R32	-81 390.85	2 987 433.16
L33	-80 284.56	2 986 340.80		R33	-81 370.72	2 987 410.85
L34	-80 180.55	2 986 225.31		R34	-81 332.62	2 987 428.34
L35	-79 847.81	2 985 854.77		R35	-81 295.70	2 987 409.55
L36	-79 773.35	2 985 771.85		R36	-80 977.85	2 987 055.20
L37	-79 434.13	2 985 395.16		R37	-80 866.68	2 986 930.78
L38	-79 428.42	2 985 388.81		R38	-80 836.51	2 986 886.39
L39	-79 123.49	2 985 048.69		R39	-80 740.49	2 986 774.98
L40	-78 931.88	2 984 835.90		R40	-80 572.14	2 986 579.67
L41	-78 924.04	2 984 827.20		R41	-80 487.50	2 986 487.33
L42	-78 890.36	2 984 804.35		R42	-80 397.67	2 986 384.54
L43	-78 849.93	2 984 776.94		R43	-80 269.83	2 986 250.55
L44	-78 801.54	2 984 788.26		R44	-80 177.24	2 986 153.52
L45	-78 743.04	2 984 823.06		R45	-80 150.70	2 986 132.86
L46	-78 725.22	2 984 793.09		R46	-80 126.10	2 986 108.38
L47	-78 779.78	2 984 760.95		R47	-79 886.60	2 985 841.93
L48	-78 809.79	2 984 726.08		R48	-79 798.84	2 985 744.29
L49	-78 794.21	2 984 683.03		R49	-79 462.29	2 985 370.40
L50	-78 749.67	2 984 633.56		R50	-79 452.43	2 985 359.44
L51	-78 428.12	2 984 276.75		R51	-79 151.74	2 985 024.93

Vel Sheet	18	Van of	25	P1010/17
--------------	----	-----------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE	
	Y	X	WG 29°	Y	X
L52	-78 072.28	2 983 880.58	R52	-78 954.61	2 984 805.72
L53	-77 765.56	2 983 539.68	R53	-78 777.68	2 984 608.97
L54	-77 462.84	2 983 202.67	R54	-78 458.34	2 984 253.70
L55	-77 396.43	2 983 128.73	R55	-78 100.65	2 983 856.55
L56	-77 308.24	2 983 030.72	R56	-77 800.60	2 983 522.39
L57	-77 232.88	2 982 956.39	R57	-77 526.15	2 983 217.20
L58	-76 751.34	2 982 420.80	R58	-77 429.27	2 983 109.47
L59	-76 183.64	2 981 789.39	R59	-77 132.55	2 982 779.53
L60	-76 074.55	2 981 667.87	R60	-76 774.93	2 982 381.72
L61	-75 962.44	2 981 573.61	R61	-76 751.84	2 982 356.04
L62	-75 836.35	2 981 498.77	R62	-76 439.24	2 982 008.39
L63	-75 697.76	2 981 445.01	R63	-76 202.94	2 981 745.55
L64	-75 117.23	2 981 311.73	R64	-76 140.47	2 981 676.06
L65	-74 601.03	2 981 193.23	R65	-76 098.56	2 981 632.16
L66	-74 127.83	2 981 084.59	R66	-76 055.49	2 981 593.33
L67	-74 093.97	2 981 069.66	R67	-75 987.65	2 981 534.59
L68	-74 050.36	2 981 059.72	R68	-75 856.81	2 981 456.96
L69	-73 615.31	2 980 960.62	R69	-75 808.22	2 981 420.48
L70	-73 124.01	2 980 847.55	R70	-75 805.88	2 981 370.44
L71	-73 029.02	2 980 825.77	R71	-75 776.08	2 981 360.23
L72	-72 989.64	2 980 815.35	R72	-75 751.43	2 981 399.21
L73	-72 929.15	2 980 796.06	R73	-75 714.95	2 981 401.65
L74	-72 870.72	2 980 771.91	R74	-75 578.78	2 981 372.83
L75	-72 814.93	2 980 742.88	R75	-75 163.37	2 981 277.07
L76	-72 762.39	2 980 710.48	R76	-75 132.98	2 981 267.61
L77	-72 720.70	2 980 678.48	R77	-75 050.20	2 981 241.84
L78	-72 659.82	2 980 627.23	R78	-74 616.48	2 981 146.39
L79	-72 575.69	2 980 546.11	R79	-74 110.41	2 981 035.47
L80	-72 349.08	2 980 328.82	R80	-74 061.20	2 981 024.18
L81	-72 258.87	2 980 242.31	R81	-74 059.12	2 981 023.70
L82	-72 210.46	2 980 204.84	R82	-73 887.45	2 980 978.16
L83	-72 080.64	2 980 080.15	R83	-73 612.66	2 980 915.01
L84	-72 039.98	2 980 032.23	R84	-73 502.87	2 980 896.10
L85	-71 849.05	2 979 848.94	R85	-73 128.26	2 980 809.99
L86	-71 491.86	2 979 504.69	R86	-73 034.50	2 980 788.24
L87	-71 243.30	2 979 265.72	R87	-72 996.16	2 980 778.50
L88	-71 127.03	2 979 153.94	R88	-72 939.85	2 980 759.78
L89	-70 915.33	2 978 952.46	R89	-72 885.00	2 980 736.73
L90	-70 821.02	2 978 850.07	R90	-72 832.26	2 980 709.39
L91	-70 766.60	2 978 770.40	R91	-72 781.77	2 980 677.82
L92	-70 723.33	2 978 686.42	R92	-72 738.00	2 980 645.02
L93	-70 691.70	2 978 601.26	R93	-72 689.57	2 980 603.61
L94	-70 664.77	2 978 478.86	R94	-72 606.88	2 980 524.48
L95	-70 658.57	2 978 417.89	R95	-72 240.29	2 980 172.20
L96	-70 658.29	2 978 323.53	R96	-71 874.95	2 979 821.96
L97	-70 666.04	2 978 078.52	R97	-71 516.83	2 979 478.07
L98	-70 669.49	2 977 971.16	R98	-71 349.53	2 979 317.31
L99	-70 682.55	2 977 564.35	R99	-71 278.65	2 979 240.56
L100	-70 697.36	2 977 110.25	R100	-71 257.13	2 979 219.88
L101	-70 713.30	2 976 612.30	R101	-71 038.19	2 979 009.60
L102	-70 715.27	2 976 547.56	R102	-70 916.20	2 978 892.26

Vel 19 Van 25
Sheet of P1010/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X	
L103	-70 717.50	2 976 474.33		R103	-70 855.70	2 978 826.38
L104	-70 717.34	2 976 407.44		R104	-70 802.75	2 978 748.86
L105	-70 712.67	2 976 346.64		R105	-70 761.82	2 978 669.43
L106	-70 705.71	2 976 294.24		R106	-70 732.09	2 978 589.38
L107	-70 685.06	2 976 204.62		R107	-70 706.31	2 978 472.20
L108	-70 607.45	2 975 965.88		R108	-70 700.56	2 978 415.70
L109	-70 449.85	2 975 491.76		R109	-70 696.13	2 978 326.18
L110	-70 295.15	2 975 024.31		R110	-70 703.20	2 978 097.02
L111	-70 138.48	2 974 550.08		R111	-70 703.75	2 978 079.27
L112	-70 068.91	2 974 340.87		R112	-70 705.94	2 978 011.91
L113	-70 043.95	2 974 286.73		R113	-70 720.43	2 977 564.70
L114	-70 017.40	2 974 206.62		R114	-70 734.84	2 977 113.10
L115	-69 981.03	2 974 096.89		R115	-70 750.95	2 976 613.07
L116	-69 967.94	2 974 037.07		R116	-70 753.04	2 976 547.69
L117	-69 823.55	2 973 601.26		R117	-70 755.35	2 976 475.49
L118	-69 768.86	2 973 436.41		R118	-70 755.00	2 976 406.20
L119	-69 666.62	2 973 128.20		R119	-70 750.17	2 976 344.48
L120	-69 509.28	2 972 653.72		R120	-70 741.70	2 976 282.65
L121	-69 407.26	2 972 345.90		R121	-70 720.66	2 976 191.71
L122	-69 379.43	2 972 309.63		R122	-70 642.56	2 975 953.76
L123	-69 334.18	2 972 316.13		R123	-70 484.88	2 975 478.85
L124	-69 324.62	2 972 287.29		R124	-70 330.68	2 975 012.29
L125	-69 360.32	2 972 251.97		R125	-70 174.43	2 974 540.79
L126	-69 359.48	2 972 201.75		R126	-70 078.23	2 974 250.68
L127	-69 350.84	2 972 175.68		R127	-70 078.43	2 974 203.62
L128	-69 341.14	2 972 146.73		R128	-70 117.50	2 974 175.84
L129	-69 305.95	2 972 005.17		R129	-70 202.72	2 974 149.64
L130	-69 296.02	2 971 878.97		R130	-70 194.23	2 974 121.59
L131	-69 303.98	2 971 817.17		R131	-70 107.34	2 974 147.86
L132	-69 305.12	2 971 807.37		R132	-70 059.53	2 974 146.65
L133	-69 307.57	2 971 786.34		R133	-70 031.00	2 974 108.27
L134	-69 308.59	2 971 777.60		R134	-70 016.10	2 974 063.35
L135	-69 312.73	2 971 741.97		R135	-69 859.20	2 973 590.39
L136	-69 372.11	2 971 233.73		R136	-69 712.34	2 973 146.74
L137	-69 420.59	2 970 814.04		R137	-69 702.07	2 973 115.73
L138	-69 423.94	2 970 754.55		R138	-69 544.02	2 972 638.89
L139	-69 428.12	2 970 718.76		R139	-69 504.92	2 972 520.89
L140	-69 445.51	2 970 569.93		R140	-69 493.64	2 972 467.49
L141	-69 453.71	2 970 475.71		R141	-69 369.68	2 972 093.39
L142	-69 453.33	2 970 392.85		R142	-69 344.47	2 971 986.83
L143	-69 427.94	2 970 276.10		R143	-69 343.90	2 971 934.91
L144	-69 380.00	2 970 167.74		R144	-69 343.25	2 971 877.59
L145	-69 311.26	2 970 071.22		R145	-69 343.20	2 971 812.23
L146	-69 219.10	2 969 965.53		R146	-69 346.43	2 971 783.29
L147	-68 487.80	2 969 241.27		R147	-69 347.29	2 971 775.65
L148	-68 349.99	2 969 106.22		R148	-69 351.98	2 971 733.62
L149	-68 019.77	2 968 779.20		R149	-69 409.45	2 971 238.48
L150	-67 673.58	2 968 436.67		R150	-69 461.63	2 970 789.59
L151	-67 311.47	2 968 078.30		R151	-69 486.88	2 970 574.56
L152	-67 135.44	2 967 905.44		R152	-69 495.40	2 970 444.08
L153	-67 044.88	2 967 820.29		R153	-69 488.82	2 970 363.80

Vel
Sheet 20 Van
of 25 P1010/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X	
L154	-67 024.38	2 967 809.57		R154	-69 484.70	2 970 326.87
L155	-66 930.25	2 967 728.84		R155	-69 483.62	2 970 317.77
L156	-66 788.86	2 967 614.56		R156	-69 469.44	2 970 264.69
L157	-66 780.81	2 967 600.36		R157	-69 467.75	2 970 211.77
L158	-66 665.47	2 967 509.85		R158	-69 499.90	2 970 172.38
L159	-66 427.74	2 967 323.87		R159	-69 486.89	2 970 145.01
L160	-66 384.69	2 967 315.59		R160	-69 442.08	2 970 156.79
L161	-66 346.10	2 967 336.18		R161	-69 410.74	2 970 130.51
L162	-66 306.36	2 967 394.93		R162	-69 379.17	2 970 083.72
L163	-66 280.95	2 967 378.96		R163	-69 326.62	2 970 024.16
L164	-66 322.42	2 967 317.66		R164	-69 268.99	2 969 962.14
L165	-66 329.48	2 967 272.39		R165	-68 731.07	2 969 430.24
L166	-66 309.45	2 967 231.33		R166	-68 514.98	2 969 216.58
L167	-66 265.27	2 967 196.77		R167	-68 376.87	2 969 080.03
L168	-66 095.55	2 967 063.72		R168	-68 076.95	2 968 783.06
L169	-65 872.08	2 966 888.53		R169	-68 067.90	2 968 777.55
L170	-65 591.52	2 966 668.85		R170	-68 041.06	2 968 752.48
L171	-65 585.23	2 966 663.92		R171	-68 031.56	2 968 738.57
L172	-65 477.47	2 966 579.54		R172	-67 700.33	2 968 410.30
L173	-65 083.84	2 966 271.76		R173	-67 680.10	2 968 390.29
L174	-64 822.96	2 966 067.61		R174	-67 376.31	2 968 089.86
L175	-64 690.50	2 965 963.96		R175	-67 337.53	2 968 051.51
L176	-64 311.82	2 965 667.66		R176	-67 186.23	2 967 901.07
L177	-64 213.62	2 965 590.65		R177	-67 042.58	2 967 765.77
L178	-63 264.86	2 964 848.24		R178	-67 036.58	2 967 771.88
L179	-63 113.78	2 964 741.89		R179	-66 943.75	2 967 689.15
L180	-62 672.71	2 964 396.68		R180	-66 875.39	2 967 637.42
L181	-62 612.81	2 964 345.64		R181	-66 880.95	2 967 630.84
L182	-62 592.19	2 964 320.60		R182	-66 688.79	2 967 480.39
L183	-62 533.73	2 964 249.59		R183	-66 449.50	2 967 293.20
L184	-62 485.53	2 964 160.52		R184	-66 429.65	2 967 252.27
L185	-62 474.72	2 964 149.15		R185	-66 437.45	2 967 207.59
L186	-62 467.15	2 964 146.15		R186	-66 477.68	2 967 153.58
L187	-62 464.29	2 964 138.16		R187	-66 453.74	2 967 135.49
L188	-62 455.17	2 964 128.57		R188	-66 413.81	2 967 189.10
L189	-62 412.79	2 964 127.09		R189	-66 374.47	2 967 209.11
L190	-62 410.21	2 964 118.84		R190	-66 331.25	2 967 200.69
L191	-62 403.83	2 964 098.45		R191	-66 294.88	2 967 172.24
L192	-62 437.25	2 964 071.29		R192	-66 101.10	2 967 020.51
L193	-62 439.51	2 964 028.29		R193	-65 893.79	2 966 858.17
L194	-62 437.36	2 964 021.42		R194	-65 662.86	2 966 677.43
L195	-62 408.65	2 963 815.85		R195	-65 499.39	2 966 549.48
L196	-62 392.46	2 963 656.56		R196	-65 104.93	2 966 240.66
L197	-62 314.99	2 963 101.79		R197	-64 823.82	2 966 020.69
L198	-62 285.21	2 962 869.58		R198	-64 711.94	2 965 933.14
L199	-62 263.58	2 962 713.21		R199	-64 333.93	2 965 637.23
L200	-62 216.78	2 962 374.97		R200	-64 278.58	2 965 590.04
L201	-62 171.27	2 962 050.17		R201	-64 199.83	2 965 528.41
L202	-62 147.34	2 961 879.44		R202	-64 137.38	2 965 483.52
L203	-62 078.05	2 961 384.78		R203	-63 940.71	2 965 329.73
L204	-62 041.23	2 961 120.00		R204	-63 816.31	2 965 231.30

Vel
Sheet 21 Van
of 25 P1010/17

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X	
L205	-62 020.31	2 960 969.52	R205	-63 416.46	2 964 919.27	
L206	-61 969.59	2 960 672.05	R206	-63 255.97	2 964 793.35	
L207	-61 967.48	2 960 661.62	R207	-63 016.96	2 964 605.85	
L208	-61 940.65	2 960 507.05	R208	-62 667.06	2 964 329.66	
L209	-61 900.40	2 960 279.93	R209	-62 604.69	2 964 264.08	
L210	-61 842.79	2 959 993.30	R210	-62 570.88	2 964 217.88	
L211	-61 823.77	2 959 898.03	R211	-62 540.92	2 964 167.05	
L212	-61 764.91	2 959 603.16	R212	-62 518.69	2 964 122.91	
L213	-61 712.70	2 959 343.44	R213	-62 496.91	2 964 059.98	
L214	-61 710.14	2 959 322.74	R214	-62 486.21	2 964 016.86	
L215	-61 694.88	2 959 298.12	R215	-62 478.25	2 963 974.39	
L216	-61 679.62	2 959 273.49	R216	-62 464.38	2 963 879.05	
L217	-61 664.36	2 959 248.88	R217	-62 392.18	2 963 364.04	
L218	-61 649.10	2 959 224.26	R218	-62 322.41	2 962 866.28	
L219	-61 633.84	2 959 199.64	R219	-62 296.14	2 962 676.75	
L220	-61 623.89	2 959 183.58	R220	-62 253.78	2 962 371.13	
L221	-61 587.39	2 959 124.71	R221	-62 209.50	2 962 052.61	
L222	-61 546.55	2 959 058.82	R222	-62 184.96	2 961 876.08	
L223	-61 532.47	2 959 036.11	R223	-62 115.80	2 961 380.41	
L224	-61 370.68	2 957 892.22	R224	-62 066.20	2 961 026.83	
L225	-61 221.33	2 957 644.49	R225	-62 055.47	2 960 944.92	
L226	-61 198.88	2 957 607.09	R226	-62 052.44	2 960 924.08	
L227	-61 141.68	2 957 493.10	R227	-62 023.38	2 960 741.15	
L228	-61 130.60	2 957 471.74	R228	-62 001.29	2 960 621.43	
L229	-61 082.06	2 957 367.96	R229	-61 964.37	2 960 424.42	
L230	-61 032.93	2 957 262.42	R230	-61 878.94	2 959 984.74	
L231	-61 000.14	2 957 179.06	R231	-61 860.28	2 959 891.59	
L232	-60 972.88	2 957 084.25	R232	-61 808.75	2 959 634.28	
L233	-60 954.67	2 956 989.23	R233	-61 753.23	2 959 375.39	
L234	-60 909.96	2 956 725.51	R234	-61 743.24	2 959 324.50	
L235	-60 873.76	2 956 512.67	R235	-61 726.20	2 959 312.79	
L236	-60 861.86	2 956 453.10	R236	-61 689.71	2 959 253.91	
L237	-60 845.70	2 956 386.01	R237	-61 653.21	2 959 195.04	
L238	-60 832.49	2 956 337.39	R238	-61 640.62	2 959 174.73	
L239	-60 762.53	2 956 123.50	R239	-61 615.25	2 959 133.79	
L240	-60 743.03	2 956 063.88	R240	-61 602.11	2 959 104.74	
L241	-60 608.92	2 955 657.05	R241	-61 607.55	2 959 024.12	
L242	-60 590.18	2 955 600.21	R242	-61 403.32	2 957 871.99	
L243	-60 434.41	2 955 125.73	R243	-61 254.89	2 957 626.41	
L244	-60 361.87	2 954 905.45	R244	-61 232.48	2 957 587.96	
L245	-60 307.54	2 954 740.50	R245	-61 179.53	2 957 484.98	
L246	-60 268.05	2 954 631.65	R246	-61 162.86	2 957 450.08	
L247	-60 235.93	2 954 563.12	R247	-61 118.16	2 957 356.33	
L248	-60 226.47	2 954 546.60	R248	-61 066.45	2 957 245.22	
L249	-60 202.45	2 954 504.66	R249	-61 041.82	2 957 181.83	
L250	-59 928.42	2 954 086.25	R250	-61 024.89	2 957 129.84	
L251	-59 655.07	2 953 668.58	R251	-61 009.75	2 957 077.10	
L252	-59 383.94	2 953 256.47	R252	-60 986.94	2 956 954.68	
L253	-59 091.74	2 952 812.45	R253	-60 950.89	2 956 740.70	
L254	-59 034.57	2 952 725.31	R254	-60 910.58	2 956 505.58	
L255	-58 860.44	2 952 459.91	R255	-60 898.98	2 956 446.35	

Vel Sheet	22	Van of	25	P1010/17
--------------	----	-----------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE	
	Y	X	WG 29°	Y	X
L256	-58 812.23	2 952 386.44	R256	-60 884.86	2 956 385.56
L257	-58 661.16	2 952 157.19	R257	-60 867.89	2 956 325.90
L258	-58 554.90	2 951 980.88	R258	-60 778.54	2 956 050.61
L259	-58 530.97	2 951 936.57	R259	-60 765.28	2 956 009.83
L260	-58 372.98	2 951 650.26	R260	-60 736.95	2 955 922.75
L261	-58 066.35	2 951 092.88	R261	-60 727.07	2 955 895.66
L262	-58 018.86	2 951 013.15	R262	-60 648.24	2 955 656.58
L263	-57 952.48	2 950 909.86	R263	-60 630.36	2 955 602.36
L264	-57 781.17	2 950 656.67	R264	-60 469.98	2 955 113.09
L265	-57 666.08	2 950 486.57	R265	-60 398.87	2 954 897.59
L266	-57 384.94	2 950 070.99	R266	-60 389.29	2 954 868.53
L267	-57 029.87	2 949 547.00	R267	-60 343.92	2 954 731.04
L268	-56 951.98	2 949 422.76	R268	-60 263.15	2 954 533.87
L269	-56 902.93	2 949 333.75	R269	-60 256.63	2 954 521.98
L270	-56 744.54	2 949 019.36	R270	-60 232.85	2 954 478.61
L271	-56 694.40	2 948 919.83	R271	-59 961.82	2 954 067.38
L272	-56 495.93	2 948 524.95	R272	-59 685.50	2 953 646.20
L273	-56 449.93	2 948 433.43	R273	-59 431.98	2 953 262.33
L274	-56 302.54	2 948 140.26	R274	-59 407.01	2 953 224.52
L275	-56 224.88	2 947 985.78	R275	-59 110.12	2 952 772.36
L276	-56 128.19	2 947 793.35	R276	-58 882.95	2 952 427.06
L277	-56 001.15	2 947 540.49	R277	-58 842.44	2 952 365.48
L278	-55 905.96	2 947 351.55	R278	-58 691.52	2 952 135.26
L279	-55 892.20	2 947 320.70	R279	-58 628.39	2 952 035.93
L280	-55 662.26	2 946 869.48	R280	-58 590.21	2 951 967.58
L281	-55 450.45	2 946 451.60	R281	-58 566.01	2 951 913.30
L282	-55 216.83	2 945 990.44	R282	-58 400.00	2 951 606.13
L283	-54 992.96	2 945 547.50	R283	-58 102.43	2 951 080.78
L284	-54 903.56	2 945 371.36	R284	-58 051.04	2 950 993.87
L285	-54 880.25	2 945 325.41	R285	-57 985.18	2 950 891.10
L286	-54 755.79	2 945 080.17	R286	-57 827.11	2 950 656.95
L287	-54 530.62	2 944 635.43	R287	-57 517.46	2 950 195.55
L288	-54 487.29	2 944 549.92	R288	-57 284.25	2 949 848.07
L289	-54 431.99	2 944 440.77	R289	-57 102.27	2 949 576.94
L290	-54 393.22	2 944 364.25	R290	-56 994.82	2 949 416.86
L291	-54 304.13	2 944 188.42	R291	-56 928.18	2 949 299.43
L292	-54 161.32	2 943 905.77	R292	-56 786.11	2 949 017.83
L293	-54 078.72	2 943 742.30	R293	-56 715.41	2 948 877.69
L294	-53 839.56	2 943 270.41	R294	-56 540.24	2 948 529.43
L295	-53 758.22	2 943 107.85	R295	-56 481.88	2 948 413.42
L296	-53 739.12	2 943 068.98	R296	-56 346.32	2 948 143.93
L297	-53 658.59	2 942 873.44	R297	-56 258.42	2 947 969.19
L298	-53 588.84	2 942 698.46	R298	-56 171.70	2 947 796.67
L299	-53 466.92	2 942 380.96	R299	-56 033.64	2 947 522.01
L300	-53 344.09	2 942 060.32	R300	-55 930.81	2 947 317.18
L301	-53 232.84	2 941 770.22	R301	-55 921.40	2 947 298.18
L302	-53 194.15	2 941 669.34	R302	-55 695.05	2 946 851.56
L303	-53 165.50	2 941 594.65	R303	-55 474.11	2 946 415.37
L304	-52 999.75	2 941 161.94	R304	-55 436.48	2 946 341.08
L305	-52 930.84	2 940 989.57	R305	-55 251.13	2 945 975.12
L306	-52 909.08	2 940 951.63	R306	-55 027.20	2 945 533.22

Vel Sheet	23	Van of	25	P1010/17
--------------	----	-----------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X	
L307	-52 897.68	2 940 932.26		R307	-54 934.33	2 945 350.39
L308	-52 856.75	2 940 862.69		R308	-54 873.81	2 945 231.23
L309	-52 705.96	2 940 606.48		R309	-54 788.05	2 945 062.40
L310	-52 668.64	2 940 544.22		R310	-54 563.02	2 944 617.54
L311	-52 662.55	2 940 543.61		R311	-54 516.93	2 944 526.76
L312	-52 634.02	2 940 497.55		R312	-54 336.70	2 944 171.74
L313	-52 622.44	2 940 464.80		R313	-54 201.58	2 943 903.52
L314	-52 527.51	2 940 304.56		R314	-54 105.50	2 943 712.79
L315	-52 368.06	2 940 035.41		R315	-53 876.20	2 943 259.53
L316	-52 097.18	2 939 576.47		R316	-53 792.34	2 943 097.52
L317	-51 868.84	2 939 126.61		R317	-53 772.97	2 943 056.85
L318	-51 810.09	2 939 009.69		R318	-53 690.86	2 942 856.70
L319	-51 596.97	2 938 585.53		R319	-53 619.54	2 942 674.12
L320	-51 418.23	2 938 229.19		R320	-53 500.67	2 942 364.31
L321	-51 325.86	2 938 044.90		R321	-53 377.77	2 942 043.83
L322	-51 194.01	2 937 781.85		R322	-53 267.34	2 941 755.72
L323	-50 970.19	2 937 334.89		R323	-53 219.06	2 941 629.77
L324	-50 796.07	2 936 990.05		R324	-53 199.21	2 941 577.98
L325	-50 571.54	2 936 541.24		R325	-53 034.90	2 941 148.78
L326	-50 373.39	2 936 140.66		R326	-52 979.95	2 941 003.81
L327	-50 365.14	2 936 121.37		R327	-52 952.75	2 940 959.21
L328	-50 344.90	2 936 069.33		R328	-52 906.47	2 940 878.88
L329	-50 163.93	2 935 602.70		R329	-52 804.55	2 940 702.07
L330	-50 050.79	2 935 310.38		R330	-52 733.13	2 940 578.18
L331	-49 974.86	2 935 113.78		R331	-52 657.68	2 940 451.77
L332	-49 834.06	2 934 749.96		R332	-52 572.03	2 940 306.89
L333	-49 777.14	2 934 602.89		R333	-52 389.04	2 939 997.32
L334	-49 727.54	2 934 473.40		R334	-52 136.54	2 939 569.73
L335	-49 599.42	2 934 138.86		R335	-52 093.30	2 939 490.26
L336	-49 466.96	2 933 795.46		R336	-51 901.77	2 939 109.13
L337	-49 287.21	2 933 327.81		R337	-51 802.13	2 938 910.12
L338	-49 225.67	2 933 168.78		R338	-51 642.20	2 938 590.77
L339	-49 222.26	2 933 162.15		R339	-51 443.86	2 938 196.36
L340	-49 203.66	2 933 126.06		R340	-51 369.83	2 938 049.98
L341	-49 155.82	2 932 984.91		R341	-51 226.66	2 937 763.47
L342	-48 975.91	2 932 517.97		R342	-51 002.34	2 937 316.30
L343	-48 795.81	2 932 051.07		R343	-50 765.77	2 936 845.08
L344	-48 762.70	2 931 962.90		R344	-50 604.77	2 936 523.54
L345	-48 724.92	2 931 859.27		R345	-50 425.35	2 936 164.70
L346	-48 555.11	2 931 389.01		R346	-50 403.99	2 936 119.25
L347	-48 479.15	2 931 178.26		R347	-49 876.78	2 934 753.67
L348	-48 385.57	2 930 918.62		R348	-49 769.35	2 934 475.41
L349	-48 363.20	2 930 856.62		R349	-49 712.74	2 934 328.76
L350	-48 219.47	2 930 458.08		R350	-49 246.53	2 933 121.20
L351	-48 046.40	2 929 977.90		R351	-49 191.27	2 932 972.90
L352	-47 935.28	2 929 671.42		R352	-49 011.52	2 932 505.89
L353	-47 890.00	2 929 546.52		R353	-48 831.36	2 932 038.99
L354	-47 870.71	2 929 486.66		R354	-48 798.17	2 931 950.80
L355	-47 873.00	2 929 443.56		R355	-48 760.21	2 931 846.53
L356	-47 883.07	2 929 403.15		R356	-48 590.37	2 931 376.25
				R357	-48 420.82	2 930 905.88
	Vel Sheet	24	Van of	25	P1010/17	

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE

Y X WG 29°

REGTERKANT/RIGHT HAND SIDE

Y X

R358	-48	405.10	2	930	862.27
R359	-48	251.22	2	930	435.51
R360	-48	081.70	2	929	965.14
R361	-48	002.17	2	929	738.99
R362	-47	946.56	2	929	590.61
R363	-47	925.25	2	929	533.74
R364	-47	908.52	2	929	481.74
R365	-47	910.22	2	929	449.78
R366	-47	917.98	2	929	425.18

Vel
Sheet

25

Van
of

25

P1010/17

DEPARTMENT OF TRANSPORT**NO. 978****5 October 2021****THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R36 SECTION 6**AMENDMENT OF DECLARATION No. 538 OF 2014.**

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 538 of 2014 by substituting paragraph M(IV) of the Schedule, being the descriptive declaration of the route from its junction with Provincial Road R529 up to Tzaneen, with the accompanying sheets 1 to 13 of Plan No. P1123/18.

In the town of Tzaneen the R36 Section 6 enters the town from the east and follows the streets known as Game Reserve Road, Sapekoe Drive, Claude Wheatley Street and Circle Drive, at time of declaration.

(National Road R36 Section 6: R529 Junction – Tzaneen)


MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 978

5 Oktober 2021

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD R36 SEKSIE 6**WYSIGING VAN VERKLARING No. 538 VAN 2014.**


Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 538 van 2014 deur paragraaf M(IV) van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf die aansluiting met Provinciale Pad R529 tot by Tzaneen, met bygaande velle 1 tot 13 van Plan No. P1123/18.

In die dorp Tzaneen kom die R36 Seksie 6 die dorp binne van uit die ooste en volg dan die strate bekend as Game Reserve Rylaan, Sapekoe Weg, Claude Wheatleystraat en Circle Weg, tydens datum van verklaring.


(Nasionale Pad R36 Seksie 6: R529 Aansluiting – Tzaneen)



MINISTER VAN VERVOER








Die Suid Afrikaanse Nasionale Padagentskapskaf MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreservwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vel Sheet 2 van 13 Plan 2 of 13 R36 Seksi Section 6
Plan P1123 / 18			


















Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
 The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown

A small square grid of dots, likely representing a 2x2 or 3x3 matrix.

stel die padreservé voor van 'n gedeelte
represents the road reserve of a part
van Nasionale Roete R36
of National Route

Plan B1123/18
Vel Sheet 9 van of 13



PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE	
	Y	X	WG 31°	Y	X
L1	64 645.82	2 657	457.89	R1	64 611.21
L2	64 726.79	2 657	339.66	R2	64 683.70
L3	64 797.80	2 657	263.55	R3	64 763.95
L4	64 843.39	2 657	223.40	R4	64 851.79
L5	64 928.47	2 657	161.31	R5	64 927.56
L6	65 014.65	2 657	109.05	R6	65 001.64
L7	65 729.87	2 656	827.30	R7	65 396.49
L8	66 298.84	2 656	602.15	R8	65 702.50
L9	66 433.15	2 656	537.41	R9	66 015.55
L10	67 172.36	2 656	160.68	R10	66 336.42
L11	68 011.39	2 655	732.96	R11	67 770.04
L12	69 018.46	2 655	219.81	R12	68 078.75
L13	70 415.25	2 654	505.47	R13	69 744.33
L14	70 488.92	2 654	438.00	R14	70 069.04
L15	70 539.44	2 654	379.79	R15	70 342.53
L16	70 930.12	2 653	905.25	R16	70 397.98
L17	71 238.68	2 653	676.41	R17	70 461.89
L18	71 668.19	2 653	367.33	R18	70 547.06
L19	72 121.14	2 653	041.26	R19	70 834.04
L20	72 493.62	2 652	770.51	R20	70 902.20
L21	72 515.07	2 652	767.65	R21	70 936.30
L22	72 563.12	2 652	723.99	R22	71 647.11
L23	72 609.93	2 652	683.38	R23	71 825.21
L24	72 692.45	2 652	618.89	R24	72 511.37
L25	72 752.87	2 652	557.05	R25	72 614.92
L26	73 126.60	2 652	146.61	R26	72 701.26
L27	73 224.79	2 652	038.78	R27	72 734.61
L28	73 291.21	2 651	931.25	R28	72 956.55
L29	73 317.11	2 651	828.40	R29	73 113.91
L30	73 374.24	2 651	583.61	R30	73 150.48
L31	73 402.55	2 651	539.87	R31	73 189.73
L32	73 407.33	2 651	520.29	R32	73 229.80
L33	73 403.84	2 651	471.30	R33	73 261.77
L34	73 619.06	2 650	589.30	R34	73 757.51
L35	73 777.05	2 649	905.31	R35	73 824.20
L36	73 881.23	2 649	472.26	R36	73 819.48
L37	74 089.99	2 648	836.00	R37	73 830.64
L38	74 552.64	2 647	417.70	R38	73 864.30
L39	74 582.81	2 647	374.86	R39	74 210.39
L40	74 592.11	2 647	346.34	R40	74 582.14
L41	74 592.63	2 647	295.12	R41	75 237.93
L42	74 907.49	2 646	328.21	R42	75 360.59
L43	75 247.10	2 645	310.22	R43	75 466.23
L44	75 342.05	2 645	026.64	R44	75 546.73
L45	75 506.95	2 644	535.06	R45	75 523.95
L46	75 569.84	2 644	302.22	R46	75 538.31
L47	75 597.44	2 644	263.52	R47	75 568.54
L48	75 601.81	2 644	242.70	R48	75 744.60
L49	75 596.30	2 644	228.92	R49	76 081.44
L50	75 593.32	2 644	221.46	R50	76 174.53
L51	75 699.56	2 643	832.32	R51	76 214.19

Vel
Sheet 11 Van
of 13 P1123/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE	
	Y	X	WG 31°	Y	X
L52	75 750.28	2 643 639.89	R52	76 428.72	2 641 436.34
L53	75 826.76	2 643 349.80	R53	76 652.31	2 641 108.09
L54	75 849.83	2 643 252.46	R54	76 686.05	2 641 068.73
L55	75 877.74	2 643 156.40	R55	76 712.09	2 641 043.72
L56	76 005.19	2 642 672.92	R56	76 771.45	2 640 997.73
L57	76 028.26	2 642 575.58	R57	77 143.63	2 640 764.12
L58	76 155.71	2 642 092.09	R58	77 596.42	2 640 481.03
L59	76 169.78	2 642 054.43	R59	77 915.21	2 640 238.75
L60	76 174.87	2 642 035.10	R60	78 525.84	2 639 763.25
L61	76 210.35	2 641 878.75	R61	78 986.17	2 639 401.20
L62	76 217.74	2 641 856.93	R62	79 070.88	2 639 330.64
L63	76 230.46	2 641 830.01	R63	79 621.23	2 638 811.00
L64	76 248.37	2 641 807.49	R64	79 652.69	2 638 783.41
L65	76 284.85	2 641 735.22	R65	79 680.90	2 638 763.18
L66	76 326.42	2 641 665.70	R66	80 348.88	2 638 340.94
L67	76 395.28	2 641 559.09	R67	80 405.23	2 638 312.09
L68	76 453.26	2 641 477.57	R68	80 442.21	2 638 297.25
L69	76 565.07	2 641 311.74	R69	80 495.65	2 638 279.57
L70	76 585.91	2 641 281.70	R70	80 660.61	2 638 245.08
L71	76 631.41	2 641 201.97	R71	80 685.49	2 638 245.02
L72	76 701.07	2 641 105.38	R72	80 697.86	2 638 244.99
L73	76 737.25	2 641 069.20	R73	80 730.63	2 638 233.23
L74	76 791.87	2 641 026.97	R74	81 022.66	2 638 172.17
L75	77 069.67	2 640 859.58	R75	81 152.00	2 638 143.52
L76	77 143.00	2 640 816.68	R76	81 187.96	2 638 142.61
L77	77 339.22	2 640 686.24	R77	81 221.14	2 638 137.56
L78	77 572.83	2 640 543.43	R78	81 243.42	2 638 126.31
L79	77 950.42	2 640 256.22	R79	81 410.08	2 638 093.13
L80	79 015.22	2 639 421.69	R80	81 641.01	2 638 060.12
L81	79 094.14	2 639 356.45	R81	81 807.60	2 638 032.13
L82	79 644.50	2 638 836.31	R82	82 104.23	2 637 977.47
L83	79 676.18	2 638 809.12	R83	82 123.83	2 637 968.34
L84	80 374.94	2 638 366.35	R84	82 134.40	2 637 976.60
L85	80 419.84	2 638 342.90	R85	82 262.50	2 637 927.82
L86	80 479.95	2 638 319.67	R86	82 315.06	2 637 899.68
L87	80 541.52	2 638 303.56	R87	82 558.70	2 637 728.15
L88	80 697.18	2 638 275.45	R88	82 710.16	2 637 635.58
L89	81 026.98	2 638 207.56	R89	82 732.66	2 637 626.32
L90	81 308.00	2 638 149.72	R90	82 747.04	2 637 620.40
L91	81 401.86	2 638 130.39	R91	82 834.87	2 637 587.34
L92	81 468.61	2 638 119.94	R92	82 895.17	2 637 569.63
L93	81 781.67	2 638 067.66	R93	82 937.89	2 637 560.11
L94	81 814.73	2 638 062.17	R94	82 944.24	2 637 558.69
L95	82 155.12	2 638 005.63	R95	82 996.49	2 637 549.15
L96	82 264.52	2 637 972.13	R96	83 265.58	2 637 500.06
L97	82 345.62	2 637 924.74	R97	83 303.37	2 637 490.12
L98	82 618.77	2 637 730.96	R98	83 333.89	2 637 478.87
L99	82 678.32	2 637 694.43	R99	83 449.40	2 637 421.14
L100	82 720.35	2 637 673.54	R100	83 478.67	2 637 409.03
L101	82 765.19	2 637 651.25	R101	83 523.51	2 637 378.87
L102	82 814.10	2 637 632.99	R102	83 555.31	2 637 389.81

Vel Sheet	12	Van of	13	P1123/18
--------------	----	-----------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 31°	Y	X
L103	82 847.73	2 637 620.44		R103	83 593.05
L104	82 915.75	2 637 601.60		R104	83 660.72
L105	82 931.21	2 637 604.32		R105	83 740.66
L106	82 932.95	2 637 598.20			
L107	83 005.26	2 637 583.92			
L108	83 276.52	2 637 532.71			
L109	83 279.87	2 637 542.73			
L110	83 306.99	2 637 524.49			
L111	83 343.75	2 637 511.82			
L112	83 449.86	2 637 459.75			
L113	83 481.61	2 637 444.32			
L114	83 529.32	2 637 428.58			
L115	83 576.39	2 637 420.41			
L116	83 637.51	2 637 424.44			
L117	83 683.42	2 637 433.87			
L118	83 705.48	2 637 441.45			
L119	83 710.21	2 637 438.45			

Vel Sheet	13	Van of	13	P1123/18
--------------	----	-----------	----	----------

DEPARTMENT OF TRANSPORT

NO. 979

5 October 2021


**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R24 SECTION 1**AMENDMENT OF DECLARATION No. 784 OF 2012.**

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 784 of 2012 by substituting paragraph A of the Schedule, being the descriptive declaration of the road from Rustenburg, at the junction with District Road D108 Section 1 up to the North West / Gauteng Provincial Border, also known as the general boundary between farms Boschfontein 387-JQ and Doornkloof 393-JQ, with the accompanying sheets 1 to 22 of Plan No. P1022/17.

(National Road R24 Section 1: Rustenburg – North West / Gauteng Provincial Border)



MINISTER OF TRANSPORT


DEPARTEMENT VAN VERVOER**NO. 979****5 Oktober 2021****DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD R24 SEKSIE 1**WYSIGING VAN VERKLARING No. 784 VAN 2012.**

Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 784 van 2012 deur paragraaf A van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf Rustenburg, by die aansluiting met Distrik Pad D108 Seksie 1 tot by die Noordwes / Gauteng Proviniale Grens, ook bekend as die algemene grens tussen die plase Boschfontein 387-JQ en Doornkloof 393-JQ, met bygaande velle 1 tot 22 van Plan No. P1022/17.

(Nasionale Pad R24 Seksie 1: Rustenburg – Noordwes / Gauteng Proviniale Grens)
MINISTER VAN VERVOER








The South African National Roads Agency SOC Ltd	Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon The figure shown
---	--	---------------------------------------

stel die padreservé voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R24 Seksie 1
of National Route R24 Section 1


Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserve voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R24 of National Route	R24 Seksie Section	1	Vel Sheet 2 Plan	22 of 17
---	---------------------------------------	---	--	--------------------------	---	---------------------	----------------







Die Suid Afrikaanse Nasionale Padagentskapp MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	Vel 5 van 22 Sheet 5 of 22
R24 of Nasionale Roete of National Route	R24 Seksie Section	Plan P1022/17




Die Suid Afrikaanse Nasionale Padagentskaps Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon
The figure shown




stel die padreservewe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R24 Seksie
of National Route R24 Section 1

Vel 6 van 22
Sheet 6 of 22
Plan P1022/17









Die Suid Afrikaanse Nasionale Padagentskaf MSB Bpk
The South African National Roads Agency SOC Ltd




stel die padreservewe voor van 'n gedeelte van die padreserve voor van 'n gedeelte van Nasionale Roete R24 of Nasionale Route 24






Die Suid Afrikaanse Nasionale Padagentskaps MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreservate voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route
R24 Seksie Section	1	Vel 11 van 22 Sheet 11 of 22 Plan P1022/17



Die Suid-Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

stel die padreservé voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R24
of National Route

Die figuur getoon The figure shown	Vel 12 van 22 Sheet 12 of 22
Section 1 Plan P1022/17	Plan P1022/17



PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°	Y	X	
L1	-27 169.13	2 840 300.98		R1	-27 269.11	2 840 535.35
L2	-27 174.90	2 840 364.85		R2	-27 226.12	2 840 485.15
L3	-27 166.32	2 840 384.73		R3	-27 205.67	2 840 477.43
L4	-27 117.27	2 840 424.88		R4	-27 144.77	2 840 489.11
L5	-27 022.05	2 840 468.98		R5	-27 023.66	2 840 536.51
L6	-26 999.35	2 840 479.48		R6	-26 821.37	2 840 622.97
L7	-26 775.97	2 840 575.57		R7	-26 800.32	2 840 632.65
L8	-26 750.56	2 840 586.52		R8	-26 769.75	2 840 646.69
L9	-26 743.76	2 840 589.45		R9	-26 735.16	2 840 678.97
L10	-26 696.60	2 840 594.40		R10	-26 712.07	2 840 688.60
L11	-26 674.06	2 840 605.22		R11	-26 666.01	2 840 695.33
L12	-26 656.66	2 840 621.99		R12	-26 553.20	2 840 756.74
L13	-26 639.53	2 840 638.50		R13	-26 537.66	2 840 765.30
L14	-26 613.35	2 840 651.08		R14	-26 537.04	2 840 765.73
L15	-26 586.59	2 840 665.93		R15	-26 374.06	2 840 872.38
L16	-26 506.98	2 840 710.07		R16	-26 264.50	2 840 956.39
L17	-26 501.94	2 840 713.41		R17	-26 232.19	2 840 983.86
L18	-26 487.19	2 840 722.70		R18	-26 204.45	2 841 007.45
L19	-26 486.60	2 840 723.06		R19	-26 180.01	2 841 049.20
L20	-26 403.93	2 840 775.07		R20	-26 174.84	2 841 054.02
L21	-26 303.93	2 840 844.42		R21	-26 156.21	2 841 071.38
L22	-26 224.72	2 840 907.63		R22	-26 150.65	2 841 076.56
L23	-26 176.13	2 840 944.46		R23	-26 108.92	2 841 096.27
L24	-26 141.82	2 840 962.46		R24	-26 084.70	2 841 120.58
L25	-26 120.37	2 840 973.74		R25	-26 075.65	2 841 129.67
L26	-26 090.30	2 841 001.57		R26	-25 982.22	2 841 232.02
L27	-26 077.42	2 841 022.05		R27	-25 920.00	2 841 307.87
L28	-26 056.82	2 841 054.82		R28	-25 805.29	2 841 468.27
L29	-26 029.03	2 841 084.47		R29	-25 748.50	2 841 572.15
L30	-25 934.86	2 841 191.97		R30	-25 745.09	2 841 619.16
L31	-25 870.49	2 841 268.96		R31	-25 743.82	2 841 636.73
L32	-25 858.77	2 841 284.75		R32	-25 730.64	2 841 667.01
L33	-25 832.22	2 841 320.54		R33	-25 721.64	2 841 687.70
L34	-25 813.29	2 841 346.03		R34	-25 681.69	2 841 692.56
L35	-25 797.96	2 841 366.68		R35	-25 652.44	2 841 744.10
L36	-25 753.37	2 841 434.43		R36	-25 636.05	2 841 782.99
L37	-25 685.56	2 841 535.74		R37	-25 626.82	2 841 804.51
L38	-25 658.21	2 841 549.81		R38	-25 623.15	2 841 813.63
L39	-25 655.64	2 841 555.53		R39	-25 591.06	2 841 889.53
L40	-25 642.19	2 841 585.39		R40	-25 560.45	2 841 980.89
L41	-25 632.35	2 841 607.53		R41	-25 560.13	2 842 027.92
L42	-25 618.12	2 841 653.74		R42	-25 553.28	2 842 051.99
L43	-25 607.91	2 841 680.07		R43	-25 544.33	2 842 060.56
L44	-25 581.92	2 841 742.80		R44	-25 539.34	2 842 067.47
L45	-25 541.76	2 841 840.73		R45	-25 533.69	2 842 073.74
L46	-25 494.30	2 841 978.78		R46	-25 532.61	2 842 071.97
L47	-25 488.25	2 841 999.30		R47	-25 519.58	2 842 123.35
L48	-25 427.64	2 842 219.42		R48	-25 492.29	2 842 230.15
L49	-25 412.04	2 842 309.55		R49	-25 477.80	2 842 309.98
L50	-25 400.29	2 842 337.84		R50	-25 471.12	2 842 346.99
L51	-25 388.50	2 842 364.65		R51	-25 478.09	2 842 403.76

Vel Sheet	14	Van of	22	P1022/17
-----------	----	--------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°	Y	X	
L52	-25 371.56	2 842 377.84		R52	-25 476.24	2 842 419.65
L53	-25 366.41	2 842 418.61		R53	-25 473.53	2 842 440.30
L54	-25 365.44	2 842 426.82		R54	-25 468.93	2 842 450.51
L55	-25 379.61	2 842 435.60		R55	-25 454.72	2 842 482.01
L56	-25 384.63	2 842 467.09		R56	-25 450.45	2 842 519.76
L57	-25 387.76	2 842 488.72		R57	-25 447.18	2 842 593.68
L58	-25 382.80	2 842 600.81		R58	-25 444.11	2 842 662.90
L59	-25 385.82	2 842 687.68		R59	-25 446.17	2 842 743.72
L60	-25 383.38	2 842 815.67		R60	-25 447.51	2 842 803.91
L61	-25 382.96	2 842 822.09		R61	-25 447.84	2 842 818.25
L62	-25 391.39	2 842 953.05		R62	-25 450.95	2 842 850.31
L63	-25 381.64	2 843 002.55		R63	-25 451.79	2 842 858.92
L64	-25 382.78	2 843 011.63		R64	-25 463.24	2 842 951.21
L65	-25 385.20	2 843 027.51		R65	-25 480.39	2 842 987.16
L66	-25 402.05	2 843 060.05		R66	-25 480.80	2 842 989.99
L67	-25 411.55	2 843 104.38		R67	-25 481.47	2 842 994.60
L68	-25 428.36	2 843 182.77		R68	-25 483.71	2 843 010.11
L69	-25 445.16	2 843 261.16		R69	-25 484.37	2 843 014.72
L70	-25 451.16	2 843 289.02		R70	-25 484.74	2 843 017.28
L71	-25 440.51	2 843 294.62		R71	-25 479.49	2 843 049.56
L72	-25 447.02	2 843 327.40		R72	-25 515.99	2 843 219.44
L73	-25 465.76	2 843 390.95		R73	-25 522.84	2 843 251.31
L74	-25 479.74	2 843 461.25		R74	-25 549.32	2 843 374.44
L75	-25 666.53	2 844 435.76		R75	-25 550.50	2 843 381.46
L76	-25 669.76	2 844 441.95		R76	-25 559.91	2 843 437.47
L77	-25 689.98	2 844 452.10		R77	-25 566.97	2 843 479.44
L78	-25 738.08	2 844 691.79		R78	-25 743.16	2 844 395.42
L79	-25 736.18	2 844 692.47		R79	-25 744.87	2 844 405.21
L80	-25 758.38	2 844 804.13		R80	-25 742.34	2 844 457.39
L81	-25 764.55	2 844 816.26		R81	-25 743.11	2 844 467.63
L82	-25 794.42	2 844 939.10		R82	-25 756.82	2 844 536.62
L83	-25 810.39	2 845 003.86		R83	-25 757.95	2 844 542.28
L84	-25 807.38	2 845 040.60		R84	-25 784.26	2 844 675.23
L85	-25 807.97	2 845 044.44		R85	-25 775.79	2 844 678.27
L86	-25 811.18	2 845 065.31		R86	-25 820.81	2 844 880.66
L87	-25 835.74	2 845 097.59		R87	-25 836.46	2 844 930.06
L88	-25 875.98	2 845 250.72		R88	-25 854.66	2 844 987.75
L89	-25 903.56	2 845 355.41		R89	-25 880.89	2 845 029.32
L90	-25 944.19	2 845 495.03		R90	-25 881.88	2 845 033.12
L91	-25 944.48	2 845 495.96		R91	-25 886.77	2 845 052.04
L92	-25 964.77	2 845 567.72		R92	-25 882.52	2 845 095.63
L93	-25 961.87	2 845 581.02		R93	-25 883.52	2 845 099.78
L94	-25 972.01	2 845 610.52		R94	-25 893.70	2 845 142.16
L95	-25 986.09	2 845 630.38		R95	-25 900.66	2 845 166.40
L96	-26 001.75	2 845 676.41		R96	-25 924.33	2 845 248.86
L97	-26 041.40	2 845 787.24		R97	-25 952.80	2 845 356.33
L98	-26 082.48	2 845 900.06		R98	-25 954.24	2 845 361.54
L99	-26 116.88	2 845 994.53		R99	-25 987.42	2 845 481.75
L100	-26 149.36	2 846 083.92		R100	-25 997.38	2 845 517.81
L101	-26 172.01	2 846 146.28		R101	-26 028.37	2 845 559.89
L102	-26 194.67	2 846 208.68		R102	-26 084.18	2 845 567.35

Vel Sheet	15	Van of	22	P1022/17
--------------	----	-----------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°	Y	X	
L103	-26 211.63	2 846 353.60		R103	-26 136.36	2 845 574.32
L104	-26 243.74	2 846 356.01		R104	-26 149.87	2 845 576.12
L105	-26 257.42	2 846 373.67		R105	-26 147.75	2 845 591.98
L106	-26 290.25	2 846 456.58		R106	-26 145.72	2 845 608.04
L107	-26 307.65	2 846 496.87		R107	-26 092.27	2 845 605.04
L108	-26 333.11	2 846 555.40		R108	-26 050.66	2 845 622.31
L109	-26 379.08	2 846 647.49		R109	-26 050.83	2 845 667.37
L110	-26 522.40	2 846 934.67		R110	-26 098.13	2 845 794.27
L111	-26 606.41	2 847 099.82		R111	-26 100.84	2 845 801.49
L112	-26 642.65	2 847 203.57		R112	-26 144.24	2 845 917.98
L113	-26 643.29	2 847 226.40		R113	-26 192.78	2 846 055.12
L114	-26 620.55	2 847 240.16		R114	-26 239.43	2 846 188.81
L115	-26 623.28	2 847 252.91		R115	-26 269.93	2 846 276.43
L116	-26 651.54	2 847 255.36		R116	-26 302.32	2 846 317.19
L117	-26 673.08	2 847 289.22		R117	-26 332.82	2 846 319.84
L118	-26 703.91	2 847 386.40		R118	-26 335.12	2 846 335.67
L119	-26 754.34	2 847 679.58		R119	-26 328.74	2 846 338.63
L120	-26 788.21	2 847 770.27		R120	-26 313.74	2 846 345.84
L121	-26 837.44	2 847 948.07		R121	-26 319.01	2 846 399.39
L122	-26 839.64	2 847 996.59		R122	-26 348.49	2 846 470.93
L123	-26 803.40	2 848 013.35		R123	-26 414.50	2 846 615.83
L124	-26 805.47	2 848 019.39		R124	-26 503.22	2 846 789.30
L125	-26 806.79	2 848 023.25		R125	-26 616.90	2 847 012.02
L126	-26 822.14	2 848 018.64		R126	-26 648.51	2 847 078.50
L127	-26 848.86	2 848 018.78		R127	-26 672.76	2 847 149.10
L128	-26 879.33	2 848 055.67		R128	-26 698.87	2 847 199.78
L129	-26 887.15	2 848 078.23		R129	-26 706.72	2 847 210.50
L130	-26 903.85	2 848 133.32		R130	-26 715.88	2 847 239.18
L131	-26 922.05	2 848 193.46		R131	-26 719.86	2 847 301.99
L132	-26 938.51	2 848 247.91		R132	-26 736.43	2 847 360.90
L133	-26 923.76	2 848 270.85		R133	-26 753.19	2 847 427.56
L134	-26 925.26	2 848 274.23		R134	-26 810.16	2 847 576.40
L135	-26 932.41	2 848 290.21		R135	-26 809.16	2 847 611.65
L136	-26 933.91	2 848 293.59		R136	-26 807.17	2 847 680.83
L137	-26 961.55	2 848 330.39		R137	-26 819.32	2 847 739.35
L138	-26 981.44	2 848 391.39		R138	-26 864.01	2 847 885.95
L139	-26 983.30	2 848 390.60		R139	-26 885.40	2 847 940.01
L140	-26 987.26	2 848 405.99		R140	-26 914.17	2 847 975.99
L141	-26 985.82	2 848 408.42		R141	-26 941.43	2 847 981.21
L142	-27 004.08	2 848 479.52		R142	-26 942.48	2 847 997.18
L143	-27 044.48	2 848 682.46		R143	-26 924.65	2 848 005.37
L144	-27 050.97	2 848 699.16		R144	-26 924.37	2 848 049.64
L145	-27 054.50	2 848 716.92		R145	-26 926.10	2 848 054.17
L146	-27 045.60	2 848 764.60		R146	-26 928.09	2 848 060.67
L147	-27 025.57	2 848 768.62		R147	-26 943.25	2 848 108.29
L148	-27 023.73	2 848 784.62		R148	-26 951.39	2 848 133.95
L149	-27 051.72	2 848 795.49		R149	-26 971.02	2 848 195.87
L150	-27 056.06	2 848 805.32		R150	-27 007.40	2 848 317.22
L151	-27 072.16	2 848 842.14		R151	-27 042.46	2 848 449.20
L152	-27 077.37	2 848 897.29		R152	-27 045.15	2 848 459.35
L153	-27 085.68	2 848 988.13		R153	-27 055.53	2 848 506.91
Vel Sheet			16	Van of	22 P1022/17	

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°	Y	X	
L154	-27 092.53	2 849 056.89		R154	-27 068.22	2 848 565.02
L155	-27 113.95	2 849 286.18		R155	-27 081.34	2 848 634.42
L156	-27 115.90	2 849 305.09		R156	-27 097.44	2 848 719.57
L157	-27 138.26	2 849 541.75		R157	-27 137.72	2 848 761.63
L158	-27 128.31	2 849 593.80		R158	-27 139.22	2 848 781.53
L159	-27 104.29	2 849 610.34		R159	-27 122.03	2 848 797.54
L160	-27 109.89	2 849 625.35		R160	-27 114.48	2 848 826.34
L161	-27 131.53	2 849 624.71		R161	-27 124.42	2 848 925.86
L162	-27 137.97	2 849 639.08		R162	-27 120.92	2 848 926.22
L163	-27 150.58	2 849 665.62		R163	-27 139.64	2 849 099.02
L164	-27 168.57	2 849 898.75		R164	-27 157.62	2 849 265.04
L165	-27 155.72	2 849 899.64		R165	-27 174.51	2 849 420.55
L166	-27 160.02	2 849 946.34		R166	-27 175.65	2 849 420.47
L167	-27 176.05	2 849 975.26		R167	-27 181.30	2 849 483.09
L168	-27 179.73	2 850 017.66		R168	-27 186.88	2 849 534.46
L169	-27 187.19	2 850 075.09		R169	-27 206.74	2 849 578.16
L170	-27 196.02	2 850 207.28		R170	-27 227.19	2 849 582.29
L171	-27 196.71	2 850 216.31		R171	-27 228.44	2 849 599.76
L172	-27 210.26	2 850 393.84		R172	-27 208.60	2 849 608.78
L173	-27 201.58	2 850 428.60		R173	-27 195.65	2 849 632.34
L174	-27 174.65	2 850 439.49		R174	-27 205.98	2 849 781.08
L175	-27 175.29	2 850 448.67		R175	-27 210.68	2 849 838.27
L176	-27 175.70	2 850 454.92		R176	-27 228.16	2 849 867.39
L177	-27 201.33	2 850 469.89		R177	-27 235.07	2 849 950.80
L178	-27 219.93	2 850 513.71		R178	-27 239.79	2 850 007.70
L179	-27 225.11	2 850 615.63		R179	-27 244.50	2 850 064.62
L180	-27 234.62	2 850 803.58		R180	-27 228.48	2 850 065.77
L181	-27 235.07	2 850 812.57		R181	-27 230.18	2 850 122.91
L182	-27 237.77	2 850 865.93		R182	-27 242.23	2 850 293.82
L183	-27 248.87	2 851 003.29		R183	-27 247.94	2 850 293.40
L184	-27 253.23	2 851 003.60		R184	-27 253.06	2 850 388.83
L185	-27 254.13	2 851 009.33		R185	-27 271.95	2 850 440.46
L186	-27 249.61	2 851 013.13		R186	-27 296.75	2 850 450.83
L187	-27 257.80	2 851 080.05		R187	-27 296.66	2 850 461.69
L188	-27 258.79	2 851 158.33		R188	-27 296.67	2 850 466.80
L189	-27 259.40	2 851 178.40		R189	-27 273.84	2 850 471.37
L190	-27 239.11	2 851 277.01		R190	-27 261.46	2 850 514.83
L191	-27 222.57	2 851 320.10		R191	-27 267.45	2 850 612.67
L192	-27 200.52	2 851 344.48		R192	-27 272.79	2 850 612.31
L193	-27 176.05	2 851 346.72		R193	-27 282.75	2 850 754.62
L194	-27 172.61	2 851 359.16		R194	-27 300.32	2 850 793.38
L195	-27 192.73	2 851 373.54		R195	-27 300.56	2 850 800.90
L196	-27 195.44	2 851 390.69		R196	-27 300.88	2 850 810.47
L197	-27 191.82	2 851 400.12		R197	-27 301.12	2 850 818.22
L198	-27 153.57	2 851 462.35		R198	-27 282.57	2 850 835.59
L199	-27 138.79	2 851 485.16		R199	-27 285.41	2 850 875.92
L200	-27 101.10	2 851 543.20		R200	-27 287.64	2 850 941.22
L201	-27 030.10	2 851 619.36		R201	-27 292.29	2 851 006.37
L202	-26 872.41	2 851 771.99		R202	-27 296.97	2 851 071.54
L203	-26 803.13	2 851 844.06		R203	-27 302.26	2 851 127.26
L204	-26 635.56	2 852 018.34		R204	-27 300.42	2 851 173.23

Vel Sheet	17	Van of	22	P1022/17
--------------	----	-----------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE	
	Y	X	WG 27°	Y	X
L205	-26 507.50	2 852 151.54	R205	-27 289.64	2 851 273.02
L206	-26 441.51	2 852 219.99	R206	-27 262.19	2 851 358.89
L207	-26 436.05	2 852 225.45	R207	-27 272.25	2 851 360.97
L208	-26 405.50	2 852 260.94	R208	-27 269.58	2 851 376.74
L209	-26 368.37	2 852 288.52	R209	-27 293.94	2 851 382.87
L210	-26 277.14	2 852 348.67	R210	-27 291.43	2 851 391.46
L211	-26 213.43	2 852 378.11	R211	-27 285.97	2 851 413.24
L212	-26 117.27	2 852 407.07	R212	-27 260.13	2 851 406.59
L213	-26 097.48	2 852 411.52	R213	-27 243.05	2 851 413.68
L214	-26 035.20	2 852 425.93	R214	-27 192.67	2 851 493.18
L215	-25 927.82	2 852 451.97	R215	-27 191.99	2 851 494.74
L216	-25 904.82	2 852 456.59	R216	-27 131.09	2 851 569.67
L217	-25 864.45	2 852 477.92	R217	-27 065.95	2 851 637.50
L218	-25 803.85	2 852 525.87	R218	-26 903.51	2 851 798.45
L219	-25 758.18	2 852 587.47	R219	-26 834.16	2 851 870.37
L220	-25 746.34	2 852 599.77	R220	-26 524.96	2 852 191.02
L221	-25 724.41	2 852 629.36	R221	-26 489.96	2 852 225.85
L222	-25 712.28	2 852 643.66	R222	-26 425.05	2 852 290.95
L223	-25 665.39	2 852 704.82	R223	-26 406.36	2 852 317.55
L224	-25 648.68	2 852 723.16	R224	-26 403.25	2 852 319.42
L225	-25 620.41	2 852 740.05	R225	-26 249.17	2 852 408.12
L226	-25 587.65	2 852 751.34	R226	-26 152.34	2 852 437.15
L227	-25 560.73	2 852 756.26	R227	-26 108.54	2 852 450.30
L228	-25 538.32	2 852 758.03	R228	-26 002.03	2 852 472.20
L229	-25 455.12	2 852 729.02	R229	-25 961.51	2 852 481.79
L230	-25 384.52	2 852 709.30	R230	-25 911.98	2 852 495.64
L231	-25 339.87	2 852 705.31	R231	-25 870.12	2 852 518.29
L232	-25 295.96	2 852 709.25	R232	-25 826.54	2 852 557.47
L233	-25 254.63	2 852 721.28	R233	-25 750.40	2 852 665.57
L234	-25 215.65	2 852 741.30	R234	-25 680.14	2 852 753.28
L235	-25 190.88	2 852 762.88	R235	-25 635.96	2 852 789.19
L236	-25 162.74	2 852 787.23	R236	-25 614.96	2 852 800.83
L237	-25 070.03	2 852 864.40	R237	-25 600.03	2 852 803.90
L238	-25 023.90	2 852 902.79	R238	-25 576.99	2 852 809.08
L239	-24 965.84	2 852 945.05	R239	-25 531.93	2 852 801.52
L240	-24 899.84	2 852 979.06	R240	-25 456.98	2 852 777.58
L241	-24 735.43	2 853 053.42	R241	-25 382.03	2 852 753.63
L242	-24 348.36	2 853 229.93	R242	-25 351.95	2 852 750.54
L243	-24 291.85	2 853 254.76	R243	-25 308.00	2 852 753.14
L244	-24 241.13	2 853 261.58	R244	-25 258.65	2 852 768.77
L245	-24 222.66	2 853 238.92	R245	-25 223.90	2 852 788.62
L246	-24 192.33	2 853 263.50	R246	-25 193.32	2 852 808.64
L247	-24 169.60	2 853 307.78	R247	-25 151.29	2 852 845.98
L248	-24 143.62	2 853 318.95	R248	-25 139.29	2 852 855.87
L249	-24 080.26	2 853 343.05	R249	-25 095.71	2 852 891.82
L250	-24 058.91	2 853 353.15	R250	-25 029.74	2 852 946.22
L251	-24 009.00	2 853 376.80	R251	-24 907.47	2 853 020.46
L252	-23 963.14	2 853 398.83	R252	-24 847.74	2 853 047.46
L253	-23 934.02	2 853 415.30	R253	-24 747.78	2 853 092.64
L254	-23 898.12	2 853 440.44	R254	-24 597.97	2 853 160.40
L255	-23 866.15	2 853 467.28	R255	-24 449.85	2 853 227.39

Vel Sheet	18	Van of	22	P1022/17
--------------	----	-----------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°	Y	X	
L256	-23 836.23	2 853 496.63	R256	-24 404.48	2 853 249.06	
L257	-23 809.76	2 853 527.97	R257	-24 356.36	2 853 271.11	
L258	-23 785.27	2 853 562.64	R258	-24 343.47	2 853 280.26	
L259	-23 764.47	2 853 598.38	R259	-24 303.30	2 853 306.01	
L260	-23 745.67	2 853 636.85	R260	-24 282.41	2 853 317.20	
L261	-23 731.23	2 853 676.08	R261	-24 280.80	2 853 327.84	
L262	-23 720.46	2 853 716.78	R262	-24 229.47	2 853 338.28	
L263	-23 705.61	2 853 797.78	R263	-24 176.29	2 853 345.77	
L264	-23 710.98	2 853 868.90	R264	-24 006.35	2 853 422.40	
L265	-23 714.66	2 853 902.27	R265	-23 926.42	2 853 470.01	
L266	-23 719.44	2 853 943.65	R266	-23 863.02	2 853 526.87	
L267	-23 732.20	2 854 054.88	R267	-23 818.47	2 853 585.03	
L268	-23 734.65	2 854 065.76	R268	-23 779.19	2 853 661.20	
L269	-23 739.40	2 854 088.05	R269	-23 755.69	2 853 744.68	
L270	-23 746.74	2 854 119.32	R270	-23 753.05	2 853 799.88	
L271	-23 753.25	2 854 148.25	R271	-23 753.87	2 853 825.55	
L272	-23 756.30	2 854 175.95	R272	-23 757.70	2 853 868.27	
L273	-23 778.06	2 854 368.46	R273	-23 759.90	2 853 892.73	
L274	-23 807.86	2 854 615.48	R274	-23 774.30	2 854 053.29	
L275	-23 813.26	2 854 660.28	R275	-23 775.21	2 854 062.25	
L276	-23 815.20	2 854 675.04	R276	-23 775.71	2 854 067.19	
L277	-23 843.70	2 854 795.11	R277	-23 777.54	2 854 085.07	
L278	-23 862.43	2 854 840.21	R278	-23 781.60	2 854 124.87	
L279	-23 799.34	2 854 867.23	R279	-23 785.46	2 854 163.09	
L280	-23 851.43	2 854 884.04	R280	-23 813.38	2 854 407.96	
L281	-23 896.26	2 854 928.45	R281	-23 835.37	2 854 585.35	
L282	-23 933.70	2 854 982.91	R282	-23 845.19	2 854 664.54	
L283	-23 954.77	2 855 011.04	R283	-23 857.00	2 854 842.54	
L284	-23 998.57	2 855 064.55	R284	-23 875.33	2 854 886.05	
L285	-24 054.91	2 855 119.90	R285	-23 881.46	2 854 799.67	
L286	-24 112.94	2 855 166.29	R286	-23 893.34	2 854 827.05	
L287	-24 168.19	2 855 202.43	R287	-23 911.03	2 854 867.83	
L288	-24 223.64	2 855 233.29	R288	-23 944.51	2 854 931.92	
L289	-24 385.97	2 855 298.85	R289	-23 977.57	2 854 983.21	
L290	-24 702.12	2 855 420.08	R290	-24 038.72	2 855 056.04	
L291	-25 108.15	2 855 574.04	R291	-24 067.52	2 855 083.90	
L292	-25 463.32	2 855 707.70	R292	-24 125.46	2 855 131.14	
L293	-25 537.83	2 855 740.39	R293	-24 164.64	2 855 159.09	
L294	-25 595.78	2 855 782.92	R294	-24 216.24	2 855 188.87	
L295	-25 656.51	2 855 860.96	R295	-24 243.79	2 855 203.24	
L296	-26 002.45	2 856 586.21	R296	-24 410.54	2 855 266.06	
L297	-26 082.31	2 856 771.92	R297	-24 726.86	2 855 386.88	
L298	-26 219.19	2 857 231.01	R298	-25 133.72	2 855 541.48	
L299	-26 367.50	2 857 734.23	R299	-25 488.64	2 855 676.04	
L300	-26 426.70	2 857 895.66	R300	-25 557.41	2 855 706.45	
L301	-26 673.34	2 858 328.48	R301	-25 626.86	2 855 757.84	
L302	-26 738.74	2 858 442.51	R302	-25 693.11	2 855 844.82	
L303	-26 769.70	2 858 491.77	R303	-26 047.54	2 856 588.63	
L304	-26 835.35	2 858 577.03	R304	-26 113.94	2 856 735.64	
L305	-26 917.13	2 858 659.20	R305	-26 268.99	2 857 259.02	
L306	-26 945.91	2 858 682.98	R306	-26 378.06	2 857 632.03	

Vel Sheet	19	Van of	22	P1022/17
--------------	----	-----------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°	Y	X	
L307	-26 984.35	2 858	714.73	R307	-26 418.72	2 857 768.02
L308	-26 988.81	2 858	718.41	R308	-26 478.11	2 857 909.27
L309	-27 002.59	2 858	729.79	R309	-26 654.16	2 858 215.08
L310	-27 089.04	2 858	823.44	R310	-26 782.03	2 858 437.61
L311	-27 124.14	2 858	886.60	R311	-26 826.47	2 858 503.40
L312	-27 141.78	2 858	935.51	R312	-26 877.09	2 858 563.95
L313	-27 145.75	2 859	037.84	R313	-26 998.61	2 858 676.29
L314	-27 145.23	2 859	269.84	R314	-27 024.68	2 858 700.39
L315	-27 142.21	2 859	274.72	R315	-27 069.62	2 858 741.94
L316	-27 148.47	2 859	292.87	R316	-27 114.35	2 858 789.54
L317	-27 169.23	2 859	373.23	R317	-27 161.28	2 858 871.41
L318	-27 235.31	2 859	470.30	R318	-27 180.80	2 858 945.52
L319	-27 266.65	2 859	510.14	R319	-27 185.77	2 859 036.07
L320	-27 387.48	2 859	644.63	R320	-27 188.10	2 859 200.65
L321	-27 392.89	2 859	651.12	R321	-27 188.63	2 859 236.41
L322	-27 607.22	2 859	888.21	R322	-27 197.17	2 859 323.34
L323	-27 648.53	2 859	928.78	R323	-27 219.35	2 859 378.92
L324	-27 727.40	2 860	010.12	R324	-27 280.84	2 859 465.47
L325	-27 778.82	2 860	055.02	R325	-27 412.87	2 859 613.71
L326	-28 034.22	2 860	264.02	R326	-27 561.30	2 859 777.09
L327	-28 120.94	2 860	335.09	R327	-27 668.16	2 859 892.57
L328	-28 270.49	2 860	456.37	R328	-27 741.54	2 859 965.89
L329	-28 486.03	2 860	686.60	R329	-27 790.27	2 860 011.96
L330	-28 541.34	2 860	752.27	R330	-27 903.58	2 860 109.92
L331	-28 645.98	2 860	852.40	R331	-28 056.12	2 860 229.41
L332	-28 901.04	2 861	060.87	R332	-28 139.64	2 860 295.96
L333	-28 963.55	2 861	108.87	R333	-28 196.35	2 860 339.81
L334	-29 045.73	2 861	160.53	R334	-28 288.99	2 860 417.69
L335	-29 168.68	2 861	217.50	R335	-28 359.42	2 860 488.54
L336	-29 248.82	2 861	239.08	R336	-28 504.27	2 860 652.46
L337	-29 269.86	2 861	243.99	R337	-28 569.51	2 860 724.01
L338	-29 285.85	2 861	249.05	R338	-28 673.70	2 860 823.56
L339	-29 322.30	2 861	258.63	R339	-28 910.86	2 861 018.00
L340	-29 391.88	2 861	266.59	R340	-28 940.75	2 861 041.75
L341	-29 543.09	2 861	272.77	R341	-28 979.10	2 861 070.41
L342	-29 672.00	2 861	274.28	R342	-29 005.03	2 861 087.21
L343	-29 792.54	2 861	274.57	R343	-29 061.61	2 861 123.74
L344	-29 863.98	2 861	276.51	R344	-29 115.44	2 861 149.49
L345	-29 910.49	2 861	280.22	R345	-29 174.52	2 861 177.54
L346	-30 200.11	2 861	332.15	R346	-29 225.93	2 861 190.42
L347	-30 583.21	2 861	407.09	R347	-29 243.30	2 861 194.82
L348	-30 636.50	2 861	425.02	R348	-29 270.93	2 861 201.69
L349	-30 662.73	2 861	430.30	R349	-29 335.01	2 861 219.86
L350	-30 667.08	2 861	430.94	R350	-29 390.82	2 861 225.93
L351	-30 788.78	2 861	446.67	R351	-29 423.15	2 861 229.87
L352	-31 082.37	2 861	503.01	R352	-29 454.29	2 861 231.17
L353	-31 180.68	2 861	517.31	R353	-29 509.19	2 861 233.33
L354	-31 981.37	2 861	569.35	R354	-29 698.81	2 861 234.17
L355	-33 031.37	2 861	637.55	R355	-29 809.52	2 861 234.48
L356	-33 197.21	2 861	662.00	R356	-29 832.75	2 861 234.49
L357	-33 291.45	2 861	689.45	R357	-29 912.99	2 861 240.23
			Vel Sheet	20	Van of 22	
			P1022/17			

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°	Y	X	
L358	-33 366.52	2 861 719.18		R358	-30 032.50	2 861 259.04
L359	-33 458.77	2 861 762.74		R359	-31 056.63	2 861 457.74
L360	-34 164.67	2 862 183.47		R360	-31 173.67	2 861 475.88
L361	-34 696.06	2 862 501.17		R361	-31 688.57	2 861 510.89
L362	-34 734.75	2 862 521.25		R362	-32 827.56	2 861 583.99
L363	-34 819.59	2 862 548.69		R363	-33 024.20	2 861 596.25
L364	-35 233.04	2 862 642.84		R364	-33 182.73	2 861 618.15
L365	-35 810.57	2 862 772.81		R365	-33 245.05	2 861 631.49
L366	-35 917.92	2 862 797.94		R366	-33 315.46	2 861 656.31
L367	-36 053.75	2 862 844.51		R367	-33 422.98	2 861 701.62
L368	-36 147.45	2 862 880.02		R368	-33 478.46	2 861 726.99
L369	-36 236.25	2 862 922.09		R369	-34 192.22	2 862 153.13
L370	-36 276.74	2 862 942.60		R370	-34 719.38	2 862 468.56
L371	-36 447.59	2 863 036.29		R371	-34 831.72	2 862 512.01
L372	-37 393.91	2 863 567.58		R372	-35 279.09	2 862 613.00
L373	-37 401.05	2 863 571.75		R373	-35 662.04	2 862 700.10
L374	-37 686.89	2 863 731.90		R374	-35 802.99	2 862 731.30
L375	-38 027.37	2 863 923.25		R375	-35 879.15	2 862 749.05
L376	-38 142.38	2 863 997.50		R376	-35 940.39	2 862 765.86
L377	-38 198.98	2 864 039.11		R377	-35 996.62	2 862 783.16
L378	-38 261.21	2 864 090.25		R378	-36 057.35	2 862 803.98
L379	-38 490.13	2 864 279.05		R379	-36 115.93	2 862 826.00
L380	-38 745.55	2 864 490.00		R380	-36 175.44	2 862 850.49
L381	-38 767.54	2 864 507.96		R381	-36 245.92	2 862 882.29
L382	-38 804.33	2 864 539.03		R382	-36 471.68	2 863 004.31
L383	-39 132.48	2 864 812.74		R383	-37 420.92	2 863 537.89
L384	-39 160.06	2 864 835.69		R384	-37 566.71	2 863 618.28
L385	-39 214.84	2 864 881.87		R385	-37 922.40	2 863 818.49
L386	-39 476.81	2 865 100.42		R386	-38 128.28	2 863 935.54
L387	-39 506.32	2 865 123.26		R387	-38 198.30	2 863 986.29
L388	-39 530.73	2 865 142.20		R388	-38 514.91	2 864 248.55
L389	-39 613.21	2 865 189.09		R389	-38 763.51	2 864 454.72
L390	-40 419.37	2 865 509.35		R390	-38 789.51	2 864 476.41
L391	-40 479.45	2 865 549.40		R391	-38 810.82	2 864 493.97
L392	-40 578.54	2 865 644.74		R392	-39 153.87	2 864 779.55
L393	-40 631.64	2 865 695.73		R393	-39 179.86	2 864 801.17
L394	-40 650.40	2 865 750.55		R394	-39 231.70	2 864 844.26
L395	-40 673.60	2 865 776.51		R395	-39 516.18	2 865 080.64
L396	-40 686.91	2 865 763.26		R396	-39 582.97	2 865 126.42
L397	-40 726.58	2 865 787.06		R397	-39 638.65	2 865 154.80
L398	-40 799.46	2 865 857.30		R398	-40 072.26	2 865 327.33
L399	-41 212.69	2 866 254.70		R399	-40 406.32	2 865 459.95
L400	-41 322.90	2 866 333.46		R400	-40 483.35	2 865 500.93
L401	-41 703.47	2 866 557.54		R401	-40 866.27	2 865 865.37
L402	-42 034.31	2 866 752.67		R402	-41 117.14	2 866 109.98
L403	-42 566.05	2 867 065.43		R403	-41 214.28	2 866 202.59
L404	-42 686.26	2 867 131.22		R404	-41 293.57	2 866 266.14
L405	-42 755.24	2 867 156.56		R405	-41 362.23	2 866 310.39
L406	-42 880.33	2 867 181.96		R406	-41 789.72	2 866 562.61
L407	-43 576.37	2 867 267.05		R407	-42 510.61	2 866 987.43
L408	-43 971.79	2 867 329.27		R408	-42 659.08	2 867 072.96
			Vel Sheet	21	Van of 22	
			P1022/17			

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 27°	Y	X	
L409	-44 249.90	2 867 375.58		R409	-42 733.98	2 867 107.26
L410	-44 302.57	2 867 383.36		R410	-42 855.73	2 867 137.97
L411	-44 433.92	2 867 391.63		R411	-43 489.45	2 867 213.44
L412	-44 704.23	2 867 407.51		R412	-44 220.58	2 867 330.85
L413	-44 900.23	2 867 418.46		R413	-44 317.34	2 867 344.43
L414	-44 976.99	2 867 429.60		R414	-44 460.60	2 867 353.53
L415	-45 053.69	2 867 446.80		R415	-44 688.42	2 867 366.99
L416	-45 090.71	2 867 458.85		R416	-44 953.63	2 867 382.77
L417	-45 343.11	2 867 570.78		R417	-45 000.03	2 867 379.80
L418	-45 397.12	2 867 597.48		R418	-45 025.07	2 867 386.34
L419	-45 440.01	2 867 625.40		R419	-45 066.19	2 867 408.64
L420	-45 467.14	2 867 648.12		R420	-45 135.35	2 867 434.29
L421	-45 505.67	2 867 706.47		R421	-45 211.43	2 867 467.70
L422	-45 542.91	2 867 774.79		R422	-45 427.50	2 867 566.14
L423	-45 676.12	2 868 102.19		R423	-45 461.24	2 867 547.72
				R424	-45 479.43	2 867 564.54
				R425	-45 497.68	2 867 627.51
				R426	-45 541.27	2 867 687.17
				R427	-45 716.70	2 868 108.37

Vel Sheet	22	Van of	22	P1022/17
--------------	----	-----------	----	----------

DEPARTMENT OF TRANSPORT

NO. 980

5 October 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R30 SECTION 1**AMENDMENT OF DECLARATION No. 554 OF 2015.**

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 554 of 2015 by substituting it in its entirety, with the accompanying sheets 1 to 10 of Plan No. P1083/18.

(National Road R30 Section 1: Glen Lyon (N1/15) – Brandfort)

MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 980

5 Oktober 2021


**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD R30 SEKSIE 1**WYSIGING VAN VERKLARING No. 554 VAN 2015.**

Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 554 van 2015 deur dit in sy geheel te vervang, met bygaande velle 1 tot 10 van Plan No. P1083/18.

(Nasionale Pad R30 Seksie 1: Glen Lyon (N1/15) – Brandfort)



MINISTER VAN VERVOER








Die Suid Afrikaanse Nasionale Padagentskapskaf MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown









PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE	
	Y	X	WG 27°	Y	X
L1	68 895.54	3 206 591.24	R1	68 866.67	3 206 614.44
L2	68 872.25	3 206 564.78	R2	68 800.06	3 206 527.51
L3	68 811.67	3 206 489.52	R3	68 576.89	3 206 246.75
L4	68 589.65	3 206 214.79	R4	68 322.71	3 205 950.97
L5	68 351.20	3 205 936.44	R5	68 281.85	3 205 903.75
L6	68 299.83	3 205 876.59	R6	68 273.32	3 205 894.25
L7	68 129.10	3 205 677.60	R7	68 266.79	3 205 886.54
L8	67 864.61	3 205 368.82	R8	68 108.54	3 205 700.83
L9	67 564.13	3 205 018.19	R9	67 846.32	3 205 395.45
L10	67 343.73	3 204 760.79	R10	67 106.36	3 204 532.79
L11	67 069.33	3 204 440.64	R11	67 044.06	3 204 459.92
L12	67 067.73	3 204 438.50	R12	66 944.59	3 204 343.76
L13	66 969.61	3 204 324.32	R13	66 795.40	3 204 168.99
L14	66 817.88	3 204 135.73	R14	66 715.03	3 204 011.00
L15	66 793.32	3 204 095.64	R15	66 692.97	3 203 966.98
L16	66 748.06	3 204 005.54	R16	66 682.29	3 203 926.25
L17	66 712.11	3 203 905.54	R17	66 648.07	3 203 823.48
L18	66 711.96	3 203 904.90	R18	66 620.52	3 203 689.52
L19	66 685.79	3 203 662.23	R19	66 619.01	3 203 682.15
L20	66 672.46	3 203 650.57	R20	66 623.22	3 203 540.18
L21	66 652.81	3 203 537.83	R21	66 618.88	3 203 524.82
L22	66 660.57	3 203 521.31	R22	66 598.20	3 203 492.17
L23	66 642.33	3 203 390.29	R23	66 576.75	3 203 245.53
L24	66 605.12	3 203 200.45	R24	66 544.33	3 203 098.58
L25	66 604.70	3 203 197.31	R25	66 512.38	3 203 002.94
L26	66 592.06	3 203 135.08	R26	66 458.78	3 202 872.40
L27	66 568.04	3 203 055.18	R27	66 428.13	3 202 837.21
L28	66 484.73	3 202 852.62	R28	66 413.89	3 202 802.63
L29	66 478.53	3 202 802.07	R29	66 410.33	3 202 754.61
L30	66 469.49	3 202 776.74	R30	66 218.58	3 202 286.62
L31	66 441.26	3 202 746.24	R31	66 083.60	3 201 959.56
L32	66 251.43	3 202 273.00	R32	66 042.32	3 201 859.56
L33	66 069.10	3 201 842.74	R33	65 843.52	3 201 377.69
L34	65 870.88	3 201 361.51	R34	65 585.81	3 200 753.43
L35	65 612.23	3 200 734.22	R35	65 410.19	3 200 326.12
L36	65 438.80	3 200 312.95	R36	65 356.73	3 200 183.37
L37	65 385.06	3 200 162.42	R37	65 339.96	3 200 123.92
L38	65 237.30	3 199 645.87	R38	65 316.45	3 200 053.03
L39	65 221.72	3 199 596.28	R39	65 268.31	3 199 879.56
L40	65 165.39	3 199 468.81	R40	65 217.54	3 199 696.65
L41	65 143.14	3 199 435.10	R41	65 199.08	3 199 636.84
L42	65 106.37	3 199 375.07	R42	65 133.80	3 199 483.64
L43	64 669.83	3 198 713.36	R43	65 058.31	3 199 362.89
L44	64 644.49	3 198 654.09	R44	65 022.30	3 199 305.30
L45	64 622.31	3 198 602.22	R45	64 742.22	3 198 881.12
L46	64 634.83	3 198 593.95	R46	64 732.17	3 198 865.89
L47	64 605.70	3 198 549.87	R47	64 680.39	3 198 844.41
L48	64 592.57	3 198 558.54	R48	64 666.76	3 198 823.57
L49	64 578.62	3 198 537.38	R49	64 585.21	3 198 698.89
L50	64 570.52	3 198 542.71	R50	64 541.29	3 198 631.69
L51	64 512.04	3 198 474.88	R51	64 399.23	3 198 417.33

Vel Sheet	7	Van of	10	P1083/18
--------------	---	-----------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°	Y	X	
L52	64 321.38	3 198 186.13		R52	64 398.34	3 198 360.45
L53	64 295.92	3 198 148.08		R53	64 256.89	3 198 146.13
L54	64 282.15	3 198 127.03		R54	64 210.12	3 198 075.36
L55	64 234.75	3 198 055.66		R55	63 969.57	3 197 711.10
L56	63 997.63	3 197 696.33		R56	63 779.69	3 197 423.69
L57	63 807.88	3 197 403.40		R57	63 651.98	3 197 223.52
L58	63 702.39	3 197 238.01		R58	63 612.29	3 197 154.06
L59	63 640.18	3 197 138.33		R59	63 555.55	3 197 046.64
L60	63 584.59	3 197 033.33		R60	63 512.41	3 196 956.70
L61	63 540.95	3 196 942.63		R61	63 471.33	3 196 864.79
L62	63 499.95	3 196 850.31		R62	63 419.22	3 196 732.84
L63	63 448.22	3 196 719.52		R63	63 260.59	3 196 302.44
L64	63 283.55	3 196 273.75		R64	63 219.31	3 196 190.17
L65	63 251.57	3 196 176.00		R65	63 182.49	3 196 096.78
L66	63 221.21	3 196 083.12		R66	63 150.73	3 196 002.72
L67	63 165.71	3 195 953.86		R67	63 100.93	3 195 867.99
L68	63 150.17	3 195 911.47		R68	63 083.40	3 195 820.18
L69	63 145.89	3 195 887.53		R69	63 072.45	3 195 791.67
L70	63 145.30	3 195 885.92		R70	63 033.65	3 195 703.62
L71	63 130.37	3 195 844.91		R71	62 989.94	3 195 619.01
L72	63 116.42	3 195 807.19		R72	62 940.49	3 195 537.29
L73	63 106.38	3 195 781.06		R73	62 893.70	3 195 467.19
L74	63 085.96	3 195 732.06		R74	62 893.78	3 195 467.07
L75	63 072.43	3 195 701.97		R75	62 862.12	3 195 420.74
L76	63 057.25	3 195 669.24		R76	62 854.65	3 195 409.73
L77	63 087.32	3 195 657.69		R77	62 682.42	3 195 155.92
L78	63 089.03	3 195 643.00		R78	62 677.44	3 195 149.49
L79	63 044.42	3 195 635.85		R79	62 625.64	3 195 071.06
L80	62 969.20	3 195 523.07		R80	62 527.26	3 194 926.59
L81	62 702.41	3 195 129.57		R81	62 462.67	3 194 829.55
L82	62 395.13	3 194 670.21		R82	62 451.52	3 194 813.30
L83	62 274.97	3 194 404.43		R83	62 420.68	3 194 768.35
L84	62 270.57	3 194 391.12		R84	62 407.34	3 194 748.91
L85	62 239.43	3 194 283.50		R85	62 367.20	3 194 712.57
L86	62 221.38	3 194 199.58		R86	62 357.52	3 194 698.06
L87	62 203.55	3 194 064.42		R87	62 354.65	3 194 662.17
L88	62 198.26	3 193 926.80		R88	62 336.39	3 194 627.69
L89	62 207.53	3 193 776.48		R89	62 313.71	3 194 582.35
L90	62 219.08	3 193 670.65		R90	62 292.52	3 194 535.91
L91	62 221.62	3 193 566.05		R91	62 273.65	3 194 492.26
L92	62 215.07	3 193 471.09		R92	62 255.13	3 194 443.56
L93	62 200.79	3 193 375.47		R93	62 219.85	3 194 331.52
L94	62 172.18	3 193 262.80		R94	62 195.57	3 194 227.83
L95	62 157.15	3 193 221.41		R95	62 194.61	3 194 222.70
L96	62 162.17	3 193 213.46		R96	62 182.50	3 194 158.03
L97	62 160.48	3 193 207.37		R97	62 181.49	3 194 151.06
L98	62 151.25	3 193 204.61		R98	62 172.19	3 194 068.09
L99	62 148.48	3 193 196.91		R99	62 171.81	3 194 048.73
L100	62 113.08	3 193 112.60		R100	62 168.41	3 193 978.20
L101	61 864.07	3 192 676.18		R101	62 168.85	3 193 895.92
L102	61 774.27	3 192 498.32		R102	62 168.70	3 193 887.97

Vel
Sheet 8 Van
of 10 P1083/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°	Y	X	
L103	61 767.91	3 192 482.33		R103	62 174.60	3 193 795.47
L104	61 756.56	3 192 453.80		R104	62 187.65	3 193 667.66
L105	61 755.15	3 192 450.28		R105	62 190.31	3 193 558.68
L106	61 734.55	3 192 396.19		R106	62 170.20	3 193 380.42
L107	61 705.61	3 192 307.99		R107	62 125.25	3 193 224.85
L108	61 641.95	3 192 051.30		R108	62 061.92	3 193 084.01
L109	61 578.65	3 191 775.08		R109	61 828.92	3 192 676.38
L110	61 543.08	3 191 619.95		R110	61 773.06	3 192 569.52
L111	61 528.35	3 191 555.48		R111	61 747.14	3 192 511.47
L112	61 518.22	3 191 511.34		R112	61 741.52	3 192 499.86
L113	61 532.32	3 191 494.46		R113	61 727.82	3 192 500.07
L114	61 528.66	3 191 487.90		R114	61 725.48	3 192 494.13
L115	61 512.87	3 191 488.03		R115	61 734.55	3 192 482.48
L116	61 465.97	3 191 283.60		R116	61 720.99	3 192 449.10
L117	61 374.98	3 190 885.72		R117	61 700.48	3 192 392.75
L118	61 284.24	3 190 492.19		R118	61 676.72	3 192 320.18
L119	60 932.28	3 188 951.21		R119	61 649.24	3 192 218.19
L120	60 506.54	3 187 087.21		R120	61 605.84	3 192 029.92
L121	60 476.64	3 186 956.30		R121	61 601.78	3 192 013.29
L122	60 441.11	3 186 913.37		R122	61 508.56	3 191 606.31
L123	60 440.47	3 186 911.82		R123	61 436.88	3 191 293.94
L124	60 433.91	3 186 897.42		R124	61 346.52	3 190 898.58
L125	60 428.52	3 186 885.78		R125	61 258.16	3 190 518.00
L126	60 412.10	3 186 851.75		R126	61 153.40	3 190 057.86
L127	60 393.53	3 186 815.77		R127	61 073.15	3 189 705.30
L128	60 350.90	3 186 746.17		R128	60 981.85	3 189 304.22
L129	60 346.02	3 186 736.79		R129	60 902.28	3 188 958.39
L130	60 273.01	3 186 629.48		R130	60 893.99	3 188 919.90
L131	60 199.45	3 186 538.59		R131	60 800.52	3 188 510.05
L132	60 130.73	3 186 460.26		R132	60 711.35	3 188 118.60
L133	59 857.87	3 186 154.55		R133	60 622.82	3 187 730.87
L134	59 580.95	3 185 842.39		R134	60 527.47	3 187 317.45
L135	59 307.10	3 185 535.62		R135	60 499.99	3 187 200.51
L136	59 269.18	3 185 497.33		R136	60 456.81	3 187 056.50
L137	59 263.19	3 185 490.33		R137	60 438.11	3 187 005.94
L138	57 930.32	3 184 156.18		R138	60 426.82	3 186 976.95
L139	57 813.96	3 184 019.18		R139	60 415.45	3 186 949.60
L140	57 757.31	3 183 952.32		R140	60 406.86	3 186 929.83
L141	57 531.63	3 183 727.74		R141	60 393.01	3 186 899.51
L142	57 269.03	3 183 469.28		R142	60 378.46	3 186 868.93
L143	57 190.23	3 183 391.37		R143	60 350.41	3 186 817.75
L144	56 964.06	3 183 168.79		R144	60 339.46	3 186 797.59
L145	56 718.86	3 182 927.71		R145	60 226.25	3 186 654.08
L146	56 549.47	3 182 761.04		R146	60 156.63	3 186 569.85
L147	56 268.64	3 182 484.22		R147	60 094.31	3 186 494.86
L148	56 040.31	3 182 259.37		R148	59 830.36	3 186 176.22
L149	55 982.99	3 182 202.88		R149	59 555.98	3 185 866.22
L150	55 894.25	3 182 115.14		R150	59 242.76	3 185 514.34
L151	55 829.41	3 182 037.97		R151	59 007.18	3 185 281.84
L152	55 773.82	3 181 959.47		R152	58 632.46	3 184 911.85
L153	55 725.99	3 181 873.06		R153	58 331.20	3 184 614.02

Vel Sheet	9	Van of	10	P1083/18
--------------	---	-----------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°	Y	X	
L154	55 702.23	3 181	819.90	R154	58 068.17	3 184 354.26
L155	55 668.14	3 181	735.65	R155	57 920.43	3 184 208.00
L156	55 558.29	3 181	350.31	R156	57 774.27	3 184 063.92
L157	55 450.68	3 180	971.96	R157	57 784.57	3 184 055.30
L158	55 344.53	3 180	597.89	R158	56 417.20	3 182 687.49
L159	55 203.75	3 180	102.99	R159	56 416.47	3 182 686.63
L160	55 123.12	3 179	819.43	R160	56 182.96	3 182 453.14
L161	55 096.93	3 179	726.82	R161	56 092.01	3 182 363.39
L162	55 032.55	3 179	501.76	R162	56 000.05	3 182 272.72
L163	54 917.29	3 179	095.24	R163	55 890.62	3 182 164.78
L164	54 898.86	3 179	029.37	R164	55 893.59	3 182 159.03
L165	54 895.69	3 179	018.58	R165	55 781.74	3 182 026.36
L166	54 881.71	3 178	968.29	R166	55 749.91	3 181 977.68
L167	54 870.97	3 178	930.05	R167	55 685.74	3 181 861.02
L168	54 856.16	3 178	877.93	R168	55 672.21	3 181 829.67
L169	54 843.09	3 178	831.95	R169	55 644.41	3 181 763.35
L170	54 828.54	3 178	780.76	R170	55 585.63	3 181 560.40
L171	54 816.89	3 178	739.79	R171	55 376.42	3 180 824.42
L172	54 802.13	3 178	687.83	R172	55 312.16	3 180 598.34
L173	54 787.73	3 178	636.55	R173	55 173.08	3 180 108.80
L174	54 764.07	3 178	549.86	R174	55 059.47	3 179 709.06
L175	54 749.62	3 178	494.42	R175	55 005.34	3 179 517.21
L176	54 728.83	3 178	398.97	R176	54 890.76	3 179 114.11
L177	54 719.32	3 178	331.67	R177	54 786.07	3 178 746.94
L178	54 726.83	3 178	293.06	R178	54 731.63	3 178 553.44
L179	54 721.78	3 178	264.49	R179	54 707.61	3 178 447.83
L180	54 718.76	3 178	255.18	R180	54 687.65	3 178 335.97
L181	54 706.11	3 178	216.22	R181	54 674.93	3 178 228.50
L182	54 699.22	3 178	088.06	R182	54 673.15	3 178 209.38
L183	54 704.71	3 177	692.97	R183	54 667.17	3 178 088.54
L184	54 708.96	3 177	167.15	R184	54 670.03	3 177 720.87
L185	54 709.67	3 177	106.54	R185	54 672.66	3 177 466.26
				R186	54 658.37	3 177 141.55
				R187	54 661.53	3 177 105.98

Vel 10 Van 10 P1083/18
Sheet of

DEPARTMENT OF TRANSPORT

NO. 981

5 October 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R33 SECTION 13**AMENDMENT OF DECLARATION No. 538 OF 2014.**

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 538 of 2014 by substituting paragraph B(II) of the Schedule, being the descriptive declaration of the route from Modimolle up to Vaalwater, with the accompanying sheets 1 to 18 of Plan No. P1118/18.

In the town of Modimolle the R33 Section 13 starts at its junction with the streets known as Thabo Mbeki Drive and Nelson Mandela Drive at time of declaration, therefrom it follows the street known as Nelson Mandela Drive in a general north westerly direction, at time of declaration

In the town of Vaalwater the R33 Section 13 enters the town from the south and continuous in a northerly direction through the town.

(National Road R33 Section 13: Modimolle – Vaalwater)

**MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER**NO. 981****5 Oktober 2021****DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD R33 SEKSIE 13**WYSIGING VAN VERKLARING No. 538 VAN 2014.**

Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie Wet, 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 538 van 2014 deur paragraaf B(II) van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf Modimolle tot by Vaalwater, met bygaande velle 1 tot 18 van Plan No. P1118/18.


In die dorp Modimolle begin die R33 Seksie 13 by die aansluiting met die strate bekend as Thabo Mbekiweg en Nelson Mandelaweg tydens datum van verklaring, daarvandaan volg dit die straat bekend as Nelson Mandelaweg in 'n algemene noordwestelike rigting, tydens datum van verklaring.


In die dorp Vaalwater kom die R33 Seksie 13 die dorp binne vanuit die suide en volg dan 'n noordelike rigting deur die dorp.

(Nasionale Pad R33 Seksie 13: Modimolle – Vaalwater)





MINISTER VAN VERVOER







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserve voor van 'n gedeelte van die padreserve voor van 'n gedeelte van Nasionale Roete R33 of Nasionale Roete R33 represents the road reserve of a portion of National Route R33 or National Route R33	13	Plan	P1118/18
				13	Sheet 2 of 18	








Die Suid Afrikaanse Nasionale Padagentskapskafle Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreservé voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R33 of National Route R33	Vel 4 van 18 Sheet 4 of 18
R33 Section 13	Plan P1118/18	Plan P1118/18	Plan P1118/18














Die Suid Afrikaanse Nasionale Padagentskap MSS Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	Vel Sheet 9 van 18 Plan P1118/18
van Nasionale Roete of National Route	R33 Seksie Section	13



Die Suid Afrikaanse Nasionale Padagentskap MSA Bpk. The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreservewe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R33 of National Route	13	Vel Sheet 10 Plan P118/18
--	---------------------------------------	---	--	----	------------------------------





PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X	
L1	60 274.50	2 732 920.21		R1	60 225.35	2 732 878.87
L2	60 360.22	2 732 818.77		R2	60 269.78	2 732 875.11
L3	60 415.07	2 732 765.13		R3	60 350.07	2 732 780.26
L4	60 472.96	2 732 730.21		R4	60 362.76	2 732 765.27
L5	60 501.81	2 732 715.49		R5	60 397.67	2 732 732.59
L6	60 764.38	2 732 579.07		R6	60 451.80	2 732 698.65
L7	60 822.44	2 732 534.03		R7	60 748.83	2 732 546.82
L8	60 866.25	2 732 485.20		R8	60 819.33	2 732 483.94
L9	60 887.24	2 732 453.77		R9	60 892.06	2 732 344.34
L10	60 901.12	2 732 430.22		R10	60 926.06	2 732 258.04
L11	60 915.63	2 732 398.29		R11	60 980.24	2 732 115.87
L12	60 927.26	2 732 366.65		R12	61 125.10	2 731 735.89
L13	61 020.61	2 732 112.68		R13	61 170.84	2 731 662.50
L14	61 034.39	2 732 085.92		R14	61 348.88	2 731 425.72
L15	61 059.43	2 732 019.79		R15	61 398.83	2 731 374.97
L16	61 076.82	2 732 011.97		R16	61 559.29	2 731 233.56
L17	61 097.53	2 731 958.10		R17	61 615.03	2 731 185.07
L18	61 088.77	2 731 942.27		R18	61 886.06	2 730 943.53
L19	61 149.11	2 731 782.88		R19	62 273.99	2 730 597.84
L20	61 203.82	2 731 685.17		R20	62 572.35	2 730 335.37
L21	61 364.19	2 731 469.93		R21	62 730.44	2 730 190.53
L22	61 402.60	2 731 426.71		R22	62 963.30	2 729 982.37
L23	61 591.26	2 731 258.12		R23	63 017.61	2 729 936.42
L24	61 598.13	2 731 265.85		R24	63 073.10	2 729 894.86
L25	61 728.83	2 731 149.47		R25	63 103.85	2 729 881.49
L26	61 724.18	2 731 144.24		R26	63 188.79	2 729 849.13
L27	62 333.23	2 730 599.74		R27	63 259.21	2 729 820.29
L28	62 690.77	2 730 281.90		R28	63 475.90	2 729 734.08
L29	63 007.53	2 730 000.33		R29	63 583.29	2 729 692.20
L30	63 042.35	2 729 967.87		R30	63 654.20	2 729 648.56
L31	63 090.60	2 729 934.77		R31	63 684.62	2 729 614.94
L32	63 148.14	2 729 906.52		R32	63 705.70	2 729 576.48
L33	63 194.01	2 729 887.51		R33	63 712.04	2 729 554.96
L34	63 723.85	2 729 678.66		R34	63 716.48	2 729 530.70
L35	63 731.86	2 729 611.71		R35	63 720.17	2 729 510.51
L36	63 745.12	2 729 580.22		R36	63 721.89	2 729 486.01
L37	63 751.48	2 729 565.10		R37	63 709.96	2 729 423.31
L38	63 761.11	2 729 515.43		R38	63 700.71	2 729 404.24
L39	63 759.49	2 729 458.32		R39	63 675.01	2 729 361.38
L40	63 749.78	2 729 415.40		R40	63 652.80	2 729 334.96
L41	63 729.28	2 729 369.14		R41	63 605.75	2 729 289.70
L42	63 696.71	2 729 326.72		R42	63 523.51	2 729 208.38
L43	63 628.24	2 729 259.49		R43	63 483.89	2 729 150.60
L44	63 554.90	2 729 187.46		R44	63 469.58	2 729 114.09
L45	63 515.29	2 729 124.94		R45	63 455.27	2 729 055.95
L46	63 503.85	2 729 094.92		R46	63 460.87	2 728 985.20
L47	63 496.21	2 729 056.81		R47	63 476.53	2 728 935.87
L48	63 497.69	2 729 004.59		R48	63 503.25	2 728 888.46
L49	63 513.19	2 728 950.65		R49	63 526.81	2 728 862.53
L50	63 522.67	2 728 934.96		R50	63 563.25	2 728 831.61
L51	63 538.37	2 728 908.97		R51	63 588.63	2 728 816.35

Vel
Sheet 13 Van
of 18 P1118/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X	
L52	63 574.02	2 728	873.41	R52	63 616.80	2 728 804.52
L53	63 599.86	2 728	853.54	R53	63 650.75	2 728 793.88
L54	63 661.65	2 728	832.38	R54	63 695.92	2 728 782.42
L55	63 706.73	2 728	820.94	R55	63 725.56	2 728 773.28
L56	63 769.68	2 728	799.36	R56	63 752.76	2 728 763.00
L57	63 801.25	2 728	781.73	R57	63 780.14	2 728 747.71
L58	63 842.64	2 728	753.26	R58	63 848.87	2 728 700.43
L59	63 878.36	2 728	728.68	R59	63 856.54	2 728 695.14
L60	63 932.02	2 728	696.96	R60	63 911.74	2 728 662.24
L61	63 963.46	2 728	680.64	R61	63 945.92	2 728 644.68
L62	64 101.56	2 728	628.39	R62	64 077.69	2 728 597.11
L63	64 137.95	2 728	624.58	R63	64 140.00	2 728 573.47
L64	64 178.23	2 728	598.59	R64	64 230.85	2 728 529.86
L65	64 217.26	2 728	582.74	R65	64 657.41	2 728 265.46
L66	64 259.66	2 728	561.12	R66	64 682.29	2 728 250.22
L67	64 545.35	2 728	380.16	R67	65 045.38	2 728 027.87
L68	64 722.02	2 728	271.62	R68	65 252.65	2 727 897.84
L69	64 774.81	2 728	241.56	R69	65 269.61	2 727 897.29
L70	64 786.63	2 728	239.01	R70	65 283.05	2 727 888.54
L71	64 831.79	2 728	218.37	R71	65 318.56	2 727 855.81
L72	65 072.49	2 728	068.34	R72	65 412.66	2 727 794.67
L73	65 067.01	2 728	059.99	R73	65 542.78	2 727 707.15
L74	65 653.28	2 727	683.63	R74	65 773.01	2 727 570.40
L75	65 820.88	2 727	590.90	R75	65 873.16	2 727 517.87
L76	66 066.18	2 727	458.88	R76	66 413.14	2 727 228.46
L77	66 109.04	2 727	439.33	R77	67 103.80	2 726 858.30
L78	66 189.28	2 727	396.14	R78	67 854.95	2 726 457.07
L79	66 239.23	2 727	365.83	R79	68 022.78	2 726 352.00
L80	66 430.91	2 727	262.91	R80	68 415.85	2 725 982.73
L81	67 104.78	2 726	901.03	R81	68 463.55	2 725 898.78
L82	67 895.92	2 726	480.71	R82	68 483.42	2 725 833.89
L83	67 948.94	2 726	448.55	R83	68 493.24	2 725 732.27
L84	68 072.15	2 726	356.18	R84	68 477.47	2 725 430.10
L85	68 121.64	2 726	320.82	R85	68 475.29	2 725 352.23
L86	68 151.01	2 726	305.09	R86	68 459.10	2 725 037.10
L87	68 251.29	2 726	205.41	R87	68 438.77	2 724 663.04
L88	68 325.77	2 726	134.66	R88	68 414.37	2 724 202.06
L89	68 425.89	2 726	034.53	R89	68 381.56	2 723 594.97
L90	68 462.99	2 725	982.79	R90	68 369.65	2 723 489.58
L91	68 502.09	2 725	910.95	R91	68 345.80	2 723 305.64
L92	68 529.72	2 725	798.85	R92	67 940.22	2 720 620.11
L93	68 531.92	2 725	698.52	R93	67 938.23	2 720 606.90
L94	68 520.90	2 725	505.41	R94	67 939.80	2 720 590.96
L95	68 518.00	2 725	370.55	R95	67 981.55	2 720 168.78
L96	68 451.31	2 724	145.25	R96	67 987.05	2 720 091.76
L97	68 449.86	2 724	118.55	R97	68 007.69	2 720 009.28
L98	68 444.07	2 724	079.06	R98	68 035.85	2 719 947.08
L99	68 419.70	2 723	618.45	R99	68 088.99	2 719 827.36
L100	68 414.82	2 723	553.36	R100	68 251.12	2 719 497.13
L101	68 373.80	2 723	261.59	R101	68 315.29	2 719 376.98
L102	68 259.04	2 722	491.36	R102	68 387.61	2 719 261.07

Vel
Sheet 14 Van 18 of P1118/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 29°		Y	X	
L103	67 982.96	2 720 673.18	R103	68 467.79	2 719 150.11		
L104	67 979.27	2 720 551.48	R104	68 553.58	2 719 047.10		
L105	67 994.98	2 720 375.99	R105	68 647.46	2 718 948.02		
L106	68 014.14	2 720 189.91	R106	68 749.32	2 718 854.16		
L107	68 037.26	2 720 049.50	R107	69 094.58	2 718 558.05		
L108	68 054.34	2 719 999.82	R108	69 738.70	2 718 011.77		
L109	68 073.50	2 719 953.94	R109	70 351.72	2 717 478.99		
L110	68 092.55	2 719 908.13	R110	70 373.50	2 717 467.75		
L111	68 261.95	2 719 561.13	R111	70 487.18	2 717 361.21		
L112	68 297.78	2 719 489.09	R112	70 599.22	2 717 256.20		
L113	68 349.64	2 719 388.33	R113	70 645.05	2 717 222.55		
L114	68 396.13	2 719 306.89	R114	70 726.61	2 717 141.71		
L115	68 449.38	2 719 236.53	R115	70 804.63	2 717 052.01		
L116	68 650.63	2 719 002.66	R116	70 912.86	2 716 908.94		
L117	68 704.61	2 718 943.50	R117	71 298.51	2 716 350.93		
L118	68 822.77	2 718 839.22	R118	71 360.36	2 716 262.35		
L119	69 118.05	2 718 586.37	R119	71 651.22	2 715 842.10		
L120	69 496.30	2 718 261.98	R120	71 718.44	2 715 754.78		
L121	69 759.71	2 718 035.12	R121	72 001.83	2 715 420.69		
L122	70 097.25	2 717 746.30	R122	72 281.29	2 715 091.48		
L123	70 632.47	2 717 286.53	R123	72 445.71	2 714 898.43		
L124	70 682.41	2 717 243.62	R124	72 556.98	2 714 772.38		
L125	70 780.18	2 717 140.06	R125	72 650.53	2 714 667.41		
L126	70 901.57	2 716 986.94	R126	72 969.01	2 714 323.77		
L127	71 012.17	2 716 830.76	R127	73 090.24	2 714 205.61		
L128	71 680.46	2 715 866.60	R128	73 158.15	2 714 143.10		
L129	71 751.35	2 715 773.89	R129	73 375.10	2 713 943.95		
L130	71 927.03	2 715 566.27	R130	73 555.93	2 713 779.51		
L131	72 034.29	2 715 441.03	R131	73 650.55	2 713 691.80		
L132	72 311.86	2 715 113.83	R132	74 078.81	2 713 299.05		
L133	72 474.59	2 714 921.92	R133	74 267.50	2 713 126.99		
L134	72 680.54	2 714 690.30	R134	74 349.65	2 713 067.36		
L135	73 064.56	2 714 279.19	R135	74 458.47	2 713 002.35		
L136	73 185.88	2 714 165.46	R136	74 563.88	2 712 954.71		
L137	73 402.72	2 713 966.22	R137	74 687.81	2 712 914.54		
L138	73 617.36	2 713 770.54	R138	74 762.46	2 712 898.07		
L139	74 268.79	2 713 172.20	R139	74 813.58	2 712 890.41		
L140	74 303.02	2 713 148.54	R140	75 442.28	2 712 805.41		
L141	74 371.20	2 713 097.61	R141	75 596.89	2 712 779.46		
L142	74 472.74	2 713 037.00	R142	75 672.96	2 712 754.84		
L143	74 586.76	2 712 985.22	R143	75 819.48	2 712 686.08		
L144	74 690.61	2 712 952.10	R144	75 919.58	2 712 616.01		
L145	74 778.96	2 712 932.72	R145	76 331.48	2 712 280.13		
L146	75 271.64	2 712 866.21	R146	76 607.17	2 712 055.23		
L147	75 532.36	2 712 832.29	R147	76 747.20	2 711 940.80		
L148	75 613.32	2 712 811.53	R148	76 854.80	2 711 869.42		
L149	75 690.67	2 712 787.51	R149	77 069.14	2 711 739.38		
L150	75 838.42	2 712 717.83	R150	77 142.20	2 711 695.68		
L151	75 936.12	2 712 649.96	R151	77 215.14	2 711 651.21		
L152	75 989.86	2 712 608.13	R152	77 234.71	2 711 637.81		
L153	76 348.18	2 712 313.55	R153	77 277.08	2 711 609.94		

Vel Sheet	15	Van of	18	P1118/18
--------------	----	-----------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X
L154	76 659.38	2 712 060.55	R154	77 347.08	2 711 548.72
L155	76 768.54	2 711 971.28	R155	77 381.07	2 711 509.41
L156	76 873.35	2 711 901.67	R156	77 465.22	2 711 395.02
L157	76 879.39	2 711 898.01	R157	77 645.16	2 711 141.76
L158	77 132.70	2 711 744.65	R158	77 692.37	2 711 076.45
L159	77 238.38	2 711 681.16	R159	77 717.07	2 711 046.70
L160	77 254.60	2 711 670.20	R160	77 755.21	2 711 004.09
L161	77 306.44	2 711 635.20	R161	77 840.81	2 710 911.27
L162	77 369.08	2 711 578.91	R162	77 892.21	2 710 853.84
L163	77 422.65	2 711 517.89	R163	77 925.41	2 710 820.00
L164	77 478.70	2 711 432.71	R164	77 983.45	2 710 773.12
L165	77 715.93	2 711 104.53	R165	78 087.16	2 710 714.49
L166	77 776.50	2 711 033.49	R166	78 708.11	2 710 371.62
L167	77 848.66	2 710 953.13	R167	78 876.15	2 710 280.66
L168	77 942.40	2 710 859.39	R168	79 077.96	2 710 173.07
L169	77 988.01	2 710 816.68	R169	79 532.53	2 709 948.66
L170	78 038.87	2 710 785.64	R170	79 775.14	2 709 829.44
L171	78 103.39	2 710 748.56	R171	80 182.17	2 709 626.39
L172	78 722.32	2 710 406.18	R172	80 407.85	2 709 515.89
L173	78 999.57	2 710 254.40	R173	80 868.15	2 709 286.77
L174	79 283.28	2 710 113.81	R174	80 967.51	2 709 237.69
L175	79 541.77	2 709 986.12	R175	81 062.48	2 709 194.84
L176	79 750.09	2 709 881.12	R176	81 423.06	2 709 036.95
L177	79 787.15	2 709 862.67	R177	82 161.33	2 708 715.60
L178	79 806.67	2 709 854.91	R178	82 298.67	2 708 654.89
L179	80 195.86	2 709 662.95	R179	82 369.44	2 708 616.45
L180	80 396.50	2 709 563.83	R180	82 470.22	2 708 531.68
L181	80 423.15	2 709 549.93	R181	83 181.19	2 707 883.41
L182	80 881.88	2 709 321.60	R182	83 526.48	2 707 568.73
L183	80 954.26	2 709 285.98	R183	83 941.82	2 707 190.41
L184	81 068.02	2 709 233.23	R184	84 007.85	2 707 126.58
L185	81 418.63	2 709 081.16	R185	84 071.98	2 707 060.14
L186	81 426.53	2 709 082.21	R186	84 133.90	2 706 990.90
L187	81 425.26	2 709 077.06	R187	84 189.22	2 706 923.82
L188	81 433.21	2 709 073.59	R188	84 399.62	2 706 655.11
L189	82 181.21	2 708 747.27	R189	84 617.14	2 706 378.40
L190	82 302.68	2 708 694.98	R190	84 779.19	2 706 170.08
L191	82 394.78	2 708 644.29	R191	84 811.80	2 706 128.16
L192	82 438.44	2 708 611.03	R192	84 934.63	2 705 971.93
L193	82 833.05	2 708 252.59	R193	85 050.77	2 705 824.22
L194	83 296.34	2 707 828.61	R194	85 215.96	2 705 614.11
L195	83 540.24	2 707 607.15	R195	85 358.52	2 705 432.79
L196	83 847.77	2 707 326.52	R196	85 515.43	2 705 231.66
L197	83 967.48	2 707 217.55	R197	85 729.34	2 704 959.31
L198	84 085.55	2 707 099.51	R198	85 895.97	2 704 745.78
L199	84 167.36	2 707 009.21	R199	85 979.54	2 704 639.43
L200	84 281.69	2 706 867.00	R200	86 213.63	2 704 340.01
L201	84 437.76	2 706 667.13	R201	86 617.69	2 703 823.94
L202	84 536.20	2 706 543.02	R202	86 740.53	2 703 669.96
L203	84 781.20	2 706 229.21	R203	86 943.86	2 703 425.39
L204	84 832.97	2 706 160.29	R204	87 490.60	2 702 760.96

Vel Sheet 16 Van of 18 P1118/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X
L205	84 943.23	2 706 020.42	R205	87 532.11	2 702 710.52
L206	85 064.39	2 705 868.17	R206	87 726.94	2 702 473.75
L207	85 235.15	2 705 650.45	R207	88 492.10	2 701 555.34
L208	85 545.65	2 705 253.93	R208	88 663.48	2 701 388.56
L209	85 769.98	2 704 968.35	R209	88 921.27	2 701 147.73
L210	85 908.75	2 704 790.40	R210	88 992.12	2 701 039.99
L211	86 020.34	2 704 648.66	R211	89 016.17	2 700 934.81
L212	86 256.76	2 704 345.27	R212	89 016.13	2 700 893.56
L213	86 583.79	2 703 927.25	R213	89 016.11	2 700 874.98
L214	86 778.58	2 703 683.35	R214	89 006.34	2 700 811.96
L215	87 534.73	2 702 763.10	R215	88 990.63	2 700 769.10
L216	87 735.42	2 702 522.62	R216	88 968.63	2 700 734.10
L217	87 769.54	2 702 481.37	R217	88 943.66	2 700 695.83
L218	88 175.06	2 701 991.16	R218	88 916.81	2 700 656.76
L219	88 465.58	2 701 640.07	R219	88 769.35	2 700 476.19
L220	88 554.49	2 701 543.01	R220	88 623.69	2 700 297.41
L221	88 692.52	2 701 410.70	R221	88 585.38	2 700 237.91
L222	88 756.64	2 701 354.88	R222	88 378.74	2 699 834.63
L223	88 954.92	2 701 168.21	R223	88 230.86	2 699 541.19
L224	88 985.59	2 701 130.36	R224	88 184.61	2 699 443.95
L225	89 011.29	2 701 088.98	R225	88 031.11	2 699 078.05
L226	89 031.60	2 701 044.70	R226	87 848.79	2 698 631.44
L227	89 046.20	2 700 998.23	R227	87 819.72	2 698 554.89
L228	89 054.88	2 700 950.30	R228	87 800.94	2 698 511.12
L229	89 057.49	2 700 901.65	R229	87 747.66	2 698 406.92
L230	89 055.89	2 700 879.38	R230	87 640.81	2 698 195.09
L231	89 053.99	2 700 853.07	R231	87 278.97	2 697 475.48
L232	89 044.44	2 700 805.30	R232	87 166.42	2 697 252.30
L233	89 028.98	2 700 759.11	R233	87 048.18	2 697 018.00
L234	89 007.86	2 700 715.21	R234	86 799.15	2 696 519.71
L235	88 981.41	2 700 674.30	R235	86 646.91	2 696 205.47
L236	88 923.60	2 700 605.57	R236	86 479.69	2 695 863.08
L237	88 824.40	2 700 481.55	R237	86 400.36	2 695 688.20
L238	88 655.03	2 700 277.19	R238	86 319.34	2 695 479.84
L239	88 608.79	2 700 196.95	R239	86 215.11	2 695 189.67
L240	88 558.62	2 700 103.58	R240	86 201.49	2 695 159.80
L241	88 329.80	2 699 656.56	R241	86 187.81	2 695 118.47
L242	88 260.34	2 699 519.90	R242	86 030.71	2 694 700.27
L243	88 233.95	2 699 462.59	R243	86 008.19	2 694 612.97
L244	88 197.19	2 699 382.46	R244	86 005.90	2 694 547.66
L245	88 147.63	2 699 259.96	R245	86 016.35	2 694 482.09
L246	88 048.44	2 699 020.08	R246	86 032.60	2 694 433.65
L247	87 837.15	2 698 512.48	R247	86 051.46	2 694 395.01
L248	87 819.10	2 698 471.24	R248	86 077.15	2 694 356.10
L249	87 589.91	2 698 011.72	R249	86 327.22	2 694 061.94
L250	87 448.45	2 697 731.43	R250	86 562.91	2 693 784.91
L251	87 375.60	2 697 589.11	R251	86 672.48	2 693 653.83
L252	87 317.97	2 697 473.53	R252	86 732.50	2 693 595.10
L253	87 174.24	2 697 186.90	R253	86 770.87	2 693 564.82
L254	87 066.13	2 696 971.29	R254	87 156.28	2 693 280.49
L255	86 995.34	2 696 829.74	R255	87 256.12	2 693 206.61

Vel Sheet	17	Van of	18	P1118/18
--------------	----	-----------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X	
L256	86 764.48	2 696	357.57	R256	87 348.84	2 693 138.28
L257	86 614.68	2 696	039.81	R257	87 451.21	2 693 057.42
L258	86 546.37	2 695	908.53	R258	87 850.24	2 692 766.09
L259	86 495.35	2 695	803.05	R259	87 955.09	2 692 642.53
L260	86 457.06	2 695	719.11	R260	88 219.31	2 692 318.15
L261	86 418.32	2 695	627.31	R261	88 245.41	2 692 281.42
L262	86 330.38	2 695	391.43	R262	88 306.83	2 692 164.38
L263	86 244.62	2 695	168.52	R263	88 409.40	2 691 950.58
L264	86 068.31	2 694	692.27	R264	88 695.75	2 691 353.57
L265	86 045.76	2 694	608.93	R265	88 732.94	2 691 277.02
L266	86 045.25	2 694	580.99	R266	88 760.06	2 691 212.84
L267	86 046.91	2 694	530.03	R267	89 002.11	2 690 707.40
L268	86 050.91	2 694	510.53	R268	89 033.08	2 690 642.72
L269	86 073.52	2 694	435.28	R269	89 183.16	2 690 414.31
L270	86 110.69	2 694	378.05	R270	89 360.63	2 690 149.01
L271	86 235.82	2 694	224.35	R271	89 534.65	2 689 886.90
L272	86 355.85	2 694	086.49	R272	89 816.15	2 689 472.17
L273	86 687.90	2 693	695.12	R273	89 856.76	2 689 410.46
L274	86 763.31	2 693	620.93	R274	89 925.38	2 689 306.18
L275	87 182.70	2 693	308.14	R275	89 956.11	2 689 259.50
L276	87 306.19	2 693	215.60	R276	89 981.25	2 689 221.29
L277	87 448.99	2 693	110.52	R277	90 008.59	2 689 174.66
L278	87 785.81	2 692	859.25	R278	90 043.56	2 689 115.01
L279	87 879.32	2 692	786.10	R279	90 096.76	2 689 024.27
L280	88 004.31	2 692	636.58	R280	90 704.28	2 687 967.60
L281	88 257.20	2 692	328.49	R281	90 992.40	2 687 483.00
L282	88 332.81	2 692	190.36	R282	91 086.95	2 687 324.02
L283	88 550.15	2 691	739.68	R283	91 099.94	2 687 306.55
L284	88 586.45	2 691	663.67	R284	91 166.48	2 687 230.23
L285	88 601.52	2 691	632.14	R285	91 210.14	2 687 196.22
L286	88 622.37	2 691	588.47			
L287	88 734.13	2 691	345.20			
L288	89 038.12	2 690	712.42			
L289	89 065.42	2 690	655.69			
L290	89 221.84	2 690	420.21			
L291	89 402.81	2 690	151.66			
L292	89 577.27	2 689	889.57			
L293	89 850.63	2 689	474.37			
L294	89 905.84	2 689	398.35			
L295	89 977.61	2 689	299.54			
L296	90 064.70	2 689	141.08			
L297	90 115.56	2 689	054.30			
L298	90 130.68	2 689	028.50			
L299	90 737.67	2 687	987.10			
L300	90 890.48	2 687	732.33			
L301	91 036.45	2 687	482.44			
L302	91 124.77	2 687	336.48			
L303	91 152.80	2 687	298.44			
L304	91 198.79	2 687	254.11			
L305	91 223.15	2 687	232.52			
L306	91 229.81	2 687	227.25			

Vel Sheet	18	Van of	18	P1118/18
--------------	----	-----------	----	----------

DEPARTMENT OF TRANSPORT

NO. 982

5 October 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R33 SECTION 14

AMENDMENT OF DECLARATION No. 538 OF 2014.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 538 of 2014 by substituting paragraph B(III) of the Schedule, being the descriptive declaration of the route from Vaalwater up to its junction with National Road R510 Section 3 south of Lephalale, with the accompanying sheets 1 to 21 of Plan No. P1119/18.

(National Road R33 Section 14: Vaalwater – R510 Junction)


MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 982

5 Oktober 2021

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD R33 SEKSIE 14**WYSIGING VAN VERKLARING No. 538 VAN 2014.**


Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie Wet, 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 538 van 2014 deur paragraaf B(III) van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf Vaalwater tot by die aansluiting met Nasionale Pad R510 Seksie 3 suid van Lephalale, met bygaande velle 1 tot 21 van Plan No. P1119/18.


(Nasionale Pad R33 Seksie 14: Vaalwater – R510 Aansluiting)





MINISTER VAN VERVOER






































PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X	
L1	91 210.14	2 687 196.22	R1	91 166.48	2 687 230.23	
L2	91 142.32	2 686 982.20	R2	91 173.51	2 687 213.66	
L3	91 112.15	2 686 886.71	R3	91 049.91	2 686 823.00	
L4	91 055.58	2 686 707.23	R4	91 016.13	2 686 713.61	
L5	90 783.19	2 685 845.45	R5	90 973.89	2 686 582.67	
L6	90 747.25	2 685 743.80	R6	90 741.38	2 685 845.47	
L7	90 710.69	2 685 655.94	R7	90 676.17	2 685 676.68	
L8	90 669.19	2 685 571.17	R8	90 558.88	2 685 443.05	
L9	90 486.01	2 685 213.72	R9	90 552.67	2 685 423.51	
L10	89 933.14	2 684 134.87	R10	89 946.14	2 684 247.87	
L11	89 750.03	2 683 777.54	R11	89 921.95	2 684 200.71	
L12	89 715.87	2 683 710.89	R12	89 897.76	2 684 153.55	
L13	89 669.57	2 683 620.54	R13	89 781.87	2 683 926.07	
L14	89 623.79	2 683 531.21	R14	89 720.74	2 683 806.77	
L15	89 568.85	2 683 424.01	R15	89 686.11	2 683 739.20	
L16	89 144.25	2 682 595.47	R16	89 638.64	2 683 646.57	
L17	89 112.93	2 682 525.56	R17	89 592.02	2 683 555.59	
L18	89 083.75	2 682 452.08	R18	89 534.43	2 683 443.20	
L19	89 014.15	2 682 248.54	R19	89 108.69	2 682 612.40	
L20	88 972.38	2 682 121.38	R20	89 075.62	2 682 538.74	
L21	88 969.14	2 682 111.46	R21	89 046.56	2 682 464.72	
L22	88 944.32	2 682 015.19	R22	88 981.32	2 682 274.64	
L23	88 923.46	2 681 877.53	R23	88 945.52	2 682 166.97	
L24	88 920.51	2 681 840.89	R24	88 904.37	2 682 016.77	
L25	88 918.51	2 681 759.42	R25	88 886.57	2 681 904.43	
L26	88 920.37	2 681 701.12	R26	88 878.98	2 681 785.03	
L27	88 926.44	2 681 621.49	R27	88 883.05	2 681 665.82	
L28	89 015.55	2 680 505.83	R28	89 032.97	2 679 787.14	
L29	89 071.08	2 679 807.44	R29	89 070.94	2 679 311.02	
L30	89 112.48	2 679 293.37	R30	89 075.91	2 679 259.32	
L31	89 125.35	2 679 195.35	R31	89 085.89	2 679 189.81	
L32	89 144.19	2 679 099.51	R32	89 090.67	2 679 135.77	
L33	89 174.61	2 678 985.40	R33	89 106.96	2 679 085.44	
L34	89 472.45	2 678 072.14	R34	89 142.57	2 678 954.85	
L35	89 520.68	2 677 944.34	R35	89 402.75	2 678 157.95	
L36	89 550.90	2 677 872.73	R36	89 469.92	2 677 963.69	
L37	89 568.64	2 677 835.43	R37	89 493.33	2 677 891.33	
L38	90 337.92	2 676 218.81	R38	90 048.73	2 676 735.23	
L39	90 394.49	2 676 115.39	R39	90 340.31	2 676 119.88	
L40	90 457.43	2 676 019.12	R40	90 424.90	2 675 995.86	
L41	90 520.40	2 675 936.45	R41	90 489.42	2 675 911.15	
L42	90 558.63	2 675 889.65	R42	90 801.70	2 675 528.87	
L43	90 581.17	2 675 862.06	R43	90 873.95	2 675 441.24	
L44	90 833.20	2 675 553.53	R44	90 964.32	2 675 348.36	
L45	90 908.94	2 675 462.22	R45	91 041.00	2 675 287.68	
L46	90 993.36	2 675 378.87	R46	91 134.38	2 675 223.04	
L47	91 085.62	2 675 304.30	R47	91 396.04	2 675 065.58	
L48	91 159.99	2 675 255.51	R48	93 106.06	2 674 028.58	
L49	93 113.49	2 674 070.86	R49	94 300.91	2 673 293.61	
L50	94 321.86	2 673 327.68	R50	95 562.24	2 672 508.95	
L51	94 385.29	2 673 288.22	R51	95 734.79	2 672 396.70	

Vel
Sheet 15 Van
of 21

P1119/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X	
L52	95 645.67	2 672 504.16		R52	95 906.19	2 672 273.86
L53	95 757.31	2 672 429.76		R53	96 044.94	2 672 165.72
L54	95 930.18	2 672 305.86		R54	96 160.77	2 672 066.64
L55	96 059.76	2 672 205.23		R55	96 178.62	2 672 051.38
L56	96 181.53	2 672 102.43		R56	96 306.96	2 671 931.07
L57	96 305.66	2 671 988.09		R57	96 404.44	2 671 836.44
L58	96 410.18	2 671 886.62		R58	97 203.77	2 671 060.44
L59	97 231.92	2 671 088.87		R59	97 364.18	2 670 903.99
L60	97 352.91	2 670 970.85		R60	97 529.88	2 670 753.16
L61	97 391.45	2 670 933.25		R61	97 700.69	2 670 608.13
L62	97 556.27	2 670 783.23		R62	98 001.23	2 670 358.84
L63	97 726.15	2 670 638.98		R63	99 508.46	2 669 105.48
L64	99 524.57	2 669 143.56		R64	100 364.64	2 668 392.99
L65	100 390.36	2 668 423.62		R65	100 470.94	2 668 309.23
L66	100 494.47	2 668 341.58		R66	100 583.01	2 668 233.35
L67	100 604.23	2 668 267.25		R67	101 176.38	2 667 861.02
L68	101 205.61	2 667 889.91		R68	101 280.63	2 667 783.45
L69	101 221.84	2 667 877.53		R69	101 314.48	2 667 750.15
L70	101 254.18	2 667 852.89		R70	101 380.77	2 667 684.93
L71	101 356.42	2 667 792.82		R71	101 450.84	2 667 601.67
L72	101 366.29	2 667 765.82		R72	101 509.35	2 667 515.94
L73	101 381.51	2 667 740.42		R73	101 557.12	2 667 438.71
L74	101 420.88	2 667 698.43		R74	101 600.88	2 667 368.00
L75	101 485.38	2 667 620.37		R75	101 726.86	2 667 164.49
L76	101 543.91	2 667 535.05		R76	101 774.04	2 667 088.28
L77	101 590.96	2 667 459.72		R77	101 824.38	2 667 004.00
L78	101 746.16	2 667 203.74		R78	101 866.33	2 666 918.83
L79	101 873.15	2 666 995.38		R79	101 876.45	2 666 894.29
L80	101 926.70	2 666 886.09		R80	101 903.68	2 666 828.27
L81	102 049.84	2 666 479.19		R81	101 951.49	2 666 682.00
L82	103 101.00	2 662 730.34		R82	102 024.95	2 666 420.11
L83	103 129.70	2 662 617.92		R83	103 075.37	2 662 675.22
L84	103 143.99	2 662 517.95		R84	103 096.77	2 662 579.32
L85	103 149.36	2 662 419.41		R85	103 107.03	2 662 501.83
L86	103 147.08	2 662 326.56		R86	103 110.81	2 662 406.08
L87	103 082.13	2 661 951.23		R87	103 107.11	2 662 328.67
L88	103 013.73	2 661 581.05		R88	103 093.92	2 662 230.61
L89	102 933.67	2 661 145.39		R89	103 045.15	2 661 970.27
L90	102 848.42	2 660 686.40		R90	102 974.57	2 661 587.03
L91	102 804.74	2 660 498.37		R91	102 895.63	2 661 158.44
L92	102 757.82	2 660 361.91		R92	102 810.05	2 660 693.75
L93	102 577.42	2 659 839.55		R93	102 778.01	2 660 559.06
L94	102 240.80	2 658 882.69		R94	102 762.44	2 660 503.17
L95	101 988.67	2 658 169.78		R95	102 747.10	2 660 448.07
L96	101 644.67	2 657 187.58		R96	102 722.31	2 660 372.37
L97	101 581.03	2 656 992.92		R97	101 614.40	2 657 223.10
L98	101 569.60	2 656 917.15		R98	101 554.36	2 657 049.60
L99	101 568.19	2 656 840.53		R99	101 538.22	2 656 989.08
L100	101 572.40	2 656 789.91		R100	101 531.31	2 656 945.94
L101	101 594.43	2 656 682.42		R101	101 527.20	2 656 843.49
L102	101 625.32	2 656 612.14		R102	101 532.93	2 656 783.92

Vel Sheet	16	Van of	21	P1119/18
--------------	----	-----------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE

	Y	X	WG 29°
L103	101 639.92	2 656 584.22	
L104	101 911.98	2 656 156.95	
L105	102 764.75	2 654 829.18	
L106	103 203.74	2 654 226.58	
L107	103 237.51	2 654 184.13	
L108	103 963.50	2 653 194.95	
L109	104 957.49	2 651 841.15	
L110	105 024.69	2 651 754.16	

REGTERKANT/RIGHT HAND SIDE

	Y	X
R103	101 546.52	2 656 710.21
R104	101 568.05	2 656 645.02
R105	101 602.33	2 656 570.76
R106	101 634.30	2 656 518.05
R107	101 886.42	2 656 124.28
R108	102 685.77	2 654 880.25
R109	102 733.31	2 654 805.97
R110	103 181.93	2 654 193.40
R111	103 940.99	2 653 156.94
R112	103 949.71	2 653 142.17
R113	104 965.95	2 651 761.24
R114	105 008.94	2 651 712.42

Vel Sheet	17	Van of	21	P1119/18
--------------	----	-----------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 27°		Y	X	
L104	-101	591.15	2 656 154.55	R107	-101	617.25	2 656 122.17
L105	-100	757.52	2 654 814.94	R108	-100	835.76	2 654 867.12
L106	-100	327.13	2 654 206.17	R109	-100	789.28	2 654 792.17
L107	-100	293.96	2 654 163.25	R110	-100	349.40	2 654 173.30
L108	-99	582.09	2 653 163.87	R111	-99	605.14	2 653 126.18
L109	-98	607.41	2 651 796.13	R112	-99	596.62	2 653 111.30
L110	-98	541.45	2 651 708.20	R113	-98	600.08	2 651 716.11
L111	-98	465.99	2 651 624.60	R114	-98	557.79	2 651 666.68
L112	-98	383.25	2 651 544.46	R115	-98	466.60	2 651 568.52
L113	-98	297.39	2 651 473.10	R116	-98	322.55	2 651 442.85
L114	-98	162.09	2 651 383.52	R117	-98	223.87	2 651 373.17
L115	-98	059.84	2 651 324.93	R118	-98	120.87	2 651 315.45
L116	-97	899.38	2 651 256.14	R119	-98	065.06	2 651 280.19
L117	-96	160.50	2 650 632.80	R120	-97	669.47	2 651 131.38
L118	-96	036.93	2 650 582.98	R121	-96	158.97	2 650 589.56
L119	-95	927.89	2 650 528.37	R122	-96	055.68	2 650 547.71
L120	-95	834.45	2 650 471.42	R123	-95	948.98	2 650 494.79
L121	-95	724.92	2 650 393.15	R124	-95	751.65	2 650 363.93
L122	-95	635.42	2 650 317.22	R125	-95	661.70	2 650 287.34
L123	-95	547.42	2 650 228.50	R126	-95	574.84	2 650 200.37
L124	-95	468.10	2 650 136.02	R127	-95	500.07	2 650 112.30
L125	-95	404.20	2 650 047.40	R128	-95	430.99	2 650 016.41
L126	-95	331.22	2 649 926.97	R129	-95	393.29	2 649 953.89
L127	-95	271.86	2 649 807.53	R130	-95	328.42	2 649 833.68
L128	-95	248.30	2 649 750.27	R131	-95	288.49	2 649 750.65
L129	-95	226.91	2 649 690.45	R132	-95	247.15	2 649 626.11
L130	-95	192.61	2 649 577.34	R133	-95	217.69	2 649 511.75
L131	-95	166.98	2 649 462.31	R134	-95	197.20	2 649 393.87
L132	-95	154.07	2 649 362.92	R135	-95	185.29	2 649 248.61
L133	-95	145.21	2 649 243.90	R136	-95	180.95	2 649 125.59
L134	-95	141.26	2 649 125.81	R137	-95	150.77	2 648 197.30
L135	-95	110.27	2 648 200.18	R138	-95	104.84	2 646 832.41
L136	-95	070.58	2 647 014.85	R139	-95	074.78	2 646 560.51
L137	-95	061.54	2 646 837.47	R140	-95	047.56	2 646 367.26
L138	-95	050.94	2 646 702.57	R141	-95	011.40	2 646 170.36
L139	-95	035.87	2 646 565.54	R142	-94	972.46	2 645 995.88
L140	-95	008.32	2 646 370.65	R143	-94	914.39	2 645 775.50
L141	-94	972.82	2 646 178.02	R144	-94	880.04	2 645 656.95
L142	-94	934.77	2 646 006.57	R145	-94	839.00	2 645 534.20
L143	-94	877.54	2 645 790.04	R146	-94	795.27	2 645 411.53
L144	-94	846.22	2 645 685.94	R147	-94	757.53	2 645 311.15
L145	-94	796.58	2 645 534.66	R148	-94	624.39	2 645 005.03
L146	-94	722.07	2 645 325.63	R149	-94	414.81	2 644 604.14
L147	-94	667.67	2 645 200.12	R150	-94	371.02	2 644 536.88
L148	-94	618.05	2 645 093.35	R151	-94	348.05	2 644 508.43
L149	-94	564.54	2 644 983.89	R152	-94	300.95	2 644 432.07
L150	-94	459.24	2 644 777.62	R153	-94	277.33	2 644 397.18
L151	-94	416.05	2 644 688.52	R154	-94	197.30	2 644 281.55
L152	-94	315.15	2 644 522.06	R155	-93	733.35	2 643 607.44
L153	-94	278.92	2 644 473.20	R156	-93	604.53	2 643 426.45
L154	-94	129.41	2 644 252.71	R157	-93	540.44	2 643 339.00

Vel Sheet	18	Van of	21	P1119/18
--------------	----	-----------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE	
	Y	X	WG 27°	Y	X
L155	-93 995.22	2 644 058.25	R158	-93 340.85	2 643 074.26
L156	-93 579.20	2 643 460.79	R159	-92 951.07	2 642 551.88
L157	-93 141.84	2 642 873.58	R160	-92 874.45	2 642 426.24
L158	-92 968.37	2 642 644.45	R161	-92 835.67	2 642 376.25
L159	-92 828.62	2 642 493.68	R162	-92 653.41	2 642 028.01
L160	-92 745.88	2 642 318.20	R163	-92 307.60	2 641 363.16
L161	-92 695.67	2 642 199.36	R164	-92 282.07	2 641 292.37
L162	-92 260.93	2 641 363.94	R165	-92 258.16	2 641 216.25
L163	-92 230.56	2 641 272.11	R166	-92 211.10	2 640 912.89
L164	-92 212.81	2 641 194.00	R167	-92 182.76	2 640 808.79
L165	-92 203.83	2 641 154.49	R168	-92 096.93	2 640 628.67
L166	-92 177.99	2 640 971.03	R169	-92 021.83	2 640 513.52
L167	-92 157.65	2 640 883.59	R170	-91 995.37	2 640 462.16
L168	-92 138.81	2 640 829.94	R171	-91 765.84	2 640 039.71
L169	-92 127.90	2 640 798.89	R172	-91 490.94	2 639 539.46
L170	-92 089.10	2 640 717.94	R173	-91 418.15	2 639 407.10
L171	-91 999.64	2 640 561.76	R174	-91 300.18	2 639 239.73
L172	-91 966.38	2 640 508.47	R175	-90 582.10	2 638 440.30
L173	-91 869.06	2 640 317.83	R176	-90 480.29	2 638 311.18
L174	-91 710.70	2 640 027.22	R177	-90 260.39	2 637 883.14
L175	-91 657.17	2 639 938.00	R178	-90 184.04	2 637 782.83
L176	-91 639.16	2 639 895.38	R179	-90 124.97	2 637 722.38
L177	-91 427.25	2 639 506.60	R180	-90 040.06	2 637 645.46
L178	-91 373.00	2 639 414.26	R181	-89 972.10	2 637 595.47
L179	-91 312.13	2 639 326.11	R182	-89 770.42	2 637 434.34
L180	-91 246.57	2 639 241.39	R183	-89 742.25	2 637 412.10
L181	-91 175.25	2 639 161.50	R184	-89 653.67	2 637 331.87
L182	-90 542.34	2 638 458.06	R185	-89 614.45	2 637 288.23
L183	-90 504.95	2 638 413.94	R186	-89 478.88	2 637 091.24
L184	-90 437.05	2 638 317.77	R187	-89 462.39	2 637 007.88
L185	-90 426.31	2 638 299.54	R188	-89 377.17	2 636 754.36
L186	-90 292.91	2 638 035.01	R189	-89 357.19	2 636 626.07
L187	-90 227.85	2 637 922.02	R190	-89 321.88	2 636 522.35
L188	-90 156.66	2 637 822.41	R191	-89 273.45	2 636 359.33
L189	-90 110.27	2 637 789.03	R192	-89 226.38	2 636 236.41
L190	-90 054.85	2 637 738.15	R193	-89 167.90	2 636 127.72
L191	-89 957.90	2 637 660.13	R194	-89 061.04	2 635 965.08
L192	-89 588.69	2 637 348.17	R195	-89 008.23	2 635 868.98
L193	-89 560.44	2 637 308.58	R196	-88 973.61	2 635 821.12
L194	-89 538.92	2 637 274.00	R197	-88 777.21	2 635 514.71
L195	-89 521.81	2 637 260.22	R198	-88 713.97	2 635 425.41
L196	-89 494.25	2 637 216.86	R199	-88 694.06	2 635 385.50
L197	-89 451.50	2 637 133.71	R200	-88 680.04	2 635 395.75
L198	-89 400.88	2 637 045.46	R201	-88 616.98	2 635 337.69
L199	-89 384.63	2 636 962.29	R202	-88 547.31	2 635 296.52
L200	-89 359.00	2 636 879.76	R203	-88 475.93	2 635 259.24
L201	-89 333.58	2 636 777.86	R204	-88 400.86	2 635 230.10
L202	-89 316.44	2 636 724.82	R205	-88 323.02	2 635 209.46
L203	-89 305.66	2 636 682.59	R206	-88 243.36	2 635 197.73
L204	-89 283.41	2 636 548.54	R207	-88 085.41	2 635 184.95
L205	-89 212.35	2 636 309.92	R208	-88 010.83	2 635 172.61

Vel Sheet	19	Van of	21	P1119/18
--------------	----	-----------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°	Y	X
L206	-89 115.60	2 636 137.33	R209	-87 974.18	2 635 163.48
L207	-89 030.43	2 635 995.83	R210	-87 887.89	2 635 135.36
L208	-88 983.54	2 635 933.64	R211	-87 759.74	2 635 086.74
L209	-88 808.38	2 635 642.51	R212	-87 697.24	2 635 066.90
L210	-88 723.71	2 635 511.27	R213	-87 635.83	2 635 056.02
L211	-88 647.74	2 635 419.34	R214	-87 606.23	2 635 052.57
L212	-88 561.67	2 635 350.85	R215	-87 534.60	2 635 055.71
L213	-88 423.21	2 635 279.55	R216	-87 450.04	2 635 072.59
L214	-88 330.26	2 635 253.25	R217	-87 303.63	2 635 124.54
L215	-88 102.56	2 635 226.74	R218	-87 231.21	2 635 139.56
L216	-87 985.03	2 635 207.82	R219	-87 160.49	2 635 141.72
L217	-87 943.89	2 635 196.06	R220	-87 062.57	2 635 120.71
L218	-87 908.29	2 635 184.54	R221	-86 985.39	2 635 091.58
L219	-87 798.11	2 635 141.78	R222	-86 730.46	2 634 960.26
L220	-87 669.48	2 635 095.60	R223	-86 565.14	2 634 871.15
L221	-87 556.17	2 635 090.96	R224	-86 496.78	2 634 832.46
L222	-87 464.98	2 635 108.93	R225	-86 431.61	2 634 784.19
L223	-87 301.32	2 635 169.69	R226	-86 375.75	2 634 730.42
L224	-87 169.96	2 635 184.13	R227	-86 329.13	2 634 672.83
L225	-87 109.31	2 635 178.35	R228	-86 289.90	2 634 608.11
L226	-87 064.20	2 635 167.84	R229	-86 258.41	2 634 537.32
L227	-87 019.16	2 635 155.92	R230	-86 238.51	2 634 467.08
L228	-86 919.89	2 635 105.86	R231	-86 232.70	2 634 429.23
L229	-86 601.77	2 634 935.33	R232	-86 195.21	2 634 198.21
L230	-86 459.23	2 634 854.18	R233	-86 150.95	2 633 978.63
L231	-86 391.91	2 634 802.52	R234	-86 095.35	2 633 870.78
L232	-86 307.63	2 634 711.53	R235	-86 083.81	2 633 850.44
L233	-86 258.24	2 634 629.35	R236	-86 040.76	2 633 803.44
L234	-86 219.84	2 634 549.49	R237	-85 933.48	2 633 702.72
L235	-86 195.20	2 634 444.15	R238	-85 808.40	2 633 604.30
L236	-86 154.76	2 634 203.63	R239	-85 712.47	2 633 510.71
L237	-86 111.11	2 634 000.66	R240	-85 650.39	2 633 419.50
L238	-86 076.64	2 633 926.39	R241	-85 619.02	2 633 350.94
L239	-86 004.85	2 633 822.65	R242	-85 580.53	2 633 242.49
L240	-85 980.57	2 633 798.23	R243	-85 550.61	2 633 158.21
L241	-85 936.83	2 633 762.42	R244	-85 458.66	2 632 886.79
L242	-85 748.03	2 633 608.58	R245	-85 431.37	2 632 815.10
L243	-85 681.09	2 633 538.04	R246	-85 400.14	2 632 746.31
L244	-85 612.92	2 633 433.81	R247	-85 305.17	2 632 605.33
L245	-85 544.13	2 633 292.79	R248	-85 214.00	2 632 497.34
L246	-85 528.68	2 633 256.54	R249	-83 956.82	2 631 150.55
L247	-85 514.41	2 633 170.73	R250	-83 827.43	2 631 027.27
L248	-85 431.19	2 632 938.89	R251	-83 680.66	2 630 898.35
L249	-85 412.96	2 632 884.89	R252	-83 526.74	2 630 773.12
L250	-85 369.83	2 632 780.16	R253	-83 368.24	2 630 653.58
L251	-85 287.90	2 632 647.58	R254	-83 306.75	2 630 608.06
L252	-85 184.67	2 632 526.67	R255	-82 746.90	2 630 236.90
L253	-84 092.45	2 631 348.22	R256	-82 194.16	2 629 866.06
L254	-83 929.74	2 631 179.54	R257	-81 636.68	2 629 499.92
L255	-83 800.32	2 631 055.62	R258	-81 512.17	2 629 410.59
L256	-83 654.24	2 630 927.39	R259	-81 422.25	2 629 337.16

Vel Sheet	20	Van of	21	P1119/18
--------------	----	-----------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°	Y	X
L257	-83 502.30	2 630 803.02	R260	-81 339.91	2 629 258.50
L258	-83 346.11	2 630 685.93	R261	-81 285.95	2 629 202.82
L259	-83 184.53	2 630 574.92	R262	-81 200.70	2 629 095.54
L260	-82 260.64	2 629 957.20	R263	-81 152.15	2 629 038.52
L261	-81 797.60	2 629 651.86	R264	-81 098.54	2 628 959.16
L262	-81 765.77	2 629 635.77	R265	-81 051.19	2 628 876.03
L263	-81 744.73	2 629 623.17	R266	-81 000.19	2 628 773.31
L264	-81 723.45	2 629 603.21	R267	-80 962.40	2 628 684.34
L265	-81 599.14	2 629 521.31	R268	-80 918.55	2 628 557.10
L266	-81 488.83	2 629 440.54	R269	-80 674.78	2 627 783.44
L267	-81 397.86	2 629 366.50	R270	-80 607.65	2 627 570.39
L268	-81 297.77	2 629 272.90	R271	-79 674.29	2 624 608.15
L269	-81 217.97	2 629 185.94	R272	-79 406.64	2 623 758.86
L270	-81 143.99	2 629 092.12	R273	-79 238.60	2 623 227.17
L271	-81 076.66	2 628 995.69	R274	-78 843.19	2 621 974.09
L272	-81 017.38	2 628 894.79	R275	-78 802.31	2 621 871.56
L273	-80 964.90	2 628 789.58	R276	-78 756.58	2 621 773.13
L274	-80 918.90	2 628 679.95	R277	-78 700.76	2 621 676.97
L275	-80 881.07	2 628 569.35	R278	-78 647.06	2 621 595.30
L276	-80 602.02	2 627 683.70	R279	-78 591.96	2 621 521.11
L277	-80 568.55	2 627 577.49	R280	-78 530.71	2 621 448.95
L278	-79 629.43	2 624 596.98	R281	-78 457.07	2 621 373.96
L279	-79 393.95	2 623 851.34	R282	-78 373.27	2 621 301.09
L280	-79 204.76	2 623 249.43	R283	-78 309.88	2 621 251.97
L281	-78 915.97	2 622 332.60	R284	-78 178.93	2 621 164.78
L282	-78 820.35	2 622 036.58	R285	-78 018.25	2 621 085.16
L283	-78 789.17	2 621 947.40	R286	-77 834.55	2 621 012.16
L284	-78 749.88	2 621 854.05	R287	-77 646.11	2 620 972.11
L285	-78 705.97	2 621 766.31	R288	-77 473.59	2 620 955.04
L286	-78 645.91	2 621 665.71	R289	-77 459.05	2 620 953.60
L287	-78 589.04	2 621 585.25	R290	-77 039.55	2 620 923.29
L288	-78 509.82	2 621 483.82	R291	-76 745.67	2 620 902.05
L289	-78 435.78	2 621 406.98	R292	-76 705.90	2 620 884.57
L290	-78 366.06	2 621 343.80	R293	-76 679.87	2 620 884.01
L291	-78 273.77	2 621 270.69	R294	-76 629.58	2 620 893.84
L292	-78 185.75	2 621 213.70	R295	-76 042.78	2 620 851.69
L293	-78 087.19	2 621 160.28	R296	-76 001.80	2 620 848.48
L294	-77 982.54	2 621 110.12	R297	-75 667.76	2 620 824.07
L295	-77 856.69	2 621 062.46	R298	-75 641.17	2 620 812.53
L296	-77 743.44	2 621 032.27			
L297	-77 627.22	2 621 010.31			
L298	-77 511.23	2 620 997.15			
L299	-77 423.54	2 620 990.78			
L300	-76 735.61	2 620 940.81			
L301	-76 699.80	2 620 945.86			
L302	-76 684.94	2 620 950.90			
L303	-76 659.99	2 620 950.15			
L304	-76 615.57	2 620 932.38			
L305	-76 053.66	2 620 893.42			
L306	-75 825.48	2 620 875.43			
L307	-75 637.92	2 620 862.24			

Vel Sheet	21	Van of	21	P1119/18
--------------	----	-----------	----	----------

DEPARTMENT OF TRANSPORT**NO. 983****5 October 2021****THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED****Registration No: 1998/009584/30**

DECLARATION AMENDMENT OF NATIONAL ROAD R40 SECTION 6**AMENDMENT OF DECLARATION No. 1229 OF 2004.**

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 1229 of 2004 by substituting paragraph (IX) of the Schedule, being the descriptive declaration of the route from Hoedspruit up to its junction with National Road R526 Section 2, with the accompanying sheets 1 to 11 of Plan No. P1106/18.

(National Road R40 Section 6: Hoedspruit – R526)

**MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER

NO. 983

5 Oktober 2021


**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD R40 SEKSIE 6**WYSIGING VAN VERKLARING No. 1229 VAN 2004.**

Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 1229 van 2004 deur paragraaf (IX) van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf Hoespruit tot by die aansluiting met Nasionale Pad R526 Seksie 2, met bygaande velle 1 tot 11 van Plan No. P1106/18.

(Nasionale Pad R40 Seksie 6: Hoedspruit – R526)
MINISTER VAN VERVOER





CONTINUES ON PAGE 130 OF BOOK 2

Printed by and obtainable from the Government Printer, Bosman Street, Private Bag X85, Pretoria, 0001
Contact Centre Tel: 012-748 6200. eMail: info.egazette@gpw.gov.za
Publications: Tel: (012) 748 6053, 748 6061, 748 6065



Government Gazette Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID AFRIKA

Vol. 676

5 October
Oktober 2021

No. 45251

PART 2 OF 2



N.B. The Government Printing Works will
not be held responsible for the quality of
“Hard Copies” or “Electronic Files”
submitted for publication purposes


ISSN 1682-5845





9 771682 584003




AIDS HELPLINE: 0800-0123-22 Prevention is the cure











Die Suid Afrikaanse Nasionale Padagentskap NSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	Vel Sheet 6 van 11 Plan P1106/18
stel die padreservé voor van 'n geddeleerde represents the road reserve of a portion van Nasionale Roete of National Route	[Dotted pattern box]	R40 Seksie Section 6





PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 31°		Y	X	
L1	4 618.73	2 693 978.39	R1	4 600.99	2 693 966.00		
L2	4 632.50	2 693 988.02	R2	4 592.79	2 693 960.26		
L3	4 767.89	2 694 082.17	R3	4 582.88	2 693 953.38		
L4	4 865.55	2 694 000.67	R4	4 511.55	2 693 903.58		
L5	4 925.85	2 693 908.94	R5	4 489.81	2 693 888.37		
L6	4 970.76	2 693 829.77	R6	4 496.75	2 693 863.17		
L7	4 972.28	2 693 729.02	R7	4 484.83	2 693 832.11		
L8	4 940.51	2 693 642.94	R8	4 509.13	2 693 805.55		
L9	4 954.29	2 693 622.32	R9	4 536.98	2 693 811.21		
L10	5 007.80	2 693 563.51	R10	4 540.66	2 693 811.96		
L11	5 083.06	2 693 465.02	R11	4 557.24	2 693 797.35		
L12	5 115.08	2 693 411.16	R12	4 573.90	2 693 785.94		
L13	5 164.94	2 693 296.80	R13	4 591.79	2 693 776.80		
L14	5 190.41	2 693 205.91	R14	4 610.32	2 693 769.94		
L15	5 208.70	2 693 067.78	R15	4 625.75	2 693 766.03		
L16	5 214.24	2 693 011.51	R16	4 658.70	2 693 760.61		
L17	5 241.17	2 692 873.70	R17	4 700.36	2 693 755.52		
L18	5 283.36	2 692 768.87	R18	4 724.57	2 693 750.54		
L19	5 304.70	2 692 734.35	R19	4 748.31	2 693 742.86		
L20	5 375.04	2 692 637.86	R20	4 765.45	2 693 735.48		
L21	6 102.52	2 691 685.10	R21	4 783.29	2 693 726.15		
L22	6 148.43	2 691 631.15	R22	4 797.45	2 693 717.08		
L23	6 210.88	2 691 567.49	R23	4 816.04	2 693 702.99		
L24	6 481.34	2 691 370.62	R24	4 919.35	2 693 603.25		
L25	6 527.51	2 691 328.25	R25	4 942.27	2 693 578.20		
L26	6 568.28	2 691 279.37	R26	4 979.77	2 693 537.21		
L27	7 249.31	2 690 240.27	R27	5 039.30	2 693 460.70		
L28	7 479.16	2 689 888.00	R28	5 087.72	2 693 377.49		
L29	7 653.51	2 689 622.05	R29	5 127.48	2 693 285.40		
L30	7 801.79	2 689 396.43	R30	5 154.44	2 693 191.95		
L31	7 932.42	2 689 197.48	R31	5 169.47	2 693 076.29		
L32	8 011.46	2 689 075.73	R32	5 175.99	2 693 021.18		
L33	8 204.71	2 688 780.60	R33	5 201.81	2 692 866.82		
L34	8 363.83	2 688 538.12	R34	5 236.98	2 692 779.79		
L35	8 561.11	2 688 237.01	R35	5 246.58	2 692 761.84		
L36	8 848.91	2 687 795.53	R36	5 264.71	2 692 728.19		
L37	9 363.09	2 686 995.51	R37	6 101.55	2 691 624.86		
L38	9 691.92	2 686 482.91	R38	6 164.73	2 691 558.26		
L39	10 157.81	2 685 758.91	R39	6 211.18	2 691 519.80		
L40	10 184.62	2 685 716.69	R40	6 390.78	2 691 394.95		
L41	10 750.18	2 684 835.47	R41	6 455.44	2 691 342.28		
L42	12 172.49	2 682 619.45	R42	6 486.51	2 691 315.57		
L43	13 594.46	2 680 408.62	R43	6 537.74	2 691 256.53		
L44	13 756.45	2 680 159.86	R44	7 210.57	2 690 230.17		
L45	14 029.38	2 679 732.76	R45	7 250.39	2 690 168.78		
L46	14 178.95	2 679 500.71	R46	10 145.72	2 685 706.43		
L47	14 216.01	2 679 442.83	R47	10 223.22	2 685 585.65		
L48	14 310.93	2 679 347.76	R48	12 131.48	2 682 612.26		
L49	14 498.82	2 679 235.65	R49	12 249.51	2 682 439.29		
L50	14 609.57	2 679 192.57	R50	13 554.97	2 680 405.09		
L51	15 780.75	2 678 884.57	R51	13 579.42	2 680 366.14		

Vel
Sheet 9
of 11

P1106/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 31°		Y	X	
L52	15 944.34	2 678 819.37	R52	13 727.88	2 680 130.18		
L53	16 100.47	2 678 716.20	R53	13 997.42	2 679 709.55		
L54	17 418.31	2 677 586.49	R54	14 157.59	2 679 465.13		
L55	17 828.42	2 677 228.73	R55	14 194.55	2 679 409.98		
L56	17 891.02	2 677 173.34	R56	14 276.43	2 679 335.59		
L57	17 982.33	2 677 050.26	R57	14 326.16	2 679 290.20		
L58	18 050.84	2 676 932.66	R58	14 486.22	2 679 198.76		
L59	18 101.93	2 676 792.80	R59	14 602.95	2 679 155.27		
L60	18 123.71	2 676 628.30	R60	14 849.95	2 679 092.12		
L61	18 125.86	2 676 494.50	R61	15 767.02	2 678 850.00		
L62	18 089.35	2 676 310.12	R62	15 927.66	2 678 786.43		
L63	18 012.06	2 676 139.89	R63	16 075.37	2 678 689.02		
L64	17 969.21	2 676 081.05	R64	17 393.10	2 677 558.25		
L65	17 929.82	2 676 028.73	R65	17 805.15	2 677 200.50		
L66	17 858.46	2 675 948.90	R66	17 865.31	2 677 147.22		
L67	17 716.90	2 675 773.07	R67	17 954.53	2 677 035.78		
L68	17 634.43	2 675 670.63	R68	18 024.36	2 676 902.57		
L69	17 581.93	2 675 610.25	R69	18 064.86	2 676 780.72		
L70	17 488.46	2 675 497.95	R70	18 090.88	2 676 586.65		
L71	17 405.80	2 675 413.55	R71	18 081.81	2 676 464.27		
L72	17 276.43	2 675 319.46	R72	18 053.18	2 676 327.13		
L73	17 131.36	2 675 225.08	R73	17 989.75	2 676 172.04		
L74	17 083.48	2 675 186.24	R74	17 939.97	2 676 099.88		
L75	17 003.32	2 675 093.43	R75	17 901.53	2 676 044.74		
L76	16 967.44	2 675 006.84	R76	17 813.52	2 675 938.48		
L77	16 945.84	2 674 914.43	R77	17 673.56	2 675 777.64		
L78	16 941.70	2 674 834.42	R78	17 550.80	2 675 636.58		
L79	16 971.63	2 674 701.90	R79	17 522.64	2 675 602.98		
L80	16 994.12	2 674 650.06	R80	17 457.13	2 675 524.83		
L81	17 275.42	2 674 035.40	R81	17 383.22	2 675 446.74		
L82	17 302.87	2 673 886.09	R82	17 255.12	2 675 350.97		
L83	17 270.73	2 673 736.17	R83	17 107.54	2 675 254.03		
L84	17 188.90	2 673 620.96	R84	17 053.65	2 675 209.81		
L85	17 155.63	2 673 587.55	R85	16 976.47	2 675 114.55		
L86	17 118.20	2 673 549.98	R86	16 926.79	2 675 021.24		
L87	17 030.37	2 673 461.81	R87	16 905.99	2 674 920.52		
L88	16 990.83	2 673 393.14	R88	16 902.19	2 674 826.13		
L89	16 947.02	2 673 318.00	R89	16 933.37	2 674 698.48		
L90	16 939.04	2 673 150.59	R90	16 964.62	2 674 624.08		
L91	16 981.15	2 673 037.54	R91	17 138.15	2 674 247.95		
L92	16 999.51	2 672 996.37	R92	17 214.67	2 674 079.61		
L93	17 026.06	2 672 935.20	R93	17 256.11	2 673 968.24		
L94	17 027.68	2 672 933.05	R94	17 264.38	2 673 880.80		
L95	17 073.82	2 672 871.74	R95	17 251.90	2 673 799.30		
L96	17 074.00	2 672 811.42	R96	17 215.94	2 673 717.12		
L97	17 076.24	2 672 797.51	R97	17 114.57	2 673 602.29		
L98	17 090.33	2 672 710.18	R98	16 946.49	2 673 427.54		
L99	17 085.27	2 672 635.79	R99	16 890.69	2 673 264.78		
L100	17 051.78	2 672 536.61	R100	16 886.74	2 673 205.67		
L101	17 008.75	2 672 468.00	R101	16 925.74	2 673 036.15		
L102	16 773.49	2 672 247.01	R102	16 976.63	2 672 957.78		

Vel Sheet	10	Van of	11
--------------	----	-----------	----

P1106/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE	
	Y	X	WG 31°	Y	X
L103	16 726.61	2 672 177.12	R103	16 999.86	2 672 909.68
L104	16 416.51	2 671 617.49	R104	17 024.10	2 672 859.69
L105	16 063.34	2 671 123.41	R105	17 034.40	2 672 826.86
L106	15 996.46	2 670 967.78	R106	17 044.27	2 672 795.38
L107	15 981.21	2 670 776.65	R107	17 048.06	2 672 724.16
L108	15 984.74	2 670 625.64	R108	17 029.38	2 672 577.02
L109	15 986.50	2 670 552.00	R109	16 978.86	2 672 490.08
L110	15 992.55	2 670 276.15	R110	16 812.82	2 672 335.97
L111	16 005.15	2 669 677.05	R111	16 728.19	2 672 248.60
L112	15 903.90	2 669 000.15	R112	16 526.37	2 671 894.64
L113	15 890.02	2 668 907.54	R113	16 406.96	2 671 679.96
L114	15 800.71	2 668 717.51	R114	16 029.35	2 671 147.05
L115	15 711.28	2 668 623.14	R115	15 955.76	2 670 975.46
L116	15 631.95	2 668 561.50	R116	15 948.72	2 670 943.59
L117	15 573.03	2 668 515.72	R117	15 943.04	2 670 624.55
			R118	15 944.46	2 670 557.52
			R119	15 950.62	2 670 267.91
			R120	15 960.28	2 669 827.45
			R121	15 959.36	2 669 724.87
			R122	15 948.24	2 669 603.04
			R123	15 908.86	2 669 322.35
			R124	15 851.68	2 668 935.50
			R125	15 825.47	2 668 857.85
			R126	15 789.32	2 668 784.45
			R127	15 749.45	2 668 725.17
			R128	15 689.04	2 668 655.83
			R129	15 547.11	2 668 545.06

Vel 11 Van 11 P1106/18
Sheet of

DEPARTMENT OF TRANSPORT

NO. 984

5 October 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**


Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R36 SECTION 9

AMENDMENT OF DECLARATION No. 801 OF 2008.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 801 of 2008 by substituting it in its entirety with the accompanying sheets 1 to 5 of Plan No. P1019/17.

(National Road R36 Section 9: Morebeng – Bandelierskop)


MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER**NO. 984****5 Oktober 2021****DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD R36 SEKSIE 9

WYSIGING VAN VERKLARING No. 801 VAN 2008.

Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 801 van 2008 deur dit in sy geheel te vervang met bygaande velle 1 tot 5 van Plan No. P1019/17.


(Nasionale Pad R36 Seksie 9: Morebeng – Bandelierskop)



MINISTER VAN VERVOER



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown





PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 29°		Y	X	
L1	-92 766.72	2 596 248.94		R1	-92 854.46	2 596 195.10	
L2	-92 718.88	2 596 244.57		R2	-92 873.52	2 596 151.37	
L3	-92 648.98	2 596 259.81		R3	-92 890.34	2 596 132.09	
L4	-92 525.96	2 596 268.76		R4	-92 865.97	2 596 103.11	
L5	-92 545.65	2 596 234.93		R5	-92 821.44	2 596 130.30	
L6	-92 622.98	2 596 228.81		R6	-92 803.26	2 596 128.14	
L7	-92 693.69	2 596 213.23		R7	-92 767.29	2 596 091.05	
L8	-92 734.46	2 596 188.86		R8	-92 683.83	2 595 946.19	
L9	-92 742.33	2 596 171.88		R9	-92 476.79	2 595 540.39	
L10	-92 734.84	2 596 125.06		R10	-92 202.76	2 595 003.16	
L11	-92 682.53	2 596 022.70		R11	-92 172.52	2 594 943.87	
L12	-92 445.85	2 595 559.62		R12	-91 990.68	2 594 585.93	
L13	-92 184.49	2 595 046.86		R13	-91 903.67	2 594 415.12	
L14	-92 140.31	2 594 960.17		R14	-91 737.81	2 594 079.45	
L15	-91 946.02	2 594 579.65		R15	-91 616.11	2 593 851.52	
L16	-91 700.97	2 594 098.96		R16	-91 433.69	2 593 499.39	
L17	-91 585.18	2 593 871.24		R17	-91 397.79	2 593 447.42	
L18	-91 449.24	2 593 604.09		R18	-91 236.70	2 593 241.47	
L19	-91 400.70	2 593 516.00		R19	-91 083.90	2 593 049.69	
L20	-91 341.52	2 593 434.11		R20	-90 942.04	2 592 869.03	
L21	-91 217.18	2 593 276.64		R21	-90 749.62	2 592 623.98	
L22	-91 030.85	2 593 039.44		R22	-90 505.91	2 592 313.10	
L23	-90 902.41	2 592 875.35		R23	-90 255.47	2 591 994.49	
L24	-89 516.44	2 591 113.65		R24	-89 911.26	2 591 556.33	
L25	-89 460.54	2 591 056.51		R25	-89 700.92	2 591 288.90	
L26	-89 431.00	2 591 015.70		R26	-89 677.80	2 591 256.01	
L27	-89 374.94	2 590 961.32		R27	-89 716.21	2 591 244.27	
L28	-88 988.96	2 590 591.90		R28	-89 710.05	2 591 222.14	
L29	-88 844.84	2 590 453.86		R29	-89 659.52	2 591 236.42	
L30	-88 432.51	2 590 059.69		R30	-89 483.66	2 591 020.22	
L31	-87 978.84	2 589 625.53		R31	-89 388.03	2 590 923.52	
L32	-87 637.72	2 589 299.07		R32	-88 877.51	2 590 435.25	
L33	-87 478.77	2 589 147.54		R33	-88 456.33	2 590 031.50	
L34	-87 330.32	2 589 004.92		R34	-87 729.40	2 589 336.58	
L35	-87 041.08	2 588 727.91		R35	-87 534.06	2 589 149.89	
L36	-86 654.98	2 588 359.09		R36	-87 358.95	2 588 982.44	
L37	-86 498.40	2 588 209.26		R37	-87 063.51	2 588 698.99	
L38	-86 422.44	2 588 147.79		R38	-86 676.14	2 588 328.42	
L39	-86 065.73	2 587 910.79		R39	-86 529.74	2 588 188.51	
L40	-85 568.89	2 587 580.11		R40	-86 485.36	2 588 146.65	
L41	-85 076.41	2 587 252.31		R41	-86 258.28	2 587 994.85	
L42	-84 725.99	2 587 019.15		R42	-86 091.54	2 587 884.22	
L43	-84 387.44	2 586 793.86		R43	-85 833.31	2 587 712.84	
L44	-84 040.99	2 586 563.20		R44	-85 480.15	2 587 477.35	
L45	-83 621.02	2 586 284.10		R45	-85 103.80	2 587 226.68	
L46	-83 210.30	2 586 010.85		R46	-85 075.93	2 587 208.48	
L47	-82 987.61	2 585 862.70		R47	-84 752.70	2 586 993.36	
L48	-82 670.04	2 585 651.24		R48	-84 402.68	2 586 760.52	
L49	-82 338.98	2 585 431.14		R49	-84 058.82	2 586 539.93	
L50	-82 181.90	2 585 326.63		R50	-83 561.72	2 586 200.11	
L51	-81 765.00	2 585 049.13		R51	-83 227.40	2 585 978.55	

Vel Sheet	4	Van of	P1019/17
--------------	---	-----------	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES							
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 29°	Y	X		
L52	-81 611.73	2 584	949.35	R52	-83 015.65	2 585	837.73
L53	-81 481.23	2 584	881.00	R53	-82 696.56	2 585	625.27
L54	-81 308.62	2 584	820.51	R54	-82 380.61	2 585	414.86
L55	-80 971.86	2 584	701.79	R55	-82 207.77	2 585	300.32
L56	-80 523.70	2 584	544.12	R56	-81 791.74	2 585	023.30
L57	-80 254.41	2 584	449.54	R57	-81 596.23	2 584	894.96
				R58	-81 504.72	2 584	851.43
				R59	-81 308.19	2 584	781.41
				R60	-81 013.04	2 584	676.78
				R61	-80 520.36	2 584	503.39
				R62	-80 271.16	2 584	416.34

Vel Sheet	5	Van of	5	P1019/17
--------------	---	-----------	---	----------

DEPARTMENT OF TRANSPORT

NO. 985


5 October 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R37 SECTION 1**AMENDMENT OF DECLARATION NO'S. 619 OF 2006 AND 776 OF 2007.**

By virtue of section 40(1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend (I) Declaration No. 619 of 2006 by substituting it in its entirety, and (II) Declaration No. 776 of 2007 by substituting it in its entirety, by substituting all sheets of their respective Plans with the accompanying sheets 1 to 32 of Plan No. P1107/18.

(National Road R37 Section 1: Polokwane – Burgersfort)



MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 985

5 Oktober 2021

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD R37 SEKSIE 1


WYSIGING VAN VERKLARING NO'S. 619 VAN 2006 EN 776 VAN 2007.


Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No.7 van 1998), wysig ek hiermee (**I**) Verklaring No. 619 van 2006 deur dit in sy geheel te vervang, en (**II**) Verklaring No. 776 van 2007 deur dit in sy geheel te vervang, deur alle velle van hulle respektiewelike Planne te vervang met meegaande velle 1 tot 32 van Plan No. P1107/18.


(Nasionale Pad R37 Seksie 1: Polokwane – Burgersfort)


MINISTER VAN VERVOER























































Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon
The figure shown





Vel Sheet 19 of 32
Plan P1107/18











Die Suid Afrikaanse Nasionale Padagentskap NSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown

stel die padreservé voor van 'n gedeelte
represents the road reserve of a portion

van Nasionale Roete
of National Route

R37

Seksie
Section

1

Vel Sheet 24 van 32
Plan P1107/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES							
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 29°	Y	X		
L1	-45 776.48	2 649	291.64	R1	-45 713.15	2 649	301.58
L2	-46 013.16	2 650	692.64	R2	-45 882.38	2 650	319.46
L3	-46 060.15	2 650	886.06	R3	-45 919.46	2 650	535.41
L4	-46 183.29	2 651	326.98	R4	-45 952.72	2 650	709.60
L5	-46 215.19	2 651	440.91	R5	-45 979.10	2 650	815.81
L6	-46 241.99	2 651	536.66	R6	-46 002.73	2 650	908.33
L7	-46 286.67	2 651	696.23	R7	-46 124.09	2 651	344.23
L8	-46 350.89	2 651	925.80	R8	-46 205.51	2 651	635.02
L9	-46 403.89	2 652	112.91	R9	-46 264.24	2 651	844.75
L10	-46 448.80	2 652	273.56	R10	-46 302.24	2 651	980.41
L11	-46 492.13	2 652	437.15	R11	-46 313.23	2 652	019.81
L12	-46 531.46	2 652	630.83	R12	-46 430.40	2 652	450.13
L13	-46 575.53	2 652	861.30	R13	-46 477.26	2 652	680.61
L14	-46 621.49	2 653	100.10	R14	-46 519.36	2 652	894.67
L15	-46 639.46	2 653	193.46	R15	-46 557.50	2 653	093.33
L16	-46 669.10	2 653	347.99	R16	-46 595.60	2 653	292.00
L17	-46 762.61	2 653	834.36	R17	-46 634.04	2 653	490.72
L18	-46 817.50	2 654	118.74	R18	-46 697.04	2 653	821.69
L19	-46 841.44	2 654	265.10	R19	-46 709.96	2 653	887.95
L20	-46 855.54	2 654	412.43	R20	-46 779.28	2 654	275.69
L21	-46 856.27	2 654	613.45	R21	-46 788.38	2 654	379.86
L22	-46 824.99	2 655	443.10	R22	-46 793.13	2 654	467.75
L23	-46 809.33	2 655	858.84	R23	-46 794.22	2 654	584.63
L24	-46 802.64	2 656	036.40	R24	-46 762.21	2 655	429.81
L25	-46 814.69	2 656	093.41	R25	-46 714.36	2 656	734.36
L26	-46 825.53	2 656	109.01	R26	-46 705.73	2 656	874.78
L27	-46 828.95	2 656	113.94	R27	-46 691.09	2 657	010.43
L28	-46 828.00	2 656	139.92	R28	-46 669.08	2 657	151.55
L29	-46 817.39	2 656	147.79	R29	-46 616.97	2 657	437.19
L30	-46 812.56	2 656	151.38	R30	-46 591.99	2 657	602.37
L31	-46 796.17	2 656	208.02	R31	-46 581.96	2 657	761.57
L32	-46 786.91	2 656	454.14	R32	-46 584.88	2 657	888.45
L33	-46 776.27	2 656	736.57	R33	-46 589.12	2 657	969.29
L34	-46 767.83	2 656	891.31	R34	-46 608.85	2 658	581.89
L35	-46 754.02	2 657	018.95	R35	-46 609.86	2 658	680.29
L36	-46 729.99	2 657	163.46	R36	-46 609.19	2 658	740.33
L37	-46 676.38	2 657	459.55	R37	-46 602.45	2 658	822.50
L38	-46 655.20	2 657	609.95	R38	-46 598.50	2 658	839.79
L39	-46 645.45	2 657	763.10	R39	-46 588.29	2 658	884.63
L40	-46 646.77	2 657	859.70	R40	-46 585.14	2 658	895.47
L41	-46 679.03	2 658	475.38	R41	-46 566.14	2 658	961.81
L42	-46 684.03	2 658	529.41	R42	-46 548.88	2 659	026.18
L43	-46 694.42	2 658	641.79	R43	-46 534.26	2 659	086.92
L44	-46 695.98	2 658	658.79	R44	-46 524.42	2 659	097.42
L45	-46 698.82	2 658	689.34	R45	-46 359.79	2 659	122.49
L46	-46 702.28	2 658	726.68	R46	-46 365.63	2 659	162.28
L47	-46 706.02	2 658	767.47	R47	-46 532.41	2 659	171.91
L48	-46 709.80	2 658	808.30	R48	-46 544.45	2 659	181.36
L49	-46 717.04	2 658	847.10	R49	-46 571.47	2 659	241.85
L50	-46 723.75	2 658	883.10	R50	-46 605.24	2 659	296.40
L51	-46 729.43	2 658	899.29	R51	-46 616.64	2 659	323.86

Vel Sheet	25	Van of	32	P1107/18
--------------	----	-----------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 29°		Y	X	
L52	-46 738.49	2 658 922.83	R52	-46 629.66	2 659 355.25		
L53	-46 752.75	2 658 959.67	R53	-46 637.86	2 659 393.20		
L54	-46 770.17	2 658 991.16	R54	-46 649.50	2 659 446.96		
L55	-46 787.62	2 659 022.62	R55	-46 668.08	2 659 647.91		
L56	-46 801.26	2 659 048.24	R56	-46 686.73	2 659 848.85		
L57	-46 814.91	2 659 073.88	R57	-46 696.73	2 660 042.05		
L58	-46 826.90	2 659 083.30	R58	-46 706.40	2 660 229.09		
L59	-46 993.70	2 659 092.94	R59	-46 764.86	2 661 352.19		
L60	-46 999.57	2 659 132.75	R60	-46 783.80	2 661 748.02		
L61	-46 834.86	2 659 157.80	R61	-46 804.98	2 662 955.69		
L62	-46 825.06	2 659 168.31	R62	-46 812.02	2 663 098.29		
L63	-46 793.13	2 659 293.40	R63	-46 877.72	2 664 463.00		
L64	-46 775.22	2 659 352.35	R64	-46 897.86	2 664 671.42		
L65	-46 756.89	2 659 432.74	R65	-47 153.39	2 666 096.61		
L66	-46 750.09	2 659 514.88	R66	-47 319.94	2 667 023.02		
L67	-46 749.46	2 659 574.89	R67	-47 493.87	2 667 577.40		
L68	-46 750.51	2 659 673.39	R68	-47 510.53	2 667 620.35		
L69	-46 752.98	2 659 750.15	R69	-47 577.50	2 667 777.35		
L70	-46 764.41	2 660 104.70	R70	-47 816.40	2 668 294.54		
L71	-46 780.87	2 660 419.32	R71	-47 859.66	2 668 383.75		
L72	-46 829.07	2 661 361.27	R72	-48 153.28	2 669 068.46		
L73	-46 847.35	2 661 766.87	R73	-48 172.63	2 669 177.98		
L74	-46 854.56	2 662 212.38	R74	-48 178.99	2 669 283.99		
L75	-46 855.99	2 662 301.55	R75	-48 177.31	2 669 321.82		
L76	-46 869.36	2 662 977.03	R76	-48 174.14	2 669 390.39		
L77	-46 875.02	2 663 119.51	R77	-48 157.42	2 669 496.41		
L78	-46 892.87	2 663 498.54	R78	-48 121.83	2 669 657.54		
L79	-46 941.80	2 664 478.62	R79	-48 117.30	2 669 682.72		
L80	-46 960.85	2 664 663.03	R80	-48 105.73	2 669 749.94		
L81	-47 379.50	2 666 978.70	R81	-48 097.07	2 669 804.59		
L82	-47 397.57	2 667 063.67	R82	-48 090.57	2 669 956.39		
L83	-47 445.67	2 667 243.42	R83	-48 092.01	2 669 976.38		
L84	-47 506.09	2 667 430.18	R84	-48 108.50	2 670 069.70		
L85	-47 569.30	2 667 596.50	R85	-48 115.88	2 670 110.29		
L86	-47 636.15	2 667 750.38	R86	-48 141.38	2 670 206.21		
L87	-47 699.27	2 667 887.36	R87	-48 158.80	2 670 253.60		
L88	-47 916.48	2 668 358.84	R88	-48 177.09	2 670 302.04		
L89	-48 074.53	2 668 702.68	R89	-48 226.98	2 670 399.17		
L90	-48 165.20	2 668 901.45	R90	-48 248.11	2 670 436.35		
L91	-48 167.97	2 668 907.95	R91	-48 351.34	2 670 618.86		
L92	-48 182.95	2 668 943.84	R92	-48 580.06	2 671 022.06		
L93	-48 215.06	2 669 054.20	R93	-48 659.75	2 671 163.24		
L94	-48 235.25	2 669 168.72	R94	-48 689.28	2 671 219.21		
L95	-48 242.45	2 669 281.88	R95	-48 728.05	2 671 310.76		
L96	-48 225.28	2 669 458.41	R96	-48 756.57	2 671 403.16		
L97	-48 218.04	2 669 510.53	R97	-48 776.51	2 671 500.47		
L98	-48 161.02	2 669 808.78	R98	-48 786.42	2 671 654.24		
L99	-48 162.60	2 669 952.52	R99	-48 765.74	2 672 145.67		
L100	-48 169.97	2 670 052.68	R100	-48 745.87	2 672 583.90		
L101	-48 177.58	2 670 095.25	R101	-48 738.62	2 672 797.33		
L102	-48 202.22	2 670 188.11	R102	-48 747.52	2 673 015.18		

Vel Sheet	26	Van of	32	P1107/18
-----------	----	--------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 29°	Y	X	X
L103	-48 235.34	2 670 276.53	R103	-48 766.89	2 673 207.41	
L104	-48 246.28	2 670 298.77	R104	-48 796.67	2 673 411.47	
L105	-48 413.15	2 670 602.34	R105	-48 837.33	2 673 613.48	
L106	-48 643.31	2 671 008.68	R106	-48 889.88	2 673 811.06	
L107	-48 787.19	2 671 288.92	R107	-49 011.92	2 674 236.29	
L108	-48 818.37	2 671 387.04	R108	-49 226.43	2 674 998.81	
L109	-48 839.31	2 671 491.18	R109	-49 238.85	2 675 085.21	
L110	-48 849.75	2 671 594.69	R110	-49 243.50	2 675 172.98	
L111	-48 848.65	2 671 695.21	R111	-49 229.15	2 675 346.60	
L112	-48 807.50	2 672 588.05	R112	-49 207.72	2 675 424.95	
L113	-48 804.43	2 672 795.62	R113	-49 180.05	2 675 636.97	
L114	-48 811.80	2 673 000.44	R114	-49 186.18	2 675 939.60	
L115	-48 829.70	2 673 198.95	R115	-49 237.50	2 676 180.07	
L116	-48 851.44	2 673 324.08	R116	-49 538.01	2 676 974.88	
L117	-48 949.56	2 673 793.89	R117	-49 655.94	2 677 367.11	
L118	-49 071.75	2 674 220.09	R118	-49 621.25	2 677 680.15	
L119	-49 101.70	2 674 324.09	R119	-49 604.08	2 677 784.82	
L120	-49 302.24	2 675 080.54	R120	-49 601.37	2 677 853.70	
L121	-49 307.25	2 675 174.30	R121	-49 638.50	2 678 087.18	
L122	-49 285.92	2 675 380.32	R122	-49 688.84	2 678 195.42	
L123	-49 267.83	2 675 491.73	R123	-50 277.81	2 679 145.42	
L124	-49 249.49	2 675 688.60	R124	-50 403.00	2 679 358.15	
L125	-49 247.79	2 675 808.67	R125	-50 455.99	2 679 446.25	
L126	-49 273.84	2 676 038.96	R126	-50 491.81	2 679 527.90	
L127	-49 298.32	2 676 161.47	R127	-50 510.45	2 679 622.44	
L128	-49 339.60	2 676 284.62	R128	-50 523.09	2 679 705.57	
L129	-49 525.89	2 676 828.91	R129	-50 526.20	2 680 048.56	
L130	-49 697.50	2 677 330.36	R130	-50 526.30	2 680 058.96	
L131	-49 677.81	2 677 707.13	R131	-50 527.11	2 680 148.49	
L132	-49 664.63	2 677 798.26	R132	-50 526.25	2 680 154.68	
L133	-49 656.29	2 677 867.23	R133	-50 512.10	2 680 257.16	
L134	-49 656.37	2 677 960.83	R134	-50 495.80	2 680 318.19	
L135	-49 677.13	2 678 072.23	R135	-50 440.92	2 680 478.99	
L136	-49 720.52	2 678 177.30	R136	-50 419.16	2 680 542.77	
L137	-50 266.57	2 679 063.48	R137	-50 448.44	2 680 618.55	
L138	-50 439.20	2 679 343.64	R138	-50 430.05	2 680 755.64	
L139	-50 493.20	2 679 431.44	R139	-50 374.29	2 680 922.16	
L140	-50 522.78	2 679 505.54	R140	-50 372.06	2 681 014.12	
L141	-50 547.42	2 679 587.11	R141	-50 371.98	2 681 089.79	
L142	-50 550.96	2 679 610.02	R142	-50 406.17	2 681 141.77	
L143	-50 560.36	2 679 690.45	R143	-50 437.89	2 681 182.79	
L144	-50 561.71	2 680 040.05	R144	-50 483.73	2 681 223.76	
L145	-50 561.76	2 680 053.17	R145	-50 511.13	2 681 246.80	
L146	-50 562.06	2 680 129.92	R146	-50 538.90	2 681 269.46	
L147	-50 561.19	2 680 148.97	R147	-50 582.31	2 681 295.35	
L148	-50 558.40	2 680 210.41	R148	-50 638.98	2 681 318.33	
L149	-50 542.25	2 680 286.41	R149	-50 733.36	2 681 325.53	
L150	-50 492.80	2 680 446.73	R150	-50 756.22	2 681 324.14	
L151	-50 478.33	2 680 487.28	R151	-50 966.67	2 681 313.61	
L152	-50 475.11	2 680 532.10	R152	-51 210.58	2 681 301.80	
L153	-50 472.77	2 680 566.77	R153	-51 837.65	2 681 248.20	

Vel
Sheet 27 Van
of 32 P1107/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE	
	Y	X	WG 29°	Y	X
L154	-50 482.60	2 680 659.30	R154	-52 060.65	2 681 249.82
L155	-50 468.98	2 680 763.31	R155	-52 186.09	2 681 261.24
L156	-50 418.82	2 680 956.78	R156	-52 271.08	2 681 282.94
L157	-50 411.90	2 681 037.21	R157	-52 710.83	2 681 417.13
L158	-50 434.71	2 681 083.06	R158	-52 827.18	2 681 462.64
L159	-50 458.20	2 681 132.58	R159	-53 156.46	2 681 660.62
L160	-50 488.20	2 681 164.40	R160	-54 289.13	2 682 341.64
L161	-50 506.40	2 681 176.97	R161	-54 324.36	2 682 366.85
L162	-50 517.55	2 681 184.86	R162	-54 349.51	2 682 393.52
L163	-50 561.16	2 681 233.63	R163	-54 372.42	2 682 422.44
L164	-50 602.42	2 681 260.64	R164	-54 386.27	2 682 451.81
L165	-50 705.81	2 681 286.09	R165	-54 481.46	2 682 792.06
L166	-51 215.16	2 681 259.74	R166	-54 499.12	2 682 841.76
L167	-51 842.54	2 681 209.49	R167	-54 522.50	2 682 890.49
L168	-52 059.03	2 681 208.49	R168	-54 696.74	2 683 165.38
L169	-52 111.99	2 681 210.72	R169	-54 839.13	2 683 363.48
L170	-52 242.94	2 681 231.93	R170	-54 913.87	2 683 513.87
L171	-52 713.26	2 681 376.92	R171	-55 066.46	2 683 829.40
L172	-52 787.04	2 681 402.41	R172	-55 105.00	2 683 938.63
L173	-52 843.22	2 681 426.46	R173	-55 104.43	2 684 009.97
L174	-52 895.11	2 681 454.01	R174	-55 102.07	2 684 227.53
L175	-53 191.32	2 681 632.13	R175	-55 109.32	2 684 283.76
L176	-54 307.17	2 682 303.13	R176	-55 128.39	2 684 351.83
L177	-54 346.86	2 682 329.16	R177	-55 160.45	2 684 407.01
L178	-54 380.51	2 682 362.91	R178	-55 249.60	2 684 561.45
L179	-54 408.90	2 682 404.92	R179	-55 323.60	2 684 689.65
L180	-54 516.85	2 682 778.93	R180	-55 385.36	2 684 763.68
L181	-54 528.57	2 682 811.08	R181	-55 553.96	2 684 869.28
L182	-54 537.88	2 682 836.63	R182	-55 654.07	2 684 891.89
L183	-54 572.04	2 682 901.12	R183	-55 868.96	2 684 900.72
L184	-54 861.48	2 683 332.77	R184	-55 949.60	2 684 904.03
L185	-54 883.82	2 683 371.10	R185	-57 944.69	2 684 986.00
L186	-54 950.04	2 683 501.49	R186	-58 164.52	2 684 996.62
L187	-55 114.58	2 683 842.43	R187	-58 623.62	2 685 014.92
L188	-55 139.02	2 683 911.36	R188	-59 636.76	2 685 055.06
L189	-55 149.87	2 683 985.38	R189	-59 753.18	2 685 059.70
L190	-55 139.05	2 684 174.99	R190	-61 772.41	2 685 140.11
L191	-55 138.78	2 684 225.05	R191	-62 081.08	2 685 152.40
L192	-55 146.21	2 684 274.63	R192	-62 288.89	2 685 160.68
L193	-55 165.18	2 684 335.74	R193	-62 415.79	2 685 165.73
L194	-55 193.11	2 684 394.36	R194	-62 541.60	2 685 166.42
L195	-55 286.73	2 684 551.13	R195	-62 614.97	2 685 162.57
L196	-55 349.44	2 684 650.97	R196	-62 999.06	2 685 119.60
L197	-55 434.21	2 684 758.29	R197	-63 472.60	2 685 066.63
L198	-55 553.84	2 684 829.88	R198	-63 763.58	2 685 034.08
L199	-55 639.49	2 684 850.64	R199	-64 219.50	2 685 036.74
L200	-57 944.34	2 684 947.15	R200	-64 316.03	2 685 050.74
L201	-58 069.41	2 684 952.33	R201	-64 725.62	2 685 134.28
L202	-58 612.52	2 684 976.84	R202	-64 857.69	2 685 135.77
L203	-59 622.02	2 685 016.65	R203	-65 975.09	2 685 148.42
L204	-59 753.58	2 685 021.96	R204	-66 095.86	2 685 142.39

Vel Sheet	28	Van of	32	P1107/18
--------------	----	-----------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE	
	Y	X	WG 29°	Y	X
L205	-62 271.19	2 685 123.54	R205	-66 965.71	2 685 062.26
L206	-62 500.30	2 685 132.78	R206	-67 829.39	2 684 979.17
L207	-62 743.99	2 685 109.67	R207	-67 943.48	2 684 983.84
L208	-63 009.68	2 685 080.03	R208	-68 047.22	2 684 996.41
L209	-63 502.23	2 685 025.10	R209	-68 223.78	2 685 031.45
L210	-63 912.01	2 684 979.39	R210	-68 795.76	2 685 144.95
L211	-64 056.27	2 684 975.18	R211	-69 228.23	2 685 231.77
L212	-64 233.27	2 684 996.56	R212	-71 856.50	2 685 750.40
L213	-64 609.35	2 685 072.87	R213	-72 075.39	2 685 793.62
L214	-64 713.66	2 685 089.89	R214	-72 885.69	2 685 953.63
L215	-64 828.17	2 685 097.47	R215	-73 895.10	2 686 152.96
L216	-64 940.26	2 685 098.28	R216	-75 513.02	2 686 147.53
L217	-66 060.40	2 685 106.41	R217	-76 331.94	2 686 144.78
L218	-66 960.40	2 685 020.41	R218	-76 446.82	2 686 141.59
L219	-67 714.59	2 684 948.34	R219	-76 563.50	2 686 123.36
L220	-67 852.00	2 684 945.27	R220	-76 615.11	2 686 109.04
L221	-67 999.57	2 684 948.42	R221	-76 676.09	2 686 092.12
L222	-68 779.41	2 685 102.04	R222	-76 765.21	2 686 052.45
L223	-69 228.70	2 685 191.08	R223	-77 835.07	2 685 518.02
L224	-71 845.55	2 685 709.68	R224	-78 291.15	2 685 290.19
L225	-72 089.98	2 685 757.79	R225	-78 776.57	2 685 046.41
L226	-72 996.59	2 685 936.25	R226	-80 118.10	2 684 372.70
L227	-73 804.35	2 686 095.25	R227	-80 215.78	2 684 342.31
L228	-73 928.16	2 686 111.23	R228	-80 296.69	2 684 337.33
L229	-75 539.07	2 686 112.72	R229	-81 194.52	2 684 341.85
L230	-76 325.85	2 686 107.73	R230	-81 903.64	2 684 346.87
L231	-76 452.37	2 686 104.02	R231	-83 021.69	2 684 351.04
L232	-76 588.67	2 686 079.94	R232	-83 207.19	2 684 345.00
L233	-76 712.98	2 686 038.15	R233	-84 848.50	2 684 362.21
L234	-77 813.34	2 685 486.63	R234	-85 091.89	2 684 363.84
L235	-78 259.41	2 685 263.05	R235	-85 371.02	2 684 365.64
L236	-78 744.83	2 685 019.58	R236	-85 509.88	2 684 376.76
L237	-80 060.67	2 684 359.60	R237	-85 573.70	2 684 384.01
L238	-80 148.45	2 684 324.32	R238	-86 939.85	2 684 550.68
L239	-80 270.51	2 684 296.23	R239	-89 238.45	2 684 832.45
L240	-81 122.00	2 684 301.06	R240	-90 644.80	2 685 004.75
L241	-81 912.16	2 684 305.89	R241	-91 787.33	2 685 145.51
L242	-83 223.90	2 684 313.00	R242	-91 867.14	2 685 155.34
L243	-84 863.07	2 684 323.13	R243	-92 051.13	2 685 194.47
L244	-84 992.93	2 684 324.40	R244	-92 167.65	2 685 235.67
L245	-85 382.23	2 684 328.08	R245	-95 518.44	2 686 670.68
L246	-85 454.52	2 684 329.52	R246	-96 527.22	2 687 102.88
L247	-85 659.47	2 684 354.57	R247	-97 961.29	2 687 717.30
L248	-86 952.59	2 684 513.69	R248	-101 061.50	2 689 044.19
L249	-89 241.30	2 684 794.47	R249	-101 417.59	2 689 196.60
L250	-91 115.97	2 685 023.84	R250	-101 641.33	2 689 323.05
L251	-91 808.77	2 685 109.04	R251	-101 766.56	2 689 417.74
L252	-91 863.22	2 685 115.74	R252	-102 138.40	2 689 684.12
L253	-91 993.66	2 685 139.59	R253	-102 202.46	2 689 737.06
L254	-92 087.91	2 685 166.85	R254	-102 261.69	2 689 789.27
L255	-92 181.94	2 685 201.58	R255	-102 365.19	2 689 922.08

Vel
Sheet 29 Van
of 32

P1107/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 29°	Y	X	
L256	-96	528.83	2 687 062.44	R256	-102 435.12	2 690 040.08
L257	-101	135.78	2 689 034.63	R257	-102 851.96	2 690 767.97
L258	-101	459.93	2 689 173.40			
L259	-101	544.80	2 689 211.97			
L260	-101	640.00	2 689 259.77			
L261	-101	920.13	2 689 459.37			
L262	-102	005.05	2 689 519.83			
L263	-102	249.06	2 689 723.97			
L264	-102	285.89	2 689 764.73			
L265	-102	324.98	2 689 809.82			
L266	-102	361.56	2 689 853.76			
L267	-102	454.52	2 690 001.64			
L268	-102	880.49	2 690 744.61			

Vel 30 Van 32
Sheet of P1107/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE

	Y	X	WG 31°		Y	X
L269	98 920.03	2 692 764.52	R258	98 963.84	2 692 764.21	
L270	98 426.68	2 693 598.91	R259	98 522.38	2 693 509.99	
L271	98 340.37	2 693 726.80	R260	98 448.48	2 693 636.24	
L272	98 198.38	2 693 911.02	R261	98 372.27	2 693 745.74	
L273	98 120.55	2 694 002.14	R262	98 313.77	2 693 825.17	
L274	97 985.51	2 694 150.12	R263	98 239.06	2 693 920.37	
L275	96 882.89	2 695 368.30	R264	96 904.30	2 695 401.74	
L276	94 582.94	2 697 911.05	R265	96 669.73	2 695 662.10	
L277	94 163.54	2 698 374.73	R266	95 174.93	2 697 312.87	
L278	93 866.72	2 698 704.22	R267	94 618.97	2 697 927.09	
L279	93 811.63	2 698 777.75	R268	94 613.91	2 697 932.69	
L280	93 787.56	2 698 809.79	R269	94 191.68	2 698 399.97	
L281	93 677.44	2 698 956.73	R270	93 896.06	2 698 728.28	
L282	93 570.34	2 699 142.82	R271	93 709.04	2 698 977.54	
L283	93 480.65	2 699 327.81	R272	93 603.90	2 699 160.54	
L284	93 425.87	2 699 464.06	R273	93 515.33	2 699 343.10	
L285	93 354.36	2 699 689.00	R274	93 461.44	2 699 476.84	
L286	93 311.88	2 699 875.34	R275	93 390.83	2 699 698.93	
L287	93 306.32	2 699 914.94	R276	93 349.06	2 699 882.15	
L288	93 285.38	2 700 033.67	R277	93 343.56	2 699 920.23	
L289	93 269.47	2 700 229.75	R278	93 332.73	2 699 979.64	
L290	93 257.60	2 700 498.50	R279	93 307.35	2 700 233.61	
L291	93 215.71	2 701 447.78	R280	93 291.64	2 700 601.62	
L292	93 205.77	2 701 710.85	R281	93 253.63	2 701 491.98	
L293	93 216.84	2 701 851.74	R282	93 243.19	2 701 700.38	
L294	93 229.63	2 701 927.34	R283	93 255.25	2 701 848.98	
L295	93 259.04	2 702 017.02	R284	93 267.62	2 701 918.66	
L296	93 295.20	2 702 111.58	R285	93 289.38	2 702 008.08	
L297	93 369.72	2 702 281.37	R286	93 324.19	2 702 099.29	
L298	93 384.65	2 702 317.81	R287	93 403.22	2 702 259.09	
L299	93 408.05	2 702 374.93	R288	93 417.96	2 702 298.55	
L300	93 440.07	2 702 553.44	R289	93 443.51	2 702 366.98	
L301	93 439.21	2 702 598.64	R290	93 476.29	2 702 549.82	
L302	93 434.17	2 702 698.01	R291	93 472.27	2 702 696.88	
L303	93 415.12	2 702 793.48	R292	93 445.60	2 702 834.63	
L304	93 396.29	2 702 861.06	R293	93 424.42	2 702 894.78	
L305	93 360.25	2 702 948.57	R294	93 399.59	2 702 956.62	
L306	93 337.64	2 702 993.12	R295	93 367.18	2 703 019.78	
L307	93 286.44	2 703 064.77	R296	93 320.99	2 703 092.54	
L308	92 969.16	2 703 511.47	R297	93 010.59	2 703 527.18	
L309	92 497.76	2 704 172.60	R298	92 534.29	2 704 191.16	
L310	90 751.18	2 706 614.65	R299	91 399.22	2 705 777.53	
L311	90 227.14	2 707 347.10	R300	91 220.29	2 706 027.63	
L312	89 434.96	2 708 454.39	R301	90 356.52	2 707 234.25	
L313	88 933.74	2 709 155.50	R302	90 259.26	2 707 370.23	
L314	88 436.88	2 709 850.28	R303	88 957.19	2 709 190.63	
L315	88 124.51	2 710 286.70	R304	88 948.99	2 709 202.10	
L316	87 787.55	2 710 757.93	R305	88 156.51	2 710 310.79	
L317	87 575.88	2 711 053.60	R306	86 968.36	2 711 971.25	
L318	86 958.62	2 711 916.31	R307	85 872.45	2 713 502.85	
L319	86 130.86	2 713 073.19	R308	85 215.95	2 714 420.27	

Vel Sheet	31	Van of	32	P1107/18
--------------	----	-----------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES


LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 31°		Y	X	
L320	85 777.16	2 713 567.84	R309	85 141.78	2 714 541.01		
L321	85 494.76	2 713 962.73	R310	85 087.64	2 714 661.54		
L322	85 149.70	2 714 447.23	R311	85 076.49	2 714 706.22		
L323	85 095.65	2 714 542.74	R312	85 051.28	2 714 812.63		
L324	85 027.78	2 714 725.39	R313	85 038.40	2 714 961.52		
L325	85 007.31	2 714 834.17	R314	85 050.57	2 715 405.90		
L326	84 999.76	2 714 926.57	R315	85 133.74	2 718 443.93		
L327	85 005.34	2 715 201.85	R316	85 146.06	2 718 993.29		
L328	85 011.41	2 715 408.16	R317	85 185.35	2 720 745.92		
L329	85 049.26	2 716 694.41	R318	85 179.22	2 720 823.02		
L330	85 103.79	2 718 994.38	R319	85 139.32	2 720 938.90		
L331	85 145.50	2 720 753.13	R320	84 911.33	2 721 360.31		
L332	85 130.91	2 720 866.00	R321	84 073.05	2 722 913.79		
L333	85 101.47	2 720 924.17	R322	84 036.45	2 722 976.47		
L334	84 302.03	2 722 405.79	R323	83 984.96	2 723 043.21		
L335	83 998.30	2 722 967.61	R324	83 685.86	2 723 328.46		
L336	83 967.08	2 723 002.40	R325	83 603.54	2 723 406.98		
L337	83 916.77	2 723 056.38	R326	83 473.73	2 723 530.78		
L338	83 470.74	2 723 481.09	R327	82 716.79	2 724 252.70		
L339	82 682.28	2 724 231.86	R328	82 618.04	2 724 331.89		
L340	82 642.61	2 724 268.44	R329	82 602.51	2 724 344.35		
L341	82 565.32	2 724 318.91	R330	82 515.22	2 724 383.55		
L342	82 546.08	2 724 329.26	R331	82 436.48	2 724 401.75		
L343	82 484.59	2 724 351.82	R332	82 390.78	2 724 408.37		
L344	82 437.87	2 724 361.68	R333	81 909.87	2 724 478.12		
L345	80 340.42	2 724 663.49	R334	81 233.87	2 724 577.19		
L346	79 991.79	2 724 713.47	R335	81 035.61	2 724 607.44		
L347	78 829.63	2 724 881.09	R336	80 475.72	2 724 688.73		
L348	78 766.20	2 724 895.34	R337	80 354.69	2 724 702.06		
L349	78 713.18	2 724 912.91	R338	79 981.00	2 724 755.22		
L350	77 756.92	2 725 337.83	R339	78 837.93	2 724 920.23		
L351	77 558.86	2 725 425.68	R340	78 776.38	2 724 935.21		
L352	77 372.29	2 725 508.44	R341	78 710.98	2 724 957.53		
L353	76 650.17	2 725 828.76	R342	77 771.18	2 725 373.86		
L354	75 525.54	2 726 327.96	R343	77 533.92	2 725 479.25		
L355	75 327.60	2 726 415.82	R344	77 372.99	2 725 550.73		
L356	74 658.44	2 726 713.03	R345	75 531.20	2 726 368.82		
L357	74 196.90	2 726 918.03	R346	75 218.94	2 726 507.53		
L358	73 180.53	2 727 369.96	R347	74 662.35	2 726 754.95		
L359	72 487.12	2 727 678.81	R348	74 644.27	2 726 762.99		
L360	72 330.61	2 727 748.52	R349	72 900.73	2 727 536.24		
L361	70 848.22	2 728 407.52	R350	72 317.89	2 727 795.41		
L362	70 711.51	2 728 468.30	R351	72 115.02	2 727 885.63		
L363	70 609.70	2 728 513.52	R352	71 633.34	2 728 099.76		
L364	69 925.96	2 728 816.91	R353	70 896.48	2 728 427.49		
			R354	70 718.81	2 728 506.52		
			R355	70 624.02	2 728 547.94		
			R356	70 602.03	2 728 557.76		
			R357	70 228.76	2 728 724.47		
			R358	70 005.60	2 728 823.75		
			R359	69 937.08	2 728 854.27		
		Vel Sheet	32	Van of	32	P1107/18	

DEPARTMENT OF TRANSPORT**NO. 986****5 October 2021****THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED****Registration No: 1998/009584/30**

DECLARATION AMENDMENT OF NATIONAL ROAD R37 SECTION 2**AMENDMENT OF DECLARATION NO. 301 OF 2009.**

By virtue of section 40(1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 301 of 2009 by substituting it in its entirety with the accompanying sheets 1 to 22 of Plan No. P1108/18.

(National Road R37 Section 2: Burgersfort – Lydenburg)

**MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER

NO. 986

5 Oktober 2021

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD R37 SEKSIE 2**WYSIGING VAN VERKLARING NO. 301 VAN 2009**


Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No.7 van 1998), wysig ek hiermee Verklaring No. 301 van 2009 deur dit in sy geheel te vervang met meegaande velle 1 tot 22 van Plan No. P1108/18.

(Nasionale Pad R37 Seksie 2: Burgersfort – Lydenburg)



MINISTER VAN VERVOER









Die Suid-Afrikaanse Nasionale Padagentskap NSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	Vel Sheet 3 van 22 Plan P1108/18
stel die padreservé voor van 'n gedeelte van Nasionale Roete of National Route R37 Seksie Section 2		








Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreservé voor van 'n gedeelte van die padreserve voor van 'n gedeelte van Nasionale Roete R37 represents the road reserve of a portion of National Route R37	Section 2 Seksie 2	Vel Sheet 5 Plan 2	van of 22 Plan P1108/18
---	---------------------------------------	---	--	-----------------------	-----------------------	----------------------------





Die Suid Afrikaanse Nasionale Pedagantskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	Vel Sheet 6 van 22 Plan P1108/18
stel die padreservé voor van 'n gedelde represents the road reserve of a portion van Nasionale Roete R37 of National Route 2	Seksie Section 2	












Die Suid-Afrikaanse Nasionale Padagentskap NSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	Vel Sheet 11 van 22 Plan P1108/18
stel die padreservé voor van 'n gedelde represents the road reserve of a portion van Nasionale Roete R37 Sekse of National Route 2		



PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE	
	Y	X	WG 31°	Y	X
L1	69 925.96	2 728 816.91	R1	69 937.19	2 728 854.22
L2	69 806.24	2 728 870.03	R2	69 516.88	2 729 040.80
L3	69 683.08	2 728 925.03	R3	69 498.26	2 729 053.64
L4	69 501.74	2 729 005.60	R4	69 347.47	2 729 109.12
L5	69 483.31	2 729 013.79	R5	68 975.36	2 729 259.18
L6	69 130.24	2 729 151.79	R6	66 151.53	2 732 560.21
L7	69 047.88	2 729 183.33	R7	66 133.99	2 732 682.36
L8	68 967.70	2 729 214.05	R8	66 124.56	2 732 725.78
L9	68 921.42	2 729 231.78	R9	66 128.33	2 732 726.60
L10	66 114.44	2 732 552.07	R10	66 128.19	2 732 727.16
L11	66 100.28	2 732 643.72	R11	66 126.84	2 732 736.81
L12	66 089.83	2 732 719.25	R12	66 120.96	2 732 779.91
L13	66 084.62	2 732 767.77	R13	66 114.40	2 732 815.27
L14	66 077.20	2 732 809.53	R14	66 063.84	2 733 180.66
L15	66 027.04	2 733 171.81	R15	65 995.23	2 733 670.08
L16	65 956.61	2 733 669.91	R16	65 927.49	2 734 166.06
L17	65 890.26	2 734 158.79	R17	65 866.39	2 734 607.92
L18	65 827.77	2 734 610.55	R18	65 790.36	2 735 154.88
L19	65 752.38	2 735 151.56	R19	65 742.64	2 735 495.88
L20	65 705.47	2 735 494.46	R20	65 716.58	2 735 684.47
L21	65 677.82	2 735 696.17	R21	65 715.74	2 735 690.35
L22	65 677.03	2 735 701.76	R22	65 709.33	2 735 734.99
L23	65 642.28	2 735 947.69	R23	65 679.44	2 735 951.95
L24	65 595.11	2 736 086.33	R24	65 657.82	2 736 041.60
L25	65 554.01	2 736 141.74	R25	65 627.66	2 736 105.38
L26	65 469.62	2 736 237.41	R26	65 582.96	2 736 165.44
L27	65 434.44	2 736 288.85	R27	65 501.30	2 736 259.62
L28	65 407.30	2 736 344.44	R28	65 469.84	2 736 302.79
L29	65 387.11	2 736 416.01	R29	65 442.24	2 736 359.99
L30	65 275.61	2 737 208.45	R30	65 424.42	2 736 423.98
L31	65 258.90	2 737 325.30	R31	65 356.88	2 736 904.53
L32	65 199.68	2 737 770.02	R32	65 295.72	2 737 334.04
L33	65 192.32	2 737 866.87	R33	65 247.00	2 737 680.00
L34	65 186.52	2 738 028.34	R34	65 237.11	2 737 774.59
L35	65 189.54	2 738 180.76	R35	65 229.78	2 737 870.41
L36	65 194.74	2 738 272.42	R36	65 225.98	2 737 957.74
L37	65 240.37	2 738 867.28	R37	65 224.28	2 738 025.91
L38	65 272.17	2 739 281.88	R38	65 224.43	2 738 101.53
L39	65 307.28	2 739 736.59	R39	65 226.84	2 738 182.76
L40	65 326.49	2 739 985.46	R40	65 232.00	2 738 271.13
L41	65 340.59	2 740 164.05	R41	65 276.51	2 738 850.14
L42	65 358.28	2 740 383.90	R42	65 277.38	2 738 861.47
L43	65 384.41	2 740 702.49	R43	65 311.01	2 739 297.05
L44	65 419.00	2 741 136.50	R44	65 341.29	2 739 688.64
L45	65 424.55	2 741 202.37	R45	65 341.99	2 739 697.65
L46	65 471.78	2 741 804.47	R46	65 363.66	2 739 980.52
L47	65 488.95	2 742 023.28	R47	65 395.42	2 740 378.56
L48	65 508.98	2 742 278.67	R48	65 432.52	2 740 835.63
L49	65 530.54	2 742 553.52	R49	65 465.94	2 741 246.32
L50	65 538.02	2 742 616.75	R50	65 473.43	2 741 337.33
L51	65 552.26	2 742 694.19	R51	65 476.71	2 741 387.79

Vel
Sheet

13 Van
of 22

P1108/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE	
	Y	X	WG 31°	Y	X
L52	65 554.58	2 742 701.54	R52	65 497.48	2 741 639.87
L53	65 694.39	2 743 137.90	R53	65 504.65	2 741 740.14
L54	65 712.78	2 743 233.46	R54	65 522.04	2 741 983.48
L55	65 721.03	2 743 303.05	R55	65 522.47	2 741 988.76
L56	65 730.55	2 743 383.42	R56	65 543.65	2 742 251.26
L57	65 731.64	2 743 398.08	R57	65 567.22	2 742 543.30
L58	65 737.17	2 743 487.58	R58	65 581.24	2 742 661.96
L59	65 738.29	2 743 495.15	R59	65 587.14	2 742 688.50
L60	65 748.17	2 743 562.02	R60	65 587.60	2 742 690.58
L61	65 775.74	2 743 820.04	R61	65 604.59	2 742 745.22
L62	65 776.49	2 743 827.05	R62	65 624.38	2 742 806.53
L63	65 790.38	2 743 957.51	R63	65 706.59	2 743 036.22
L64	65 794.82	2 743 999.17	R64	65 727.28	2 743 111.67
L65	65 815.71	2 744 087.94	R65	65 735.96	2 743 155.99
L66	65 846.18	2 744 179.04	R66	65 750.45	2 743 229.96
L67	65 898.61	2 744 334.01	R67	65 761.36	2 743 319.82
L68	65 992.04	2 744 611.38	R68	65 771.30	2 743 414.52
L69	65 992.77	2 744 613.53	R69	65 776.72	2 743 469.12
L70	65 993.29	2 744 619.93	R70	65 787.17	2 743 574.36
L71	66 153.71	2 745 097.39	R71	65 812.76	2 743 807.93
L72	66 194.86	2 745 247.28	R72	65 833.90	2 744 003.54
L73	66 201.68	2 745 285.65	R73	65 834.08	2 744 004.22
L74	66 211.69	2 745 366.40	R74	65 858.23	2 744 094.57
L75	66 213.79	2 745 471.72	R75	65 867.23	2 744 122.56
L76	66 205.94	2 745 573.88	R76	65 953.85	2 744 381.91
L77	66 180.44	2 745 702.82	R77	65 992.29	2 744 497.12
L78	66 107.60	2 745 890.45	R78	65 994.67	2 744 504.25
L79	66 017.63	2 746 056.21	R79	66 071.21	2 744 733.62
L80	65 967.34	2 746 148.76	R80	66 148.54	2 744 968.75
L81	65 910.80	2 746 330.37	R81	66 150.94	2 744 976.11
L82	65 906.81	2 746 361.22	R82	66 227.86	2 745 211.48
L83	65 904.90	2 746 517.68	R83	66 232.51	2 745 232.61
L84	65 939.84	2 746 865.72	R84	66 236.05	2 745 248.67
L85	65 940.11	2 746 867.73	R85	66 246.04	2 745 318.35
L86	65 949.61	2 746 943.52	R86	66 251.48	2 745 368.78
L87	65 966.21	2 747 004.41	R87	66 253.50	2 745 475.51
L88	65 998.85	2 747 071.56	R88	66 248.55	2 745 540.15
L89	66 037.77	2 747 124.34	R89	66 246.47	2 745 567.37
L90	66 091.45	2 747 176.32	R90	66 227.04	2 745 678.68
L91	67 186.01	2 747 963.65	R91	66 193.78	2 745 790.74
L92	67 226.54	2 748 003.83	R92	66 166.74	2 745 858.43
L93	67 258.84	2 748 043.38	R93	66 158.39	2 745 874.25
L94	67 283.45	2 748 085.65	R94	66 132.10	2 745 928.07
L95	67 314.40	2 748 161.23	R95	66 077.81	2 746 024.78
L96	67 348.71	2 748 259.31	R96	66 035.36	2 746 099.54
L97	67 433.25	2 748 505.64	R97	66 034.18	2 746 100.96
L98	67 445.08	2 748 539.98	R98	66 021.78	2 746 123.59
L99	67 501.17	2 748 701.28	R99	65 989.32	2 746 198.29
L100	67 671.30	2 749 190.54	R100	65 971.64	2 746 246.23
L101	67 678.43	2 749 211.04	R101	65 949.65	2 746 338.70
L102	67 907.32	2 749 866.47	R102	65 940.02	2 746 446.82

Vel Sheet	14	Van of	22	P1108/18
--------------	----	-----------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE	
	Y	X	WG 31°	Y	X
L103	67 987.42	2 750 094.81	R103	65 942.55	2 746 506.29
L104	68 111.33	2 750 448.03	R104	65 970.31	2 746 784.94
L105	68 302.01	2 750 997.61	R105	65 986.33	2 746 935.24
L106	68 302.91	2 750 999.09	R106	66 000.31	2 746 987.85
L107	68 365.80	2 751 180.60	R107	66 031.33	2 747 051.61
L108	68 449.87	2 751 419.52	R108	66 066.55	2 747 100.28
L109	68 571.93	2 751 766.38	R109	66 112.13	2 747 138.86
L110	68 800.68	2 752 430.27	R110	66 118.20	2 747 148.40
L111	68 801.23	2 752 434.44	R111	66 492.73	2 747 418.30
L112	68 812.21	2 752 510.55	R112	66 876.92	2 747 694.13
L113	68 816.81	2 752 574.82	R113	67 147.11	2 747 888.03
L114	68 817.91	2 752 594.00	R114	67 210.08	2 747 936.80
L115	68 823.41	2 752 706.48	R115	67 255.28	2 747 980.91
L116	68 823.51	2 752 708.33	R116	67 289.04	2 748 023.39
L117	68 843.93	2 753 100.07	R117	67 318.36	2 748 069.60
L118	68 852.59	2 753 287.50	R118	67 349.33	2 748 150.21
L119	68 858.57	2 753 335.13	R119	67 380.72	2 748 239.96
L120	68 870.10	2 753 377.70	R120	67 380.84	2 748 240.30
L121	68 904.63	2 753 454.02	R121	67 408.38	2 748 320.48
L122	68 908.94	2 753 463.70	R122	67 476.53	2 748 513.04
L123	68 925.35	2 753 488.48	R123	67 515.90	2 748 628.29
L124	68 941.73	2 753 514.08	R124	67 537.12	2 748 688.87
L125	69 013.63	2 753 620.36	R125	67 613.96	2 748 909.68
L126	69 065.73	2 753 697.86	R126	67 705.79	2 749 173.09
L127	69 239.92	2 753 961.22	R127	67 769.92	2 749 357.04
L128	69 294.05	2 754 029.47	R128	67 931.42	2 749 819.07
L129	69 353.61	2 754 086.88	R129	68 022.00	2 750 079.65
L130	69 409.40	2 754 160.35	R130	68 027.05	2 750 088.34
L131	69 425.19	2 754 189.16	R131	68 337.46	2 750 983.80
L132	69 437.93	2 754 218.23	R132	68 604.91	2 751 746.27
L133	69 454.25	2 754 271.11	R133	68 608.18	2 751 755.69
L134	69 460.72	2 754 310.06	R134	68 704.10	2 752 031.91
L135	69 455.21	2 754 580.17	R135	68 817.55	2 752 359.03
L136	69 454.49	2 754 605.17	R136	68 837.62	2 752 425.46
L137	69 445.45	2 754 903.03	R137	68 840.15	2 752 433.83
L138	69 442.06	2 755 018.34	R138	68 849.82	2 752 521.19
L139	69 438.15	2 755 150.48	R139	68 853.53	2 752 580.94
L140	69 410.79	2 755 365.69	R140	68 859.04	2 752 669.62
L141	69 390.96	2 755 521.71	R141	68 860.54	2 752 698.75
L142	69 380.04	2 755 579.14	R142	68 880.03	2 753 077.10
L143	69 370.92	2 755 627.14	R143	68 880.37	2 753 084.12
L144	69 352.96	2 755 674.18	R144	68 890.25	2 753 285.81
L145	69 335.56	2 755 715.10	R145	68 896.18	2 753 331.12
L146	69 332.46	2 755 722.38	R146	68 906.14	2 753 368.21
L147	69 312.50	2 755 757.74	R147	68 920.85	2 753 418.92
L148	69 283.74	2 755 822.94	R148	68 948.25	2 753 459.30
L149	69 257.65	2 755 882.09	R149	69 131.00	2 753 728.59
L150	69 241.75	2 755 935.66	R150	69 381.11	2 754 065.53
L151	69 226.46	2 756 080.41	R151	69 413.97	2 754 103.75
L152	69 226.44	2 756 080.62	R152	69 459.45	2 754 174.76
L153	69 212.84	2 756 338.25	R153	69 497.82	2 754 310.79

Vel Sheet	15	Van of	22	P1108/18
--------------	----	-----------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE	
	Y	X	WG 31°	Y	X
L154	69 225.25	2 756 397.80	R154	69 499.18	2 754 345.44
L155	69 240.94	2 756 443.68	R155	69 496.96	2 754 433.23
L156	69 284.79	2 756 533.33	R156	69 492.52	2 754 583.39
L157	69 302.21	2 756 570.98	R157	69 484.07	2 754 869.55
L158	69 303.24	2 756 572.98	R158	69 480.40	2 754 986.78
L159	69 305.06	2 756 576.55	R159	69 479.59	2 755 009.49
L160	69 318.06	2 756 616.31	R160	69 473.66	2 755 176.43
L161	69 324.76	2 756 721.18	R161	69 472.54	2 755 187.08
L162	69 300.95	2 756 819.52	R162	69 462.61	2 755 281.32
L163	69 279.80	2 756 862.66	R163	69 416.69	2 755 573.15
L164	69 258.41	2 756 902.81	R164	69 406.46	2 755 638.18
L165	69 226.37	2 756 933.24	R165	69 387.41	2 755 687.59
L166	69 108.81	2 757 061.79	R166	69 378.06	2 755 708.15
L167	69 057.76	2 757 167.52	R167	69 327.98	2 755 818.22
L168	69 056.95	2 757 169.21	R168	69 327.39	2 755 819.52
L169	69 047.68	2 757 207.83	R169	69 265.64	2 756 065.41
L170	68 999.45	2 757 418.35	R170	69 262.01	2 756 076.43
L171	68 986.61	2 757 467.64	R171	69 255.70	2 756 095.58
L172	68 930.15	2 757 604.22	R172	69 239.72	2 756 294.05
L173	68 897.15	2 757 660.66	R173	69 250.32	2 756 333.73
L174	68 858.03	2 757 715.34	R174	69 257.10	2 756 391.89
L175	68 825.30	2 757 752.51	R175	69 318.82	2 756 518.64
L176	68 809.05	2 757 770.97	R176	69 336.79	2 756 567.61
L177	68 776.39	2 757 802.44	R177	69 352.41	2 756 610.16
L178	68 663.76	2 757 898.68	R178	69 370.75	2 756 674.17
L179	68 567.73	2 757 980.77	R179	69 362.05	2 756 723.59
L180	68 558.77	2 757 988.24	R180	69 336.02	2 756 834.47
L181	68 544.82	2 757 999.87	R181	69 284.49	2 756 925.91
L182	68 512.22	2 758 028.11	R182	69 253.98	2 756 962.43
L183	68 479.30	2 758 055.81	R183	69 103.85	2 757 149.50
L184	67 960.00	2 758 496.23	R184	69 101.60	2 757 157.21
L185	67 902.08	2 758 540.72	R185	69 084.40	2 757 216.20
L186	67 845.29	2 758 582.89	R186	69 067.00	2 757 292.51
L187	67 804.61	2 758 606.15	R187	69 036.25	2 757 426.12
L188	67 766.68	2 758 626.67	R188	69 022.31	2 757 479.73
L189	67 724.15	2 758 646.37	R189	69 005.37	2 757 529.56
L190	67 657.80	2 758 670.47	R190	68 963.74	2 757 621.64
L191	67 570.73	2 758 697.63	R191	68 936.91	2 757 663.66
L192	67 481.15	2 758 722.55	R192	68 894.16	2 757 728.00
L193	67 420.23	2 758 743.20	R193	68 890.68	2 757 732.05
L194	67 358.78	2 758 770.07	R194	68 830.51	2 757 802.22
L195	67 310.99	2 758 780.88	R195	68 761.24	2 757 864.90
L196	67 283.30	2 758 786.78	R196	68 572.93	2 758 024.63
L197	67 229.71	2 758 783.80	R197	68 477.97	2 758 105.63
L198	67 180.53	2 758 771.83	R198	68 477.61	2 758 110.63
L199	67 079.99	2 758 732.37	R199	68 381.57	2 758 187.20
L200	67 032.03	2 758 717.83	R200	67 989.22	2 758 520.37
L201	66 987.90	2 758 711.26	R201	67 922.63	2 758 572.88
L202	66 858.21	2 758 711.04	R202	67 864.33	2 758 614.10
L203	66 771.80	2 758 703.47	R203	67 783.29	2 758 657.31
L204	66 694.42	2 758 695.08	R204	67 680.30	2 758 700.14

Vel
Sheet 16 Van 22 of 22 P1108/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE	
	Y	X	WG 31°	Y	X
L205	66 396.26	2 758 652.64	R205	67 632.78	2 758 714.59
L206	66 326.73	2 758 648.91	R206	67 489.53	2 758 757.77
L207	66 271.35	2 758 650.08	R207	67 430.78	2 758 776.55
L208	65 828.24	2 758 690.23	R208	67 367.86	2 758 804.35
L209	65 822.60	2 758 690.74	R209	67 282.93	2 758 823.35
L210	65 770.32	2 758 701.67	R210	67 240.78	2 758 822.18
L211	65 715.43	2 758 722.82	R211	67 171.80	2 758 804.49
L212	65 704.88	2 758 728.83	R212	67 070.85	2 758 769.00
L213	65 675.87	2 758 745.34	R213	67 025.89	2 758 755.10
L214	65 668.78	2 758 751.29	R214	66 985.01	2 758 748.30
L215	65 452.29	2 758 932.86	R215	66 767.74	2 758 740.96
L216	65 388.31	2 758 960.96	R216	66 692.16	2 758 732.03
L217	65 357.04	2 758 967.63	R217	66 394.46	2 758 690.46
L218	65 191.06	2 758 950.69	R218	66 327.73	2 758 686.58
L219	65 138.99	2 758 946.21	R219	66 271.85	2 758 688.02
L220	65 093.63	2 758 949.78	R220	66 051.07	2 758 708.00
L221	65 041.52	2 758 964.25	R221	65 830.48	2 758 728.96
L222	64 967.62	2 758 997.31	R222	65 782.71	2 758 737.09
L223	64 931.85	2 759 014.32	R223	65 698.07	2 758 774.88
L224	64 895.03	2 759 046.49	R224	65 666.29	2 758 798.27
L225	64 868.87	2 759 069.38	R225	65 664.80	2 758 799.36
L226	64 838.42	2 759 086.79	R226	65 583.73	2 758 872.56
L227	64 805.93	2 759 091.92	R227	65 472.17	2 758 951.79
L228	64 756.60	2 759 090.16	R228	65 454.92	2 758 976.06
L229	64 719.59	2 759 082.62	R229	65 397.28	2 758 997.34
L230	64 670.09	2 759 081.13	R230	65 364.41	2 759 004.86
L231	64 625.64	2 759 093.21	R231	65 316.47	2 759 008.33
L232	64 577.51	2 759 118.43	R232	65 263.97	2 759 002.35
L233	64 546.45	2 759 143.31	R233	65 185.81	2 758 987.47
L234	64 489.16	2 759 202.69	R234	65 141.93	2 758 983.83
L235	64 459.49	2 759 228.24	R235	65 096.40	2 758 986.67
L236	64 424.10	2 759 247.72	R236	65 051.81	2 758 997.41
L237	64 376.10	2 759 264.16	R237	65 015.30	2 759 013.12
L238	64 306.80	2 759 283.22	R238	64 979.46	2 759 030.47
L239	64 268.89	2 759 297.88	R239	64 965.74	2 759 049.35
L240	64 216.04	2 759 330.84	R240	64 885.10	2 759 118.26
L241	64 157.53	2 759 375.08	R241	64 855.97	2 759 133.73
L242	64 113.97	2 759 403.60	R242	64 761.75	2 759 128.37
L243	64 084.21	2 759 412.60	R243	64 710.69	2 759 119.32
L244	64 053.91	2 759 409.65	R244	64 673.04	2 759 118.02
L245	64 015.56	2 759 399.68	R245	64 637.75	2 759 125.39
L246	63 964.80	2 759 382.82	R246	64 562.07	2 759 181.52
L247	63 918.88	2 759 369.46	R247	64 513.63	2 759 231.52
L248	63 881.83	2 759 371.55	R248	64 485.14	2 759 254.85
L249	63 840.96	2 759 385.88	R249	64 438.74	2 759 280.62
L250	63 813.71	2 759 404.38	R250	64 388.49	2 759 302.61
L251	63 787.98	2 759 430.83	R251	64 335.42	2 759 315.21
L252	63 767.10	2 759 473.62	R252	64 278.42	2 759 334.86
L253	63 753.88	2 759 518.19	R253	64 233.90	2 759 363.60
L254	63 742.77	2 759 551.75	R254	64 127.30	2 759 438.10
L255	63 722.92	2 759 594.40	R255	64 092.48	2 759 451.36

Vel Sheet	17	Van of	22	P1108/18
--------------	----	-----------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 31°	Y	X	
L256	63 693.83	2 759	643.78	R256	64 030.89	2 759 453.82
L257	63 616.69	2 759	750.48	R257	63 985.95	2 759 438.23
L258	63 560.98	2 759	829.16	R258	63 942.41	2 759 417.26
L259	63 538.99	2 759	857.67	R259	63 900.13	2 759 407.38
L260	63 501.01	2 759	889.33	R260	63 864.31	2 759 418.34
L261	63 496.39	2 759	892.63	R261	63 835.08	2 759 438.95
L262	63 449.55	2 759	925.93	R262	63 812.43	2 759 486.80
L263	63 419.91	2 759	957.88	R263	63 787.70	2 759 542.92
L264	63 398.69	2 759	994.70	R264	63 786.09	2 759 578.50
L265	63 387.51	2 760	028.69	R265	63 763.14	2 759 629.77
L266	63 359.57	2 760	122.76	R266	63 734.19	2 759 674.07
L267	63 324.09	2 760	236.37	R267	63 704.23	2 759 714.48
L268	63 308.32	2 760	291.88	R268	63 633.93	2 759 800.90
L269	63 298.41	2 760	372.54	R269	63 593.53	2 759 857.83
L270	63 307.02	2 760	414.02	R270	63 560.95	2 759 885.10
L271	63 308.35	2 760	443.07	R271	63 536.92	2 759 905.24
L272	63 319.98	2 760	486.07	R272	63 520.90	2 759 918.44
L273	63 358.01	2 760	616.42	R273	63 470.31	2 759 955.07
L274	63 372.00	2 760	657.33	R274	63 449.50	2 759 979.50
L275	63 395.05	2 760	701.88	R275	63 432.62	2 760 011.65
L276	63 445.73	2 760	791.54	R276	63 420.90	2 760 040.43
L277	63 481.27	2 760	858.25	R277	63 394.02	2 760 131.19
L278	63 475.23	2 760	886.89	R278	63 354.93	2 760 250.88
L279	63 469.00	2 760	894.83	R279	63 340.24	2 760 301.03
L280	63 443.34	2 760	888.34	R280	63 334.84	2 760 332.93
L281	63 430.53	2 760	865.14	R281	63 333.07	2 760 372.46
L282	63 370.21	2 760	808.39	R282	63 336.23	2 760 408.29
L283	63 334.41	2 760	741.15	R283	63 342.14	2 760 437.26
L284	63 310.13	2 760	642.18	R284	63 363.35	2 760 526.99
L285	63 290.98	2 760	606.70	R285	63 410.02	2 760 517.74
L286	63 254.12	2 760	547.24	R286	63 463.51	2 760 612.74
L287	63 226.75	2 760	490.16	R287	63 506.22	2 760 651.77
L288	63 200.29	2 760	338.45	R288	63 521.18	2 760 659.96
L289	63 181.53	2 760	307.70	R289	63 531.00	2 760 687.94
L290	63 134.97	2 760	280.82	R290	63 506.17	2 760 774.20
L291	63 079.32	2 760	295.56	R291	63 515.66	2 760 905.37
L292	63 023.44	2 760	324.19	R292	63 486.43	2 760 921.31
L293	62 895.06	2 760	382.16	R293	63 471.86	2 760 927.54
L294	62 861.91	2 760	387.28	R294	63 408.74	2 760 921.64
L295	62 805.79	2 760	396.33	R295	63 334.64	2 760 828.16
L296	62 761.40	2 760	415.79	R296	63 297.48	2 760 769.97
L297	62 706.82	2 760	483.85	R297	63 286.78	2 760 756.03
L298	62 697.41	2 760	555.63	R298	63 279.35	2 760 695.74
L299	62 721.09	2 760	621.61	R299	63 232.47	2 760 628.25
L300	62 725.06	2 760	627.53	R300	63 182.59	2 760 550.92
L301	62 751.82	2 760	660.82	R301	63 160.49	2 760 502.20
L302	62 963.77	2 760	924.91	R302	63 162.31	2 760 362.84
L303	63 027.15	2 761	019.67	R303	63 139.48	2 760 328.84
L304	63 098.56	2 761	176.38	R304	63 100.57	2 760 329.18
L305	63 176.27	2 761	364.70	R305	62 963.59	2 760 395.80
L306	63 182.68	2 761	385.25	R306	62 901.25	2 760 417.67

Vel Sheet 18 Van of 22 P1108/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 31°		Y	X	
L307	63 202.73	2 761 445.37	R307	62 844.68	2 760 425.15		
L308	63 215.31	2 761 517.90	R308	62 788.73	2 760 443.63		
L309	63 232.53	2 761 721.73	R309	62 761.77	2 760 465.95		
L310	63 223.46	2 761 769.77	R310	62 739.16	2 760 502.56		
L311	63 198.39	2 761 800.56	R311	62 733.07	2 760 554.09		
L312	63 115.18	2 761 808.60	R312	62 734.92	2 760 563.32		
L313	63 088.19	2 761 784.09	R313	62 782.42	2 760 640.05		
L314	63 069.35	2 761 748.60	R314	62 995.85	2 760 906.04		
L315	63 052.22	2 761 673.49	R315	63 040.84	2 760 968.80		
L316	63 037.68	2 761 592.23	R316	63 080.28	2 761 043.16		
L317	63 003.79	2 761 542.38	R317	63 132.00	2 761 164.77		
L318	62 924.74	2 761 515.39	R318	63 208.23	2 761 346.80		
L319	62 879.25	2 761 522.57	R319	63 239.26	2 761 441.96		
L320	62 815.89	2 761 569.90	R320	63 252.01	2 761 516.96		
L321	62 783.60	2 761 647.11	R321	63 270.68	2 761 721.95		
L322	62 787.40	2 761 735.45	R322	63 256.83	2 761 785.98		
L323	62 753.68	2 761 820.72	R323	63 213.31	2 761 834.13		
L324	62 709.82	2 761 923.60	R324	63 207.47	2 761 837.06		
L325	62 703.16	2 762 005.81	R325	63 095.58	2 761 843.51		
L326	62 688.70	2 762 058.46	R326	63 051.49	2 761 807.49		
L327	62 642.04	2 762 128.05	R327	63 026.63	2 761 752.46		
L328	62 570.68	2 762 197.69	R328	63 016.01	2 761 679.29		
L329	62 552.36	2 762 231.38	R329	63 002.70	2 761 615.25		
L330	62 543.16	2 762 265.29	R330	62 945.25	2 761 556.77		
L331	62 548.41	2 762 344.43	R331	62 893.02	2 761 554.46		
L332	62 575.03	2 762 419.18	R332	62 846.72	2 761 590.47		
L333	62 583.34	2 762 466.36	R333	62 830.42	2 761 659.74		
L334	62 578.59	2 762 489.54	R334	62 823.70	2 761 736.48		
L335	62 562.13	2 762 521.76	R335	62 813.84	2 761 774.85		
L336	62 403.74	2 762 707.20	R336	62 784.54	2 761 835.90		
L337	62 484.81	2 762 891.93	R337	62 744.20	2 761 934.53		
L338	62 498.95	2 763 023.46	R338	62 723.43	2 762 072.59		
L339	62 526.14	2 763 286.62	R339	62 701.14	2 762 116.43		
L340	62 533.20	2 763 484.26	R340	62 667.33	2 762 154.51		
L341	62 482.80	2 763 580.02	R341	62 601.18	2 762 219.28		
L342	62 357.16	2 763 785.35	R342	62 579.55	2 762 271.20		
L343	62 319.04	2 763 877.34	R343	62 584.41	2 762 334.04		
L344	62 278.19	2 764 018.88	R344	62 611.08	2 762 409.66		
L345	62 267.51	2 764 090.68	R345	62 618.86	2 762 460.04		
L346	62 241.21	2 764 263.40	R346	62 613.63	2 762 502.51		
L347	62 168.73	2 764 398.53	R347	62 588.03	2 762 550.65		
L348	61 909.00	2 764 563.57	R348	62 576.38	2 762 572.32		
L349	61 624.60	2 764 893.30	R349	62 506.26	2 762 636.12		
L350	61 591.87	2 764 983.91	R350	62 470.19	2 762 703.88		
L351	61 609.75	2 765 178.52	R351	62 478.62	2 762 781.41		
L352	61 528.52	2 765 420.63	R352	62 533.09	2 762 846.17		
L353	61 293.64	2 765 623.21	R353	62 594.58	2 762 920.90		
L354	61 272.86	2 765 642.60	R354	62 608.05	2 763 020.18		
L355	61 208.46	2 765 701.47	R355	62 557.24	2 763 191.65		
L356	61 159.29	2 765 754.02	R356	62 570.42	2 763 274.05		
L357	60 739.26	2 766 323.84	R357	62 596.73	2 763 384.25		

Vel Sheet	19	Van of	22	P1108/18
--------------	----	-----------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 31°		Y	X	
L358	60 389.08	2 766	796.94	R358	62 585.53	2 763	499.66
L359	60 368.54	2 766	824.69	R359	62 535.86	2 763	602.09
L360	59 695.70	2 767	734.84	R360	62 449.83	2 763	719.36
L361	59 310.63	2 768	255.40	R361	62 399.23	2 763	794.61
L362	59 142.43	2 768	482.89	R362	62 365.00	2 763	873.77
L363	59 013.69	2 768	657.00	R363	62 328.91	2 763	995.39
L364	58 739.76	2 769	027.78	R364	62 304.51	2 764	094.34
L365	58 414.50	2 769	467.72	R365	62 305.81	2 764	183.00
L366	58 137.13	2 769	841.70	R366	62 306.36	2 764	274.54
L367	58 122.00	2 769	863.04	R367	62 295.97	2 764	319.06
L368	57 775.24	2 770	332.62	R368	62 262.17	2 764	393.86
L369	57 637.39	2 770	519.68	R369	62 259.56	2 764	397.99
L370	57 625.08	2 770	536.39	R370	62 158.36	2 764	494.92
L371	57 499.66	2 770	706.59	R371	62 070.84	2 764	527.75
L372	57 446.11	2 770	806.37	R372	61 990.06	2 764	559.21
L373	57 411.66	2 770	912.67	R373	61 922.60	2 764	611.94
L374	57 400.76	2 770	994.94	R374	61 683.01	2 764	889.33
L375	57 396.84	2 771	024.44	R375	61 646.66	2 764	972.99
L376	57 402.85	2 771	143.89	R376	61 638.50	2 765	058.16
L377	57 407.93	2 771	165.74	R377	61 648.35	2 765	191.04
L378	57 427.29	2 771	248.99	R378	61 638.01	2 765	307.15
L379	57 487.72	2 771	444.08	R379	61 590.29	2 765	409.17
L380	57 501.06	2 771	487.16	R380	61 544.71	2 765	457.66
L381	57 530.53	2 771	630.47	R381	61 513.60	2 765	489.85
L382	57 529.13	2 771	733.20	R382	61 331.00	2 765	640.98
L383	57 499.10	2 771	827.02	R383	61 316.81	2 765	653.75
L384	57 487.40	2 771	881.03	R384	61 314.55	2 765	655.81
L385	57 442.87	2 772	050.78	R385	61 265.03	2 765	700.89
L386	57 385.72	2 772	232.05	R386	61 234.52	2 765	728.66
L387	57 391.50	2 772	346.66	R387	61 185.92	2 765	786.76
L388	57 412.53	2 772	623.56	R388	60 772.03	2 766	342.92
L389	57 413.77	2 772	750.31	R389	60 645.30	2 766	514.33
L390	57 409.31	2 772	814.10	R390	60 442.62	2 766	788.47
L391	57 404.84	2 772	876.66	R391	60 400.93	2 766	844.87
L392	57 386.19	2 772	995.90	R392	60 040.77	2 767	331.41
L393	57 353.43	2 773	124.66	R393	59 996.11	2 767	391.74
L394	57 346.50	2 773	152.00	R394	59 726.23	2 767	757.10
L395	57 303.39	2 773	271.81	R395	59 455.12	2 768	123.59
L396	57 250.72	2 773	387.86	R396	59 339.02	2 768	280.70
L397	57 190.53	2 773	492.42	R397	59 181.93	2 768	493.19
L398	57 120.12	2 773	602.22	R398	59 043.13	2 768	680.95
L399	56 896.01	2 773	950.53	R399	58 767.95	2 769	052.57
L400	56 690.71	2 774	270.70	R400	58 606.63	2 769	270.93
L401	56 581.34	2 774	441.22	R401	58 446.62	2 769	487.51
L402	56 552.51	2 774	487.04	R402	58 174.94	2 769	855.02
L403	56 503.72	2 774	559.66	R403	58 156.34	2 769	879.03
L404	56 449.25	2 774	633.85	R404	57 801.79	2 770	359.99
L405	56 368.15	2 774	724.92	R405	57 687.01	2 770	516.01
L406	56 326.63	2 774	764.62	R406	57 674.72	2 770	532.72
L407	56 281.90	2 774	803.46	R407	57 530.90	2 770	728.23
L408	56 210.03	2 774	857.69	R408	57 481.15	2 770	820.72

Vel
Sheet 20 Van 22 of P1108/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE	
	Y	X	WG 31°	Y	X
L409	56 159.20	2 774 891.07	R409	57 448.32	2 770 920.72
L410	56 109.62	2 774 919.85	R410	57 434.51	2 771 024.04
L411	56 061.26	2 774 945.02	R411	57 434.78	2 771 030.63
L412	55 993.22	2 774 975.19	R412	57 439.00	2 771 131.91
L413	55 882.18	2 775 021.79	R413	57 462.37	2 771 235.69
L414	55 731.51	2 775 083.99	R414	57 485.36	2 771 310.03
L415	55 524.14	2 775 170.23	R415	57 528.08	2 771 448.17
L416	55 315.29	2 775 257.02	R416	57 536.44	2 771 475.21
L417	55 215.49	2 775 298.49	R417	57 545.10	2 771 514.58
L418	55 205.50	2 775 298.95	R418	57 567.22	2 771 628.10
			R419	57 566.47	2 771 719.54
			R420	57 566.29	2 771 725.84
			R421	57 549.32	2 771 855.46
			R422	57 532.43	2 771 905.56
			R423	57 474.75	2 772 073.05
			R424	57 455.59	2 772 135.00
			R425	57 433.19	2 772 237.65
			R426	57 428.79	2 772 345.15
			R427	57 450.15	2 772 625.19
			R428	57 450.01	2 772 789.30
			R429	57 441.78	2 772 882.19
			R430	57 422.48	2 773 004.88
			R431	57 381.15	2 773 167.05
			R432	57 337.06	2 773 288.81
			R433	57 283.41	2 773 406.93
			R434	57 223.07	2 773 511.84
			R435	57 153.38	2 773 620.26
			R436	57 137.27	2 773 645.53
			R437	56 926.00	2 773 973.24
			R438	56 867.85	2 774 063.66
			R439	56 767.91	2 774 232.50
			R440	56 717.59	2 774 316.90
			R441	56 673.75	2 774 383.56
			R442	56 621.55	2 774 461.36
			R443	56 577.18	2 774 515.31
			R444	56 542.13	2 774 569.54
			R445	56 480.92	2 774 654.79
			R446	56 411.10	2 774 733.36
			R447	56 376.27	2 774 770.09
			R448	56 327.77	2 774 814.07
			R449	56 305.83	2 774 832.70
			R450	56 283.55	2 774 852.72
			R451	56 231.36	2 774 888.88
			R452	56 201.17	2 774 909.13
			R453	56 151.51	2 774 939.57
			R454	56 106.70	2 774 964.42
			R455	56 048.02	2 774 992.65
			R456	55 961.74	2 775 029.25
			R457	55 912.48	2 775 048.87
			R458	55 405.62	2 775 260.59
			R459	55 230.65	2 775 333.65
		Vel Sheet	21	Van of	22
				P1108/18	

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES			
LINKERKANT/LEFT HAND SIDE		REGTERKANT/RIGHT HAND SIDE	
Y	X	Y	X
	WG 31°	R460	55 224.07
		R461	55 226.05
		2 775	338.75
		2 775	349.74

Vel Sheet	22	Van of	22	P1108/18
--------------	----	-----------	----	----------

Printed by and obtainable from the Government Printer, Bosman Street, Private Bag X85, Pretoria, 0001
Contact Centre Tel: 012-748 6200. eMail: info.egazette@gpw.gov.za
Publications: Tel: (012) 748 6053, 748 6061, 748 6065